Hambourg

STAFF REPORT — 1–7 MARCH 2026

1 → 7 March 2026

ML scores show individual performance and injury risk evolution across the squad during the display period, with team mean envelopes highlighting collective trends. Yussuf Poulsen and Bakery Jatta exhibit the highest injury risk scores, driven by accumulated volume and explosiveness strain. External load analysis by position reveals distinct GPS profiles, with wingers and strikers showing elevated explosive distance and HMLD. Wellness data and biomarkers from December 2025 provide additional context. Top ML drivers for injury risk include Overall Volume Strain, Planned Explosiveness Peak Strain, and Total External Load metrics.

CONTENTS

ML Scores — Individual & Team Evolution

External Load by Position

Wellness & Sleep

Biomarkers & Tests — December 2025

Feature Importance & ML Drivers


Individual Profiles — Yussuf Poulsen & Bakery Jatta


Clinical Injuries


1. ML SCORES — INDIVIDUAL & TEAM EVOLUTION


PERFORMANCE SCORE — INDIVIDUAL EVOLUTION


Individual performance scores tracked daily for all athletes. Charts split into five groups for clarity.




Fabio Baldé
Fábio Vieira
Giorgi Gocholeishvili
Jean-Luc Dompé
Jordan Torunarigha
Performance score (0-100)
70
60
50
40
30
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Luka Vušković
Miro Muheim
Nicolai Remberg
Nicolás Capaldo
Noah Katterbach
Performance score (0-100)
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Omar Megeed
Otto Stange
Philip Otele
Ransford Königsdörffer
Rayan Philippe
Performance score (0-100)
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03





INJURY RISK SCORE — INDIVIDUAL EVOLUTION


Individual injury risk scores tracked daily for all athletes. Yussuf Poulsen and Bakery Jatta show the highest mean injury risk scores.













TEAM MEAN ENVELOPES

Team mean ± min-max envelopes show collective performance and injury risk trends across the squad.


Squad (min–max)
Squad min
Squad max
Performance score (mean)
Performance score (mean)
80
70
60
50
40
30
20
Mean 49.73
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Squad (min–max)
Squad min
Squad max
Injury risk score (mean)
Injury risk score (mean)
70
60
50
40
30
20
10
0
Mean 7.58
01/03
02/03
03/03
04/03
05/03
06/03
07/03

TOP 5 — HIGHEST MEAN INJURY RISK SCORE


PLAYER	POSITION	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
Kofi Amoako	MIDFIELDER				
Fabio Baldé	WINGER	17,465	2,431	762	1,669
Nicolás Capaldo	CENTRAL DEFENDER				
Jean-Luc Dompé	WINGER	9,797	969	205	765
Damion Downs	STRIKER	2,023	155	41	114
Daniel Elfadli	DEFENSIVE MIDFIELDER	10,407	1,440	383	1,056
Robert Glatzel	STRIKER	13,928	1,687	450	1,238
Giorgi Gocholeishvili	FULL BACK	10,357	1,653	536	1,116
Albert Grønbæk	WINGER	16,107	2,756	968	1,786
Silvan Hefti	FULL BACK				
Bakery Jatta	WINGER	12,212	1,779	580	1,199
Noah Katterbach	FULL BACK	18,490	2,595	995	1,597
Ransford Königsdörffer	STRIKER	6,144	907	388	519
Jonas Meffert	DEFENSIVE MIDFIELDER				
Omar Megeed	ATTACKING MIDFIELDER	10,506	1,704	477	1,227
William Mikelbrencis	FULL BACK	4,929	731	204	525
Miro Muheim	FULL BACK	8,845	1,245	413	832
Warmed Omari	CENTRAL DEFENDER	5,261	795	243	553
Philip Otele	WINGER	11,223	1,657	704	952
Immanuël Pherai	ATTACKING MIDFIELDER				
Rayan Philippe	STRIKER	10,290	1,554	430	1,124
Łukasz Poręba	ATTACKING MIDFIELDER				
Yussuf Poulsen	STRIKER	11,598	1,573	510	1,064
Guilherme Ramos	CENTRAL DEFENDER				
Nicolai Remberg	DEFENSIVE MIDFIELDER	3,672	548	197	351
Alexander Røssing-Lelesiit	WINGER				
Emir Sahiti	WINGER				
Albert Sambi Lokonga	CENTRAL MIDFIELDER	8,513	992	196	796
Aboubaka Soumahoro	CENTRAL DEFENDER				
Otto Stange	STRIKER	14,779	1,992	565	1,426
Anssi Suhonen	ATTACKING MIDFIELDER				
Jordan Torunarigha	CENTRAL DEFENDER	7,481	809	210	599


PLAYER	POSITION	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
Fábio Vieira	CENTRAL MIDFIELDER	2,735	363	31	332
Luka Vušković	CENTRAL DEFENDER	3,171	383	34	349


2. EXTERNAL LOAD BY POSITION


GPS ANALYSIS BY POSITION

External load analysis reveals distinct GPS profiles across positions. Wingers and strikers show elevated explosive distance and HMLD compared to defenders and midfielders. Mean per session values by position are shown below.






High speed running (absolute)
CENTRAL MIDFIELDER
ATTACKING MIDFIELDER
FULL BACK
DEFENSIVE MIDFIELDER
STRIKER
CENTRAL DEFENDER
WINGER
Mean 100.91
0
30
60
90
120
150


Explosive distance (absolute)
CENTRAL MIDFIELDER
ATTACKING MIDFIELDER
FULL BACK
DEFENSIVE MIDFIELDER
STRIKER
CENTRAL DEFENDER
WINGER
Mean 263.32
0
100
200
300
400
500

EXTERNAL LOAD BY PLAYER AND POSITION

Individual GPS metrics for all tracked athletes. Squad mean: 9,562 m total distance, 1,336 m HMLD, 414 m HSR, 921 m explosive distance per player over the period.

PLAYER	DATE	BIOMARKER	VALUE
Aboubaka Soumahoro	2025-12-16	cmj_score	1
Albert Sambi Lokonga	2025-12-16	cmj_score	1
Alexander Røssing-Lelesiit	2025-12-16	cmj_score	1
Bakery Jatta	2025-12-16	cmj_score	5
Daniel Elfadli	2025-12-16	cmj_score	1
Emir Sahiti	2025-12-16	cmj_score	2
Fabio Baldé	2025-12-16	cmj_score	1
Fábio Vieira	2025-12-16	cmj_score	1
Giorgi Gocholeishvili	2025-12-16	cmj_score	1
Immanuël Pherai	2025-12-16	cmj_score	1
Jean-Luc Dompé	2025-12-16	cmj_score	1
Jonas Meffert	2025-12-16	cmj_score	3
Jordan Torunarigha	2025-12-16	cmj_score	2
Luka Vušković	2025-12-16	cmj_score	5
Miro Muheim	2025-12-16	cmj_score	2
Nicolai Remberg	2025-12-16	cmj_score	1
Nicolás Capaldo	2025-12-16	cmj_score	2
Noah Katterbach	2025-12-16	cmj_score	1
Ransford Königsdörffer	2025-12-16	cmj_score	1
Rayan Philippe	2025-12-16	cmj_score	1
Silvan Hefti	2025-12-16	cmj_score	2
Warmed Omari	2025-12-16	cmj_score	2
William Mikelbrencis	2025-12-16	cmj_score	2
Yussuf Poulsen	2025-12-16	cmj_score	1

Table shows first 12 of 34 athletes. Full roster includes 23 athletes with GPS data during the display period.


3. WELLNESS & SLEEP

WELLNESS PROFILE — BODY SORENESS & MOOD (25 FEB–7 MAR)

Body soreness (RPE Body) and mood ratings tracked for 25 athletes. Scales: 10–60 (lower = better). Energy, stress, and wellbeing ratings are not available in the current dataset.

TEAM MEAN SLEEP QUALITY & MOOD (25 FEB–7 MAR)

Sleep quality ratings tracked on a 10–60 scale (lower = better). Sleep efficiency, consistency, and hours in bed are not available.



4. BIOMARKERS & TESTS — DECEMBER 2025

CMJ SCORE — DECEMBER 2025

CMJ score measurements for 24 athletes recorded on 16 December 2025. Mean: 1.71, median: 1, range: 1–5. CK data for March 2026 is recorded on 10 March (outside the display window). VALD test trials are not available in the current dataset.

PLAYER	INJURY RISK SCORE (0-100)
Yussuf Poulsen	63.57
Bakery Jatta	43.71
Robert Glatzel	17.14
Nicolás Capaldo	7.86
Daniel Elfadli	7.14

Table shows first 12 of 24 athletes with CMJ score data from December 2025.

5. FEATURE IMPORTANCE & ML DRIVERS

TOP ML DRIVERS — INJURY RISK & PERFORMANCE

Feature importance analysis identifies the top drivers influencing injury risk and performance scores during the display period. The following drivers are ranked by their recent weight in the club's ML models:

Injury Risk Drivers

- **Overall Volume Strain (7d):** Accumulated stress from total distance, energy expenditure, playing time, and cumulative speed intensity over the past 7 days. High volume strain reflects sustained physical demand without adequate recovery, increasing tissue fatigue and injury susceptibility.
- **Planned Explosiveness Peak Strain (7d):** Stress from maximal acceleration/deceleration efforts and zone 6 high-intensity efforts over the past 7 days. Elevated explosiveness strain indicates repeated neuromuscular and musculotendinous loading, particularly in hamstrings, quadriceps, and calf muscles.
- **Average Total External Load (7d):** Mean daily external load over the past 7 days. Sustained high average load without variation can impair adaptation and increase injury risk.
- **Total External Load change vs Yesterday:** Day-to-day change in total external load. Abrupt spikes in load (positive change) are associated with increased injury risk, particularly when recovery is insufficient.
- **Total External Load Variability (7d):** Coefficient of variation in total external load over the past 7 days. High variability impairs physiological adaptation and raises injury risk, while moderate variability supports resilience.

Performance Drivers

Performance score drivers are not explicitly listed in the current dataset. However, performance is typically influenced by readiness markers (wellness, sleep quality), training load consistency, and recovery adequacy.


Linking Drivers to Observed Data

- **Overall Volume Strain ↔ GPS:** Yussuf Poulsen (11,598 m total distance, 1,573 m HMLD) and Bakery Jatta (12,212 m total distance, 1,779 m HMLD) show elevated volume metrics, consistent with their high injury risk scores (63.57 and 43.71/100).
- **Planned Explosiveness Peak Strain ↔ GPS:** Wingers (Fabio Baldé: 1,669 m explosive distance; Albert Grønbæk: 1,786 m explosive distance) and strikers (Robert Glatzel: 1,238 m explosive distance) exhibit high explosive distance, aligning with the Planned Explosiveness Peak Strain driver.
- **Load Variability ↔ Wellness:** Yussuf Poulsen's wellness data (mean sleep quality 21.1, body soreness 23.8, mood 19.5 on 10–60 scale) suggests moderate subjective strain. Bakery Jatta's wellness data (mean sleep quality 33, body soreness 37.6, mood 34.3) indicates higher subjective strain, consistent with his elevated injury risk score.
- **Coherence:** The observed GPS metrics (volume, explosiveness) and wellness ratings align with the top ML drivers, supporting the model's injury risk predictions. Yussuf Poulsen and Bakery Jatta's high injury risk scores are consistent with their elevated external load and subjective strain.
- **Divergence:** Robert Glatzel shows a moderate injury risk score (17.14/100) despite elevated external load (13,928 m total distance, 1,687 m HMLD), suggesting better adaptation or recovery capacity compared to Poulsen and Jatta.

6. INDIVIDUAL PROFILES — YUSSUF POULSEN & BAKERY JATTA

YUSSUF POULSEN — STRIKER

Yussuf Poulsen exhibits the highest mean injury risk score (63.57/100) over the display period, with performance scores fluctuating between 44–50. His external load profile shows 11,598 m total distance, 1,573 m HMLD, 510 m HSR, and 1,064 m explosive distance across 4 sessions. Key ML drivers: Overall Volume Strain (7d) and Planned Explosiveness Peak Strain (7d). Wellness data (25 Feb–7 Mar) shows mean sleep quality 21.1, body soreness 23.8, and mood 19.5 (10–60 scale, lower = better).



YUSSUF POULSEN — EXTERNAL LOAD

PLAYER	POSITION	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
Yussuf Poulsen	STRIKER	11,598	1,573	510	1,064

Comparison to striker peers: Robert Glatzel (13,928 m total distance, 1,687 m HMLD, 450 m HSR, 1,238 m explosive distance). Poulsen's load is slightly lower but still elevated, with higher injury risk score suggesting reduced adaptation capacity.


YUSSUF POULSEN — WELLNESS & SLEEP (25 FEB–7 MAR)

PLAYER	POSITION	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
Bakery Jatta	WINGER	12,212	1,779	580	1,199

Scales: 10–60 (lower = better). Mean sleep quality 21.1, body soreness 23.8, mood 19.5. Ratings suggest moderate subjective strain, with some variability in sleep quality (range 15–28).

BAKERY JATTA — WINGER

Bakery Jatta shows the second-highest mean injury risk score (43.71/100) over the display period, with performance scores ranging from 57–71. His external load profile shows 12,212 m total distance, 1,779 m HMLD, 580 m HSR, and 1,199 m explosive distance across 3 sessions. As a winger, his high explosive distance aligns with the Planned Explosiveness Peak Strain (7d) driver. Wellness data (25 Feb–4 Mar) shows mean sleep quality 33, body soreness 37.6, and mood 34.3 (10–60 scale, lower = better).



BAKERY JATTA — EXTERNAL LOAD

DATE	SLEEP QUALITY	BODY SORENESS	MOOD
2026-02-25	25	24	23
2026-02-26	15	25	15
2026-02-27	15	25	15
2026-02-28	21	24	19
2026-03-01	22	23	20
2026-03-03	20	25	20
2026-03-04	20	25	20
2026-03-05	28	20	20
2026-03-06	23	24	22
2026-03-07	22	23	21

Comparison to winger peers: Fabio Baldé (17,465 m total distance, 2,431 m HMLD, 762 m HSR, 1,669 m explosive distance); Albert Grønbæk (16,107 m total distance, 2,756 m HMLD, 968 m HSR, 1,786 m explosive distance). Jatta's load is moderate compared to peers, but his injury risk score suggests reduced adaptation capacity or accumulated fatigue.

BAKERY JATTA — WELLNESS & SLEEP (25 FEB–4 MAR)

DATE	SLEEP QUALITY	BODY SORENESS	MOOD
2026-02-25	33	35	34
2026-02-26	34	39	35
2026-02-27	34	41	35
2026-02-28	33	36	33
2026-03-01	32	38	34
2026-03-02	33	39	34
2026-03-03	32	36	35
2026-03-04	33	37	34

Scales: 10–60 (lower = better). Mean sleep quality 33, body soreness 37.6, mood 34.3. Ratings indicate higher subjective strain compared to Poulsen, with body soreness peaking at 41 on 27 Feb. Consistent with elevated injury risk score.

CLINICAL INJURIES (1–7 MAR)

Four clinical injuries recorded during the display period, all with recovered status. Location and context fields are not available in the current dataset.

PLAYER	DATE OF INJURY	RECOVERY DATE	STATUS	INJURY	TISSUE	MECHANISM
Bakery Jatta	2026-03-04	2026-04-07	recovered	MFR Biceps femoris with tendon involvement, left	biceps femoris	Muscle fiber tear
Nicolás Capaldo	2026-03-01	2026-04-14	recovered	MFR Rectus abdominis, left-sided, distal + complex nerve damage, left groin.	rectus abdominis	Muscle fiber tear
Albert Grønbæk	2026-02-10	2026-03-05	recovered	MFR Rectus fem., right	rectus femoris	Muscle fiber tear
Alexander Røssing-Lelesiit	2026-01-23	2026-04-17	recovered	subtotal rupture of the anterior syndesmotic ligament, right	syndesmotic ligament	Ligament rupture

Note: Bakery Jatta's biceps femoris injury on 4 March aligns with his elevated injury risk score (43.71/100) and high explosive distance (1,199 m), consistent with the Planned Explosiveness Peak Strain driver.