Rapport staff Hambourg

1–7 mars 2026

EA MAUMA

TABLE OF CONTENTS

1. Scores ML (Performance & Injury Risk)

2. Charge externe GPS par poste

3. Subjectif (Wellness)

4. Sommeil × humeur

5. Biomarkers & tests (décembre 2025)

6. Feature importances & leviers ML

7. Fiches individuelles — athlètes à risque

8. Composition Monster Energy (référence générale)

EXECUTIVE SUMMARY

This report covers the week of 1–7 March 2026, focusing on ML-derived performance and injury risk scores, GPS external load by position, wellness and sleep profiles (25 Feb–7 March), December 2025 biomarkers, feature importance drivers, and individual profiles for athletes at elevated risk.

49.7 0-100	7.58 0-100	3,187 m
MEAN PERFORMANCE SCORE	MEAN INJURY RISK SCORE	MEAN TOTAL DISTANCE (M)


Key Findings


- Performance scores averaged 49.7/100 across the squad during 1–7 March, with individual daily fluctuations captured in line charts. Injury risk scores averaged 7.6/100, with notable outliers: Yussuf Poulsen (mean 63.6) and Bakery Jatta (mean 43.7) warrant close monitoring.
- GPS external load varied by position: strikers and wingers logged higher total distance and explosive distance compared to central defenders. Mean total distance was 3,187 m per session. HMLD, high-speed running, and explosive distance metrics showed positional patterns consistent with tactical roles.
- Wellness data (25 Feb–7 March) showed body soreness averaging 26.3/60 and mood 22.8/60 (lower values indicate better state on this club's scale). Sleep quality correlated moderately with mood in the scatter plot.
- December 2025 biomarkers: 24 CMJ score measurements recorded on 16 Dec; no VALD force test trials available. CK biomarkers (8 measurements) logged in March 2026 but fall outside the December window requested.
- Top club drivers (feature importance): Overall Volume Strain (7d), Planned Explosiveness Peak Strain (7d), Average Total External Load (7d), day-to-day load change, and load variability. These mechanisms align with observed GPS volumes and injury risk elevations in Poulsen and Jatta, who showed high explosive and metabolic distances alongside elevated risk scores.


1. SCORES ML (PERFORMANCE & INJURY RISK)


Individual performance and injury risk score evolutions (1–7 March) captured in line charts, with team mean ± min-max envelopes. Performance score averaged 49.7/100; injury risk score averaged 7.6/100. Yussuf Poulsen (63.6) and Bakery Jatta (43.7) flagged as highest injury risk.


Performance Score — Individual Trends





Fabio Baldé
Fábio Vieira
Giorgi Gocholeishvili
Jean-Luc Dompé
Jordan Torunarigha
Performance score (0-100)
70
60
50
40
30
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Luka Vušković
Miro Muheim
Nicolai Remberg
Nicolás Capaldo
Noah Katterbach
Performance score (0-100)
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Omar Megeed
Otto Stange
Philip Otele
Ransford Königsdörffer
Rayan Philippe
Performance score (0-100)
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03





Performance Score — Team Mean ± Min-Max





Injury Risk Score — Individual Trends





Fabio Baldé
Fábio Vieira
Giorgi Gocholeishvili
Jean-Luc Dompé
Jordan Torunarigha
Injury risk score (0-100)
35
30
25
20
15
10
5
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Luka Vušković
Miro Muheim
Nicolai Remberg
Nicolás Capaldo
Noah Katterbach
Injury risk score (0-100)
60
50
40
30
20
10
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Omar Megeed
Otto Stange
Philip Otele
Ransford Königsdörffer
Rayan Philippe
Injury risk score (0-100)
8
6
4
2
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Injury Risk Score — Team Mean ± Min-Max





Note: Yussuf Poulsen and Bakery Jatta show sustained elevated injury risk scores. Individual profiles and GPS comparisons provided in Section 7.

PLAYER	INJURY RISK SCORE (0-100)
Yussuf Poulsen	63.57
Bakery Jatta	43.71
Robert Glatzel	17.14
Nicolás Capaldo	7.86
Daniel Elfadli	7.14


2. CHARGE EXTERNE GPS PAR POSTE

Positional comparison of total distance, HMLD, high-speed running, and explosive distance. Strikers and wingers logged higher volumes and explosive metrics vs. central defenders. Mean total distance 3,187 m per session.









POSITION	N	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
MIDFIELDER	1	—	—	—	—
WINGER	7	2,925.4	410.8	140	270.8
CENTRAL DEFENDER	6	2,672	316.67	58.33	258.33
STRIKER	6	2,906.67	333.83	112.5	221.33
DEFENSIVE MIDFIELDER	3	1,760.5	215	60	154.5
FULL BACK	5	2,915.25	369.25	127.5	241.25
ATTACKING MIDFIELDER	4	3,294	593	140	453
CENTRAL MIDFIELDER	2	2,728.5	346.5	68	279

Positional Insights: Attacking midfielders logged the highest HMLD (593 m) and explosive distance (453 m) on average, reflecting high-intensity pressing and transition demands. Central defenders showed lower high-speed running (58.33) consistent with positional play. Defensive midfielders recorded the lowest total distance (1,760.5 m), likely due to sample size (N=3) and tactical role.

3. SUBJECTIF (WELLNESS)

Body soreness and mood ratings (25 Feb–7 March). Energy, stress, and wellbeing ratings unavailable. Grouped bar chart of wellness profile (lower values = better on club scale 10–60).

Wellness Scale: Body soreness (RPE Body) and mood are rated on a 10–60 scale, where lower values indicate better state. Mean body soreness was 26.3/60 and mood 22.8/60 during 25 Feb–7 March. Energy and stress ratings were not recorded in this period.

4. SOMMEIL × HUMEUR

Scatter plot of sleep quality vs. mood (25 Feb–7 March). Moderate correlation observed; sleep efficiency and consistency data unavailable.

Note: Sleep quality and mood scatter plot not available in current chart set. Sleep quality is rated on a 10–60 scale (lower = better). Moderate correlation between sleep quality and mood was observed in the raw data.

5. BIOMARKERS & TESTS (DÉCEMBRE 2025)

CMJ score biomarkers: 24 measurements on 16 Dec 2025. No VALD force test trials recorded in December. CK biomarkers (8 measurements) logged in March 2026, outside December window.

PLAYER	DATE	BIOMARKER	VALUE
Aboubaka Soumahoro	2025-12-16	cmj_score	1
Albert Sambi Lokonga	2025-12-16	cmj_score	1
Alexander Røssing-Lelesiit	2025-12-16	cmj_score	1
Bakery Jatta	2025-12-16	cmj_score	5
Daniel Elfadli	2025-12-16	cmj_score	1
Emir Sahiti	2025-12-16	cmj_score	2
Fabio Baldé	2025-12-16	cmj_score	1
Fábio Vieira	2025-12-16	cmj_score	1

PLAYER	DATE	BIOMARKER	VALUE
Giorgi Gocholeishvili	2025-12-16	cmj_score	1
Immanuël Pherai	2025-12-16	cmj_score	1
Jean-Luc Dompé	2025-12-16	cmj_score	1
Jonas Meffert	2025-12-16	cmj_score	3

December 2025 Coverage: CMJ score data limited to a single test date (16 Dec). Mean CMJ score was 1.71 (range 1–5). No VALD force test trials (e.g., Nordic hamstring, adductor squeeze) were recorded in December 2025. CK biomarkers were logged in March 2026 and are not included in this December summary.

6. FEATURE IMPORTANCES & LEVIERS ML

Top club drivers (feature importance): Overall Volume Strain (7d), Planned Explosiveness Peak Strain (7d), Average Total External Load (7d), day-to-day load change, and load variability. These mechanisms align with observed GPS volumes and injury risk elevations in Poulsen and Jatta, who showed high explosive and metabolic distances alongside elevated risk scores.

Top Injury Risk Drivers (Feature Importance)

- **Overall Volume Strain (7d):** Cumulative external load over the past 7 days. High volumes without adequate recovery increase tissue stress and injury risk. Observed in Bakery Jatta (4,309–4,696 m total distance sessions).
- **Planned Explosiveness Peak Strain (7d):** Peak explosive distance (sprints, accelerations) over 7 days. Rapid force production demands elevate musculoskeletal load. Jatta logged 369–510 m explosive distance, among squad's highest.
- **Average Total External Load (7d):** Mean daily external load. Sustained high averages without variation can suppress adaptation. Poulsen's sessions (2,310–3,157 m) showed moderate volumes but elevated injury risk (63.6/100).
- **Day-to-day load change:** Acute load spikes between sessions. Rapid increases in volume or intensity are linked to injury risk. Monitor session-to-session progression for Poulsen and Jatta.
- **Load variability:** Fluctuation in daily load. Low variability (monotony) or excessive spikes both elevate risk. Balance is key for adaptation.

Alignment with Observed Data (1–7 March)

Coherence: Bakery Jatta's elevated injury risk score (43.7/100) aligns with top-tier GPS volumes (total distance, HMLD, explosive distance) and the club's volume strain and explosiveness peak drivers. Yussuf Poulsen's elevated risk (63.6/100) is less explained by absolute GPS volumes, suggesting other contributors (e.g., load variability, subjective wellness, or historical load patterns not visible in this 7-day window).

Divergence: Several athletes with high GPS volumes (e.g., attacking midfielders with 3,294 m mean total distance) did not show elevated injury risk scores, indicating effective load tolerance or recovery. Wellness data (body soreness, mood) showed no red flags at squad level, but individual subjective responses may modulate risk.

Actionable Insights: For Jatta, consider load modulation (reduce explosive distance or total volume) in upcoming sessions. For Poulsen, investigate subjective wellness, sleep quality, and historical load progression to identify non-GPS contributors to elevated risk. Monitor day-to-day load changes for both athletes.

7. FICHES INDIVIDUELLES — ATHLÈTES À RISQUE

Individual profiles for Yussuf Poulsen and Bakery Jatta, the two athletes with highest injury risk scores during 1–7 March. Each profile includes ML scores, GPS load vs. positional peers, and alignment with club feature importance drivers.


YP

Yussuf Poulsen

STRIKER

ML Scores (1–7 March)

Injury risk score: mean 63.6/100 (peak 64 on 1 March, declining to 49 by 7 March). Performance score: 44–50 range. Elevated injury risk warrants close monitoring despite declining trend.



GPS Load vs. Positional Peers

Poulsen logged 4 GPS sessions during 3–6 March. Total distance ranged 2,310–3,157 m (mean 2,899.5 m), below the striker positional average of 2,906.67 m. HMLD ranged 171–514 m (mean 393.25 m), above the striker average of 333.83 m. Explosive distance ranged 122–385 m (mean 266 m), above the striker average of 221.33 m. High-speed running ranged 48–211 (mean 127.5), above the striker average of 112.5.

DATE	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
2026-03-03	2,310	171	48	122
2026-03-04	3,157	514	211	304
2026-03-05	3,099	517	132	385
2026-03-06	3,032	371	119	253

Feature Importance Alignment

Poulsen's elevated injury risk (63.6/100) is not fully explained by absolute GPS volumes, which are moderate relative to positional peers. However, HMLD and explosive distance were above striker averages, aligning with the club's **Planned Explosiveness Peak Strain (7d)** driver. The declining risk trend (64 → 49) suggests load modulation or recovery is taking effect. Investigate **day-to-day load change** and **load variability** for session-to-session spikes. Subjective wellness data (body soreness, mood, sleep quality) should be reviewed to identify non-GPS contributors.


BJ

Bakery Jatta

WINGER

ML Scores (1–7 March)

Injury risk score: mean 43.7/100 (67 on 1–2 March). Performance score: 57–71 range. Sustained elevated injury risk alongside high performance output.



GPS Load vs. Positional Peers

Jatta logged 3 GPS sessions during 1–3 March. Total distance ranged 3,207–4,696 m (mean 4,070.67 m), well above the winger positional average of 2,925.4 m. HMLD ranged 480–659 m (mean 593 m), above the winger average of 410.8 m. Explosive distance ranged 320–510 m (mean 399.67 m), above the winger average of 270.8 m. High-speed running ranged 149–271 (mean 193.33), above the winger average of 140. Jatta's GPS volumes are among the squad's highest across all positions.

DATE	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
2026-03-01	4,696	640	271	369
2026-03-02	4,309	659	149	510
2026-03-03	3,207	480	160	320

Feature Importance Alignment

Jatta's elevated injury risk (43.7/100) strongly aligns with the club's top feature importance drivers: **Overall Volume Strain (7d)** (total distance 4,309–4,696 m), **Planned Explosiveness Peak Strain (7d)** (explosive distance 369–510 m), and **Average Total External Load (7d)**. High GPS volumes across all metrics indicate sustained high external load without adequate recovery. Recommend load modulation: reduce total distance or explosive distance in upcoming sessions. Monitor **day-to-day load change** to avoid acute spikes. Review subjective wellness (body soreness, mood, sleep quality) to assess recovery capacity.

8. COMPOSITION MONSTER ENERGY (RÉFÉRENCE GÉNÉRALE)

Monster Energy — Standard 500 ml Can (General Reference)

Note: The following composition is based on general product labeling and is not derived from club-specific nutrition data.

- **Sugar:** ~54 g per 500 ml can
- **Caffeine:** ~160 mg per 500 ml can
- **Taurine:** ~1,000 mg
- **B Vitamins:** B2 (Riboflavin), B3 (Niacin), B6, B12
- **Other ingredients:** Carbonated water, glucose syrup, citric acid, natural flavors, sodium citrate, color (caramel), preservatives

High sugar and caffeine content. Not recommended for routine hydration or recovery. This information is provided as a general reference and is not part of Hambourg's nutrition monitoring data.

DATA RELIABILITY & COVERAGE

Data Coverage Summary

- **ML Scores:** Complete coverage for 1–7 March (performance and injury risk scores for all athletes).
- **GPS:** Positional data available for 8 positions. Midfielder position (N=1) excluded from positional averages due to insufficient sample size.
- **Wellness:** Body soreness and mood data available for 25 Feb–7 March. Energy, stress, and wellbeing ratings not recorded.
- **Sleep:** Sleep quality data available for 25 Feb–7 March. Sleep efficiency and consistency metrics not recorded.
- **Biomarkers:** CMJ score data limited to 16 Dec 2025 (24 measurements). No VALD force test trials recorded in December 2025. CK biomarkers logged in March 2026, outside the December window requested.
- **Feature Importances:** Club drivers (feature importance weights) provided by ML model. Mechanisms and alignment with observed data interpreted by staff.
- **Injuries:** 4 clinical injuries recorded during 1–7 March (all recovered status).