
MaaS - MongoDB as an admin Service



matrioska.io.go@gmail.com

User Manual V2.0.0

Document Name	User Manual
Version	2.0.0
Creation Date	10/08/2016
Redaction	Santi Guido, D'Amico Roberto
Check	Zamberlan Sebastiano
Approval	Berselli Marco
Use	<i>External</i>
Receiver	<i>RedBabel,</i> Prof. Tullio Vardanega, Prof. Riccardo Cardin.



Change Log

Version	Author	Role	Date	Description
2.0.0	Berselli Marco	Project Manager	6/09/2016	Approved
1.2.0	Zamberlan Sebastiano	Verifier	5/09/2016	Final Review
1.1.0	Santi Guido	Designer	3/09/2016	Inserting images in all section
1.0.0	Santi Guido	Project Manager	13/08/2016	Approved
0.6.0	Berselli Marco	Verifier	13/08/2016	Final Review
0.4.0	Zamberlan Sebastiano	Designer	11/08/2016	Writing Section 3 Collection management
0.3.0	Zamberlan Sebastiano	Designer	11/08/2016	Writing Section 2 Authentication and profile management
0.2.0	Zamberlan Sebastiano	Designer	10/08/2016	First Drawing Up
0.1.0	Zamberlan Sebastiano	Designer	10/08/2016	Creating Structure Document



Indice

1	Introduction	3
1.1	Aim of the document	3
1.2	Aim of the service	3
1.3	Prerequisites	3
1.4	Error handling	3
1.5	Glossary	3
2	Authentication and profile management	4
2.1	Company Registration	4
2.2	User Registration	5
2.3	Authentication	6
2.4	Password recovery	7
2.5	Access and profile management	8
2.6	Contact support	8
3	Collection management	10
3.1	Home Page	10
3.2	Edit DSLI	11
3.2.1	Rename the DSLI	11
3.2.2	Editor	12
3.2.3	Clone DSLI	12
3.2.4	Export DSLI	12
3.3	Create new DSLI	12
3.4	Exec DSLI	13
3.4.1	Cell	13
3.4.2	Document	13
3.4.3	Collection	14
3.4.4	Dashboard	14
4	Company management	16
4.1	User management	16
4.1.1	Delete user	17
4.2	DSLI management	18
4.2.1	Public DSLI	18
4.2.1.1	Share DSLI	19
4.2.2	Private DSLI	19
4.3	Data management	19
4.3.1	Delete data	21



1 Introduction

1.1 Aim of the document

This document is intended to guide the user through the features offered by the software MaaS. The use of this software does not require any computer knowledge, as the functionalities offered are easily accessible from any browser, like any other normal website.

1.2 Aim of the service

The goal of this product is adapt the framework MongoDB as an admin Platform (MaaP), developed by the group SteakHolders during the Software Engineering's project of the academic year 2013/2014, to provide the product as a web service.

1.3 Prerequisites

To use this product the user must have access to an Internet connection, and a web browser. Supported browser are Google Chrome (minimum version: 49) and Mozilla Firefox (minimum version: 45).

The website is accessible by the following link: maas-demo.herokuapp.com.

1.4 Error handling

The majority of the errors of the system are handled by a specific component that centralize this task. For this reason, except some cases, this manual will not enter in detail on the error handling, this is because this operation is the same in every page of the site.

1.5 Glossary

Collection Table formed by multiple documents.

Document It's an union of informations that describes a table row.

Form It's an interface that offers the user the possibility to insert informations to send to the server.

MaaS MongoDB as an Admin Service. The product developed by the team.



2 Authentication and profile management

From the site's Main Page are available the following operations:

- Sign Up(1);
- Login(2);
- Contact support(3).




Fig 1: Main Page

2.1 Company Registration

The first thing you have to do to use MaaS is signing up by clicking on the Sign up button on the menu.

You will find yourself in a page containing a form which have to be filled with the name of the company(4) and the owner's email(5). Then you can continue by clicking on the Sign up button(6).



MaaS

Sign up Login

Sign up

4 Company name

5 somebody@example.com

6 Sign up

Contact Support

Fig 2: Company Registration

If the inserted informations are valid you will see the following message:




Fig 3: Successfull Company Registration

Otherwise you will see an appropriate error's message.

2.2 User Registration

Unlike the majority of websites, to register an user inside MaaS it's necessary to have received an invitation's mail. After having clicked on the link present in the email, you will be redirected to the user registration's page.

To register in MaaS you have to fill the form wich requires:

- User's password;
- Repeat the user's password.

After having filled the form you need to click on the non so cosa ci sia button to conclude the registration. If the given informations are valid you will be redirected to the Main Page, otherwise you will see an appropriate error's message.



2.3 Authentication

Registration is required for logging in. Login allows you to access the system's Home Page and all the features available to you. In order to authenticate you must first click on the Login (see #2 from the first image) button on the menu.

You will find yourself in a page containing a form which have to be filled with your email(7) and your password(8). Then you can continue by clicking on the Log in button(9).

Matrioska

Sign up Login

Log in with your email account

7 somebody@example.com

8 Password

9 Log in

10 [Forgot your password?](#)

Contact Support

Fig 4: Log In

When this operation has been completed, if the information is valid you will find yourself on your Home Page, otherwise you will see an appropriate error's message.



Log in with your email account

Error 401: Unauthorized.

Log in

[Forgot your password?](#)

Fig 5: Log In Error

2.4 Password recovery

In case the user has lost his/her password, it's possible to reset the password. You need to know your registration email in order to proceed. To access to this feature you must go to the Login page and click on [Forgot your password?](#) link(10). You will have to fill out the form with your registration email(11) and click on the Recovery(12) button. If the email address exists in the system an email containing more instructions will be sent to the previously inserted address, otherwise you will see an error.

Recover password

Type your email account

11 somebody@example.com

12

Cancel Recovery

Fig 6: Recovery



2.5 Access and profile management

In order to access the profile's edit page, click on the email address on the menu bar and select Profile. Here the user can see his personal informations and modify his/her password(13).

MaaS Home DSLI Users Database guido_snt@hotmail.it

PROFILE

Email:
guido_snt@hotmail.it

Company:
Guido

Role:
Owner

13 [Change password](#)

Contact Support

Fig 7: Profile

If you want to modify your password click on the Change password button (13). If there isn't any error you will see a message to confirm that the mail has been sent, otherwise you will see an appropriate error.




Fig 8: ChangePassword

2.6 Contact support

On the bottom of the page there will always be the link to access the form to contact the site's support.



2 AUTHENTICATION AND PROFILE MANAGEMENT - [Index](#)

Fig 9: Contact support position

This page's form requires:

1. The name of the user(14);
2. The email of the user(15);
3. A text describing the problem to be submitted to the support(16).

After having compiled every field of the form you can send the message to the site's support by clicking on the Send a message button(17).

Fig 10: Contact Support

The email's field will be automatically filled if the user is logged in the system.



3 Collection management

3.1 Home Page

After having successfully authenticated inside the system you will find yourself in the Home Page where you will find the DSLI's list you have access to. Each row of this list is composed of:

- The name of the DSLI;
- The date of the last change to the DSLI;
- The type of the DSLI;
- The author of the DSLI;
- A button to edit the DSLI;
- A button to clone the DSLI, in other words to create a copy of the DSLI;
- A button to delete the DSLI.

The screenshot shows the Home Page of the MaaS system. At the top, there is a navigation bar with the MaaS logo, a 'Home' button, and a user profile dropdown for 'rdamico0@gmail.com'. Below the navigation bar, the heading 'WELCOME TO YOUR HOME PAGE' is displayed. To the right of the heading are two buttons: 'Create DSLI' and 'Refresh'. The main content area features a table with the following columns: Name, Last Modified, Type, Author, Edit, Clone, and Delete. The table lists several example DSLIs, including 'Cella di esempio', 'Collection di esempio', 'Document di esempio', 'Prova Privata', 'DSL di Berto', 'Dashboard di esempio', 'Sbagliata', and clones of these. Each row has corresponding buttons for editing, cloning, and deleting the DSLI. At the bottom right, there is a 'Contact Support' link.

Name	Last Modified	Type	Author	Edit	Clone	Delete
Cella di esempio	Sun, 11 Sep 2016 22:59:42 GMT	Public	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Collection di esempio	Sun, 11 Sep 2016 08:32:10 GMT	Public	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Document di esempio	Sun, 11 Sep 2016 14:15:04 GMT	Public	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Prova Privata	Sat, 10 Sep 2016 18:54:25 GMT	Private	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
DSL di Berto	Sat, 10 Sep 2016 19:14:06 GMT	Public	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Dashboard di esempio	Sun, 11 Sep 2016 14:31:50 GMT	Private	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Sbagliata	Sat, 10 Sep 2016 19:34:11 GMT	Private	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Clone of Collection di esempio	Sun, 11 Sep 2016 16:48:11 GMT	Private	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Clone of Document di esempio	Sun, 11 Sep 2016 18:27:15 GMT	Private	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]
Clone of Dashboard di esempio	Sun, 11 Sep 2016 21:58:40 GMT	Public	rdamico0@gmail.com	[Edit]	[Clone]	[Delete]

Fig 11: Home Page

The name of the DSLI is also a link that enable the user to see the page containing the result of the execution of the DSLI. The various buttons for every DSLI are enabled only if the user has the permits to make such operations.

To create a new DSLI you can find the button Create DSLI on the top left of the page, just over the list.

3.2 Edit DSLI

This page, accessible by the pencil button on the home page, enable the user to:

- Rename the DSLI;
- Select the database in which execute the DSLI;
- Change the DSLI text using the editor;
- Clone the DSLI;
- Delete the DSLI;
- Export the DSLI in .csv format;
- Send the DSLI's execution's result by email.



Fig 12: Editor

3.2.1 Rename the DSLI

To rename the DSLI just press on the button next to the name of DSLI, this will let you see a window that enables you to change the name of the DSLI. After you have finished editing the name, press the button Rename to save the new name. After that to finalize the change you have to click on the Save button on the bottom of the page. This functionality is available only to the users that possess the permits to do so.




Fig 13: Rename

3.2.2 Editor

The editor lets you change the text of the DSLI as you see fit. After having modified the text it's necessary to finalize the changes by clicking on the Save button on the bottom of the page. This functionality is available only to the users that possess the permits to do so.

3.2.3 Clone DSLI

Cloning a DSLI means to create a personal copy of it, this copy won't possess the limitations of a public DSLI, enabling the user to modify it as he sees fit.

To clone a DSLI you must click on the apposite button (you can find one on Home Page and one on the Edit DSLI page). After having done this, you will be able to see the new cloned DSLI on the Home Page. This functionality is available only to the users that possess the permits to do so.

3.2.4 Export DSLI

After having clicked on the button to export the DSLI the download will start automatically in .csv format.

3.3 Create new DSLI

By clicking on the Create DSLI you will see a form that requires you to fill it with a name for the new DSLI. Done that you have to confirm the creation of the new DSLI by clicking on the Create button. Now you can access to this new DSLI in the home page.



Fig 14: New DSLI

3.4 Exec DSLI

By clicking on the name of the DSLI you will be redirected to a page that shows you the result of the execution of the DSLI.

3.4.1 Cell

The cell is the most simple type of DSLI. It's a simple pair of property and value.

Fig 15: Cell

3.4.2 Document

The document is a list of cells. Every property is paired with it's value.



MAS

Home

DSU -

Users

Database

guido_snt@hotmail.it -

Document di esempio

Nome	Cella di esempio
Autore	rdamico0@gmail.com
Data Ultima Modifica	2016-09-11T22:59:42.000Z

Export -

Contact Support

Fig 16: Document

3.4.3 Collection

The collection is a table where every row corresponds to a document. By clicking on the value of the first column you can access the full document.

M▲AS			Home	DSU -	Users	Database	guido_snt@hotmail.it -
Collection di esempio							
Email	Compagnia	Boss					
alessandro.maccagnan@gmail.com	Redbabel	alessandro@redbabel.com					
alessandro@peermatch.com	/	/					
alessandro@redbabel.com	Redbabel	alessandro@redbabel.com					
gg@heri.com	/	/					
guido_snt@hotmail.it	matrioska	guido.snt93@gmail.com					
marc.berelli@gmail.com	matrioska	guido.snt93@gmail.com					
milo@redbabel.com	piedpiper	milo@redbabel.com					
rdamico0@gmail.com	matrioska	guido.snt93@gmail.com					
roberto.damico.1@studenti.unipd.it	ASDForever	marc.berelli@gmail.com					
super@admin.it	/	/					
zamb24@gmail.com	matrioska	guido.snt93@gmail.com					
Export -							

Fig 17: Collection

3.4.4 Dashboard

The dashboard is a set of DSLIs that are executed and printed on a single page.



3 COLLECTION MANAGEMENT - [Index](#)

MAS

HomeDSUUsersDatabaseguido_snt@hotmail.it

Clone of Dashboard di esempio

Nome	Cella di esempio
Autore	rdamico0@gmail.com
Data Ultima Modifica	2016-09-11T22:59:42.000Z

Export

Clone of Dashboard di esempio

prova

alessandro@redbabel.com

Export

Fig 18: Dashboard



4 Company management

An administrator, in addition to the normal features available to an user, has access to a private section accessible only to the administrators and the owner of the company. Administrators have two particular aspects to manage:

- The users registered in the company;
- The DSLIs created by the users of the company.

Name	Last Modified	Type	Author	Edit	Clone	Delete
Cella di esempio	Sun, 11 Sep 2016 22:59:42 GMT	Public	rdamico0@gmail.com			
Collection di esempio	Sun, 11 Sep 2016 08:32:10 GMT	Public	rdamico0@gmail.com			
Document di esempio	Sun, 11 Sep 2016 14:15:04 GMT	Public	rdamico0@gmail.com			
DSL di Berto	Sat, 10 Sep 2016 19:14:06 GMT	Public	rdamico0@gmail.com			
dpriapnda	Mon, 29 Aug 2016 15:14:40 GMT	Private	guido_snt@hotmail.it			
ujfbsof	Mon, 29 Aug 2016 15:24:44 GMT	Private	guido_snt@hotmail.it			
fsiuosf	Mon, 29 Aug 2016 15:24:49 GMT	Private	guido_snt@hotmail.it			
fsfesfsed	Mon, 29 Aug 2016 15:24:53 GMT	Private	guido_snt@hotmail.it			
Clone of Dashboard di esempio	Sun, 11 Sep 2016 21:58:40 GMT	Public	rdamico0@gmail.com			

Fig 19: Home Page Administrator

4.1 User management

The administrator has access to the list of all the users registered inside the company. Each row of the list is composed of:

- The mail of the user;
- A dropdown menu that enables the administrator to change the access level of the user;
- Delete the user.



MAS

Home DSLI Users Database guido_snt@hotmail.it

USER MANAGEMENT

Send Invite

Mail	Access level	Delete
guido_snt@hotmail.it	Owner	
marc.berselli@gmail.com	Admin ✓	
rdamico0@gmail.com	Admin ✓	
zamb24@gmail.com	Admin ✓	

Contact Support

Fig 20: User management

Other than the list there is a button called Send invite that enable the administrator to invite a new user. After having clicked on the button you will see a form you must fill by writing an email address and selecting an access level. Done that, to finalize the procedure, you must click on the Send invite button.

ACCESS LEVEL

×

Invite new user!

Insert the mail of the user to invite

example@example.com

Insert the access level

Member

Cancel Send Invite

Fig 21: Invite User

4.1.1 Delete user

By clicking on the button with the trash image you can delete the user in that row from the system. If there are some errors in the procedure you will see an error.



4.2 DSLI management

The administrator has access, through two different pages, to the list of all the public and private DSLIs created by the members of the company. The two pages are accessible to the administrator by clicking on the DSLI button on the menu.

4.2.1 Public DSLI

This page let's you manage the public DSLIs of the company. The page offers to the user a list in wich each row is composed of:

- The name of the DSLI;
- The id with wich the DSLI is identified inside the system;
- The date of the last change to the DSLI;
- The author of the DSLI;
- A dropdown menu that enables the administrator to change the access rights to the DSLI;
- A button to edit the DSLI;
- A button to create a public copy of the DSLI;
- A button to share the DSLI by email;
- A button to delete the DSLI.

M ^{AS}									
Home DSLI ▾ Users Database guido_snt@hotmail.it ▾									
DSL MANAGMENT									
Name	Id	Last Modified	Author	Access level	Edit	Publish	Send	Delete	
Cella di esempio	57bc60d15ec40a00115d2891	Sun, 11 Sep 2016 22:59:42 GMT	rdamico0@gmail.com	Executable ✓ ▾					
Collection di esempio	57bc690e00876c00112b9a12	Sun, 11 Sep 2016 08:32:10 GMT	rdamico0@gmail.com	Readable ✓ ▾					
Document di esempio	57bc7cc96b6d6900110e044f	Sun, 11 Sep 2016 14:15:04 GMT	rdamico0@gmail.com	Modificable ✓ ▾					
DSL di Berto	57c1a7830859b500112c6632	Sat, 10 Sep 2016 19:14:06 GMT	rdamico0@gmail.com	Executable ✓ ▾					
Clone of Dashboard di esempio	57d5d3101746de2ba4244024	Sun, 11 Sep 2016 21:58:40 GMT	rdamico0@gmail.com	Modificable ✓ ▾					
Contact Support									

Fig 22: Public DSLI



4.2.1.1 Share DSLI

By pressing the Share button you access the form for sharing, via email, the selected DSLI. You are required to fill this form with an email address and, to complete the operation, to click on the Send invite button.

This will enable the possessor of the given email address to see the result of the execution of the selected DSLI.

4.2.2 Private DSLI

This page let's you manage the private DSLIs of the company. This page is composed of a list similar to the one in the Home Page with little differences, each row is composed of:

- The name of the DSLI;
- The id with wich the DSLI is identified inside the system;
- The date of the last change to the DSLI;
- The author of the DSLI;
- A button to edit the DSLI;
- A button to create a public copy of the DSLI;
- A button to delete the DSLI.































M ^{AS}						
Home DSLI ▾ Users Database guido_snt@hotmail.it ▾						
DSLI PRIVATE MANAGMENT						
Name	Id	Last Modified	Author	Edit	Publish	Delete
Prova Privata	57c19c41ed3d7d23a5c2a54c	Sat, 10 Sep 2016 18:54:25 GMT	rdamico0@gmail.com			
dpriapnda	57c45162858a8800114a54c2	Mon, 29 Aug 2016 15:14:40 GMT	guido_snt@hotmail.it			
ujfbsof	57c453be858a8800114a54c4	Mon, 29 Aug 2016 15:24:44 GMT	guido_snt@hotmail.it			
fsiuosf	57c453c2858a8800114a54c5	Mon, 29 Aug 2016 15:24:49 GMT	guido_snt@hotmail.it			
fsfesfed	57c453c7858a8800114a54c6	Mon, 29 Aug 2016 15:24:53 GMT	guido_snt@hotmail.it			
Dashboard di esempio	57d2c57cb2d9f900113768a0	Sun, 11 Sep 2016 14:31:50 GMT	rdamico0@gmail.com			
Sbagliata	57d460596baf2500115aaac5	Sat, 10 Sep 2016 19:34:11 GMT	rdamico0@gmail.com			
Numero	57d49941b7bbe2001124b8ca	Sat, 10 Sep 2016 23:41:41 GMT	marc.berselli@gmail.com			
Clone of Collection di esempio	57d578009add5b00110e3b3e	Sun, 11 Sep 2016 16:48:11 GMT	rdamico0@gmail.com			
Clone of Document di esempio	57d5a2099add5b00110e3b41	Sun, 11 Sep 2016 18:27:15 GMT	rdamico0@gmail.com			
Contact Support						

Fig 23: Private DSLI

4.3 Data management

The administrator has access to the list of all the databases saved inside the company. Each row of the list is composed of:



- The name of the database;
- The id of the database;
- A button to delete the database.

MaaS Home DSLI Users Database [guido_snt@hotmail.it](#)

DATABASE MANAGMENT

[Add database](#) [Refresh](#)

Name	Id	Delete
MaaS DB	57c6a6831013c100113951d8	
Ristoranti	57d451d4a687ed0011a6b5f5	
Errore	57d460466baf2500115aaac4	
ciccia	57d5800b9add5b00110e3b3f	

[Contact Support](#)

Fig 24: Database management

Other than the list there is a button called Add database that enable the administrator to add a new database. After having clicked on the button you will see a form you must fill by writing a name for the database and the URI, a string to access the database. Done that, to finalize the procedure, you must click on the Add button.


A modal dialog box titled "Add a new database connection" with a close button (X) in the top right corner. The dialog contains two text input fields. The first field is labeled "Name" and the second is labeled "URI", both with the placeholder text "Type a name for the database" above them. Both input fields are highlighted with a red rectangular border. At the bottom right of the dialog, there are two buttons: a grey "Cancel" button and a green "Add" button, which is also highlighted with a red rectangular border.

Fig 25: Add Database

4.3.1 Delete data

By clicking on the button with the trash image you can delete the database in that row from the system. If there are some errors in the procedure you will see an error.