



# **MATRIX Online Wallet Manual**

**Version: 1.1**

**Written by: MATRIX Foundation Research Beijing  
Institute**



Without limitations, all intellectual property rights including but not limited to copyrights, trademarks and technical secrets, relating to the system and its derivatives, as well as all related documents, including all information contained in this document and any of its annexes, are the property of the MATRIX Foundation.

The information contained in this document is confidential and is intended for internal use by the recipient. Without prior written consent from the MATRIX Foundation, recipients of this document may not disclose the information herein to any third party including but not limited to managers, employees and affiliates. Lending, licensing, assigning, selling, distributing or performing any other such dispositions relating to document or related products is strictly forbidden.

This document may not be reproduced, modified or distributed in any form or by any means for any purpose without the prior written permission of the MATRIX Foundation. No recipient of this document may alter, remove or damage any of the trademarks used in this document.

This document is provided as is. The MATRIX Foundation does not guarantee the correctness, accuracy or reliability of this document. All information in this document may be modified without notice. The MATRIX Foundation assumes no responsibility for any errors or inaccuracies that may appear in this document.

In no event shall the MATRIX Foundation be liable for any direct, consequential, incidental or any other damages arising out of the use of this document or related products, without limitation.

The MATRIX Foundation reserves all rights.

# Content

<b>CONTENT .....</b>	<b>1</b>
<b>REVISION HISTORY.....</b>	<b>3</b>
<b>1 INTRODUCTION .....</b>	<b>4</b>
<b>2 CREATE A NEW WALLET .....</b>	<b>4</b>
<b>3 ONLINE TRANSACTIONS.....</b>	<b>9</b>
3.1 INSTANT TRANSACTIONS .....	9
3.1.1 ONE-TO-ONE TRANSACTIONS.....	9
3.1.2 ONE-TO-MANY TRANSACTIONS .....	12
3.2 SCHEDULED TRANSACTIONS.....	13
3.2.1 ONE-TO-ONE TRANSACTIONS.....	13
3.2.2 ONE-TO-MANY TRANSACTIONS .....	14
3.3 REVOCABLE TRANSACTIONS .....	14
3.3.1 ONE-TO-ONE TRANSACTIONS.....	15
3.3.2 ONE-TO-MANY TRANSACTIONS .....	16
3.4 CANCEL REVOCABLE TRANSACTIONS.....	16
<b>4 OFFLINE TRANSACTIONS .....</b>	<b>18</b>
<b>5 ENTRUST.....</b>	<b>20</b>

<b>6</b>	<b>CANCEL ENTRUST.....</b>	<b>21</b>
<b>7</b>	<b>CHECK TX STATUS .....</b>	<b>24</b>
<b>8</b>	<b>DEPOSIT .....</b>	<b>25</b>
<b>9</b>	<b>AI TRANSACTION.....</b>	<b>30</b>

## Revision History

Date	Content	Author	Reviewer	Revision Date
2019-01-28	1 <sup>st</sup> edition	Allen		

# 1 Introduction

The MATRIX Online Wallet is as simple, easy-to-use web-based application. It is a secure, decentralized wallet that does not store user information such as an account name or password. Should any issues arise with the wallet, users can recover their account by using another wallet so long as they have access to their private key and password.

Link: <https://wallet.matrix.io/>

## 2 Create a New Wallet

1. Enter a password. Click "Create New Wallet." Be sure to safely store your password.

2. Download and save the file **Keystore File(UTC/JSON)**

[Access Wallet](#)[Create New Wallet](#)[Add token](#)

Save your **Keystore** File.

Download Keystore File (UTC / JSON)

**\*\*Do not lose it!\*\*** It cannot be recovered if you lose it.  
**\*\*Do not share it!\*\*** Your funds will be stolen if you use this file on a malicious/phishing site.  
**\*\*Make a backup!\*\*** Secure it like the millions of dollars it may one day be worth.

I understand. Continue.



Not Downloading a File?

Try using Google Chrome  
Right click & save file as. Filename:

UTC--2019-02-27T12-19-52.208Z--MAN.48Pdcjcv3NsV59gQQhi9zrafd8tu4

Below is a Keystore File (UTC/JSON)' s JSON sample data:

```
{"version":3,"id":"69dfbc60-7221-4f05-853d-749046b685bb","address":"de4ce30a9abc138408509c7628681fd08d931586","Crypto":{"ciphertext":"099827b94d7c64e4aa54bccbad342db7a375d558987c79ae921c9d7223b44bdc","cipherparams":{"iv":"07adb85fcfb94f487f4381fdc47e79b4"},"cipher":"aes-128-ctr","kdf":"scrypt","kdfparams":{"dklen":32,"salt":"1d57cfc8fc5cb9a03a30ddc2cbe4949e17e220949a582ad8be10b41c02be9021","n":8192,"r":8,"p":1},"mac":"c85427a2d62b10d24647e06d2cda99c5576828d655a3d4382c49fa478fafebbb"}}
```

**Important: Do not lose this file. Save it securely.**

Click the "I understand. Continue."

[Access Wallet](#)[Create New Wallet](#)[Add token](#)

Save Your Private Key.

不要忘记密码

243da5cbeab3e00111b9acfbf949b08e672617fe097ad87200ad82d68d9ac4bc

\*\*Do not lose it!\*\* It cannot be recovered if you lose it.  
\*\*Do not share it!\*\* Your funds will be stolen if you use this file on a malicious/phishing site.  
\*\*Make a backup!\*\* Secure it like the millions of dollars it may one day be worth.

Save Your Address.

3. Click `Save Your Address`
4. There are two ways to unlock your wallet: load the KeyStore file (UTC/JSON) or input the private key

[Create New Wallet](#)[Add token](#)

Unlock your wallet to see your address

How would you like to access your wallet?

1



○Keystore/JSON File

2



○Private Key

5. Click "SELECT WALLET FILE" and open your KeyStore file (UTC/JSON). Then enter your password; or enter your private key directly




Create New Wallet


Add token

## Unlock your wallet to see your address

How would you like to access your wallet?



or **public key**, is what you share with people so that they can send you MAN or other tokens. When sending or receiving tokens, please ensure that your unique paper wallet.




Create New Wallet

Add token

## Unlock your wallet to see your address

How would you like to access your wallet?



**#** or **public key**, is what you share with people so that they can send you MAN or other tokens. When sending or receiving tokens, please ensure that your unique paper wallet.

Paste Your Private Key

Private Key

6. You can see your account details like the following:

Master Account balance 0 (MAN)

Blocked Account : 0 Locked Account : 0 Revocable Account : 0 Discretionary Account : 0

Account Address	Account Alias	Domain Name
MAN.3LnNxKpv9itWqwBh8yKx38KmaGm45	man.1380013800	8888.matrix.io

Your wallet is ready! Share your address with others when you are ready to start receiving funds.

## 3 Online Transactions

Click the “Send MAN & Tokens” tab. Sign in to your wallet.

MAN

MANAccount

balance

0 (MAN)

Blocked Account :0 Locked Account :0 Revocable Account :0 Discretionary Account :0

Account Address	Account Alias	Domain Name
MAN.3LnNxKpv9itWqwBh8yKx38KmaGm4S	MAN.1380013800	

---

Send Transaction

To Address

Please input address

Value / Amount to Send

Please input value

man

[Send Entire Balance](#)

### 3.1 Instant Transactions

As the name implies, instant transactions are real-time transfers, including one-to-one transfers and one-to-many transfers

#### 3.1.1 One-to-One Transactions

Transfer to a single address

- Input address in `To Address`: You can add a new address or choose an old one from the dropdown list
- Input the amount to send
- Leave the gas limit as is

- Choose 'Personally Pay' for Gas (Wait for Subsidy will be explained later)
- Click 'Immediate'
- You can choose to enter content in plain text boxes, rich text boxes, and distributed storage
- Click 'Generate Transaction'

Send Transaction

To Address	MAN.3Ugik7ZsLoaNgX51kCjEWz1ZjxQgW	
Value / Amount to Send	100	man

[Send Entire Balance](#)

[Add More Transactions](#)

gasLimit:

Gas : ☒ Personally Pay ☐ Wait for Subsidy

Transaction Type: [Immediate](#) [Scheduled](#) [Revocable](#)

Immediate Transactions will take effect immediately, which are viewable in blockchain explorer

textbox [RichTextBox](#) [Distributed](#)

I love peace

After clicking the "Generate Transaction" button, the Raw Transaction and Signed Transaction will be displayed as below:

Generate Transaction

Raw Transaction

```
{ "nonce": "0x10000000000000", "gasPrice": "0x0430e23400", "gasLimit": "0x033450", "to": "MAN.3Ugik7ZsLoaNgX51kCjEWz1ZjxQgW", "value": "0x056bc75e2d63100000", "data": "0x6d617472697800007b2274797065223a223222c226c656e677468223a36352c2264617461223a223c703e3c7370616e207374796c653d5c22636f6c6f723a20726762" }
```


Signed Transaction

```
0xf8ff87100000000000000850430e2340083033450a14d414e2e335567696b375a734c6f614e675835316b434a45577a315a6a7851675789056bc75e2d63100000b8716d617472697800007b2274797065223a223222c226c656e677468223a36352c2264617461223a223c703e3c7370616e207374796c653d5c22636f6c6f723a20726762283139342c2037392c203734
```

[Send Transaction](#)

Click "Send Transaction." After confirming that all information is correct, click "Yes, I


am sure! Make transaction.”



A green box will pop up and show a “TX Hash” once the transaction is completed. The

“TX Hash” can be used to check the status of delayed transactions. Users can also view

transaction details using the “TX Hash” in the MATRIX Blockchain Browser.



**Transaction Information**

TxHash: 0x0bcf3394d32dce30b9418a5945b40177f5b5208c9fe2efe7c4e08d74883e319

Block Height: 20857

TimeStamp: 2018-12-27 15:05:43 +0800 ( ago)

From: MAN.3SPbc3M7bK8zCT8VbvjMGW2eCaBgY

To: MAN.2tcNMejKNZwHqEP2D98cmWwhymzzq

Value: 123 MAN

nonce: 4503599627370508

Input Data: 0x5d617472697808087b2274797065223a2231222c226c656e677468223a302c2264617461223a22227d3ff9e897

UTF-8 Original HTML

### 3.1.2 One-to-Many Transactions

MATRIX wallet supports one-to-many transactions (click '+ Add More Transactions' to add multiple new addresses), and transfer funds to multiple addresses at the same time (the added address can also be deleted)

#### Send Transaction

To Address	MAN.3ByNBjw4E7gcxD3uGKtAZLYUD5xi	
Value / Amount to Send	123	man
<a href="#">Send Entire Balance</a>		
To Address	MAN.3Ugik7ZsLoaNgX51kCJEWz1ZjxQgW	
Value / Amount to Send	456	man
<a href="#">Send Entire Balance</a>		
<a href="#">delete transaction</a>		
<a href="#">Add More Transactions</a>		

From here, the steps are the same as for one-to-one transactions.

## 3.2 Scheduled Transactions

Scheduled transactions are those that actually complete the transfer at a specified time

(block height)

### 3.2.1 One-to-One Transactions

Earlier steps are the same with '3.1.1 one-to-one transactions', but choose

"Scheduled" for the Transaction Type

The screenshot shows the 'Transaction Type' section of the wallet interface. The 'Scheduled' tab is selected, and a text input field is present. Below the input field, a date picker is displayed, showing the calendar for February 2019. The date '27' is highlighted in green. At the bottom of the date picker, there are three buttons: '选择时间' (Select Time), '清空' (Clear), and '确定' (Confirm).

Transaction Type

Immediate Scheduled Revocable

Scheduled Transactions will take effect at a specified time


textbox RichTextB

2019年 2月

日	一	二	三	四	五	六
27	28	29	30	31	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	1	2
3	4	5	6	7	8	9

选择时间 清空 现在 确定

Completed scheduled transactions can be viewed here in the explorer



### 3.2.2 One-to-Many Transactions

Earlier steps are the same with '3.1.2 one-to-many transactions', but choose "Scheduled" for the Transaction Type

## 3.3 Revocable Transactions

Revocable transactions can be cancelled within 24 hours. When a revocable transaction is sent, the main account balance (From account) will decrease and the revocable account balance will increase accordingly. If it is not withdrawn within 24 hours, the balance in the revocable account is transferred to the recipient account of the transaction. Otherwise, it goes back to the main account



### 3.3.1 One-to-One Transactions

Earlier steps are the same with '3.1.1 one-to-one transactions', but choose

"Revocable" for the Transaction Type

---

gasLimit:	<input type="text" value="210000"/>
Gas :	<input checked="" type="checkbox"/> Personally Pay <input type="checkbox"/> Wait for Subsidy
Transaction Type	<input type="radio"/> Immediate <input type="radio"/> Scheduled <input checked="" type="radio"/> Revocable
Revocable Transactions are revocable within 24 hours	

textbox	RichTextBox	Distributed
---------	-------------	-------------

---

Revocable Transactions can be viewed under “Revocable Transactions” of explorer

Revocable Transactions

20 transactions

TxType	TxHash	Block	From	MAN	Age
↩	0xc49e57d9d41299f40825df33...	20323	MAN.3SPbc3M7bK8zC...	2.22	6 hours, 25 mins ago
↩	0x31d4aa3ad21641004c68752...	9905	MAN.3SPbc3M7bK8zC...	333	1 day, 3 hours ago
↩	0xeeee8c2f4fe6fcebca65ea11d...	9172	MAN.3SPbc3M7bK8zC...	3.33	1 day, 5 hours ago

Showing 1 to 3 of 3 entries

### 3.3.2 One-to-Many Transactions

Earlier steps are the same with ‘3.1.2 one-to-many transactions’, but choose

“Revocable” for the Transaction Type

## 3.4 Cancel Revocable Transactions

When the revocable transactions are cancelled, the balance of the revocable account is returned to the main account.


Click ‘Undo’ and unlock your wallet.

Enter the hash of the revocable transaction to be cancelled, and generate and send the transaction.

MAN ▾

transactional hash

options ☐ Wait for Subsidy



Generate Transaction

Cancelled Transactions can be viewed under "Reverted Transactions" of explorer



## 4 Offline Transactions

The characteristics of offline transactions is to sign the transaction on the offline computers, and copy the signed transactions to the networked computer and send them



Step 1(Online)

Step 2(Offline)

Step 3(Online)

To Address

Please input address

Value / Amount to Send

Please input value

man

Add More Transactions

Gas Limit:

210000

fill in transaction info and unlock wallet OFFLINE

Gas :

☒ Personally Pay

☐ Wait for Subsidy

Transaction Type

Immediate

Scheduled

Revocable

Immediate Transactions will take effect immediately, which are viewable in blockchain explorer

Step 1(Online)

Step 2(Offline)

Step 3(Online)

Send / Publish Transaction (Online Computer)

Signed Transaction

paste the signed transaction info here and send

Send Transaction

## 5 Entrust

Entrust transaction is a kind of entrust behavior between two accounts. They can be entrusted as follows:

- Wait for Subsidy: When the entrusted account initiates the transaction, gas fee shall be paid by the entrust account

1. Click “Entrust” , and unlock the wallet


The screenshot shows the 'Entrust' interface of the MATRIX Online Wallet. At the top, there is a navigation bar with links: New Wallet, Send MAN & Tokens, Send Offline, Entrust (highlighted), Undo, Check TX Status, Deposit/Withdrawal, Member Node-Starting Service, AI Transaction, Conversion Tool, and Contract. Below the navigation bar, there are two tabs: 'Entrust' (active) and 'CancelEntrust'. The main form area includes a dropdown menu for 'MAN' with a downward arrow. Below this, there is a table with two columns: 'Entrusted to' and 'Please input address'. Under 'Entrusted to', there is a section for 'Entrusted Privilege' with a checkbox for 'Wait for Subsidy'. Below this, there is a section for 'Entrusted by' with two radio buttons: 'block' (selected) and 'time'. At the bottom, there is a section for 'Entrusted block' with two input fields, both containing '0', separated by a minus sign. Below the form, there is a button labeled 'add Entrust'. At the bottom of the page, there is a blue button labeled 'Generate Transaction'.

Fill in the required information

You can entrust by block or time

2. Click “Generate Transaction” and send the transaction

Entrusts can be viewed under “Authorized Entrusts” of explorer



TxType	TxHash	Block	From	MAN	Age
<input checked="" type="checkbox"/>	0x326ffe440e41340789cfde1103...	104706	MAN.YaMnyEHkBFsx9m...	0	1 day, 21 hours ago
<input checked="" type="checkbox"/>	0xf89e34f37ad33161249547ed31...	104606	MAN.YaMnyEHkBFsx9m...	0	1 day, 21 hours ago
<input checked="" type="checkbox"/>	0x3e5f90c49920cdc991c336bc999...	104419	MAN.YaMnyEHkBFsx9m...	0	1 day, 22 hours ago
<input checked="" type="checkbox"/>	0x841c865f7dcf325a99dd1bfade...	81351	MAN.2skMrkoEkeckJLPz6qTdl8B3...	0	3 days, 21 hours ago
<input checked="" type="checkbox"/>	0x0f14c081ee2a1600bed0e7ec03...	59689	MAN.UmMQcQ7mDHE8NQmicaP...	0	5 days, 16 hours ago
<input checked="" type="checkbox"/>	0x6df84d79b6966df571044254af...	59683	MAN.UmMQcQ7mDHE8NQmicaP...	0	5 days, 16 hours ago

After that, you can select "Wait for Subsidy"

gasLimit:

Gas : ☐ Personally Pay ☒ Wait for Subsidy

Transaction Type: Immediate Scheduled Revocable

Immediate Transactions will take effect immediately, which are viewable in blockchain explorer

## 6 Cancel Entrust

Click "CancelEntrust"

Check the box and click "Generate Transaction, then send the transaction"



交易上链以后，可以通过区块链浏览器 Authorized Entrusts 来查询

Authorized Entrusts

20 transactions

TxType	TxHash	Block	From	MAN	Age
✓	0x326ffe440e41340789cfe1103...	104706	MAN.YaMnyEHkBFx9m...	0	1 day, 21 hours ago
✓	0xf89e34f37ad33161249547ed31...	104606	MAN.YaMnyEHkBFx9m...	0	1 day, 21 hours ago
✓	0x3e5f90c49920cdc991c336bc999...	104419	MAN.YaMnyEHkBFx9m...	0	1 day, 22 hours ago
✓	0x841c865f7dcf3255a99dd1bfade...	81351	MAN.2skMrkoEkeckJLPz6qTdl8B3...	0	3 days, 21 hours ago
✓	0x0f14c081ee2a1600bed0e7ec03...	59689	MAN.UmMQcQ7mDHE8NQmicaP...	0	5 days, 16 hours ago
✓	0x6cdf84d79b6966dff571044254a6...	59683	MAN.UmMQcQ7mDHE8NQmicaP...	0	5 days, 16 hours ago

完成委托后，即可在在线交易中选择“委托 gas”

gasLimit: 210000

Gas 费: ☐ 自付gas ☒ 委托gas

交易类型: 即时交易 定时交易 可撤销交易

即时交易,生成交易后立即生效,可在区块链浏览器查询


文本框 富文本框 分布式存储

## 7 Check TX Status

You can copy and paste your transaction hash here, and view the status as well as details of this transaction

Check TX Status

During times of high volume (like during ICOs) transactions can be pending for hours, if not days. This tool aims to give you the ability to find and "cancel" / replace these TXs. \*\* This is not typically something you can do. It should not be relied upon & will only work when the TX Pools are full



Check TX Status



### Transaction Found

Your transaction was successfully mined and is on the blockchain.

- If you see a red (!), a BAD INSTRUCTION or OUT OF GAS error message, it means that the transaction was not successfully sent. You cannot cancel or replace this transaction. Instead, send a new transaction. If you received an "Out of Gas" error, you should double the gas limit you specified originally.
- If you do not see any errors, your transaction was successfully sent. Your Man or Tokens are where you sent them. If you cannot see this Man or Tokens credited in your other wallet / exchange account, and it has been 24+ hours since you sent, please [contact that service]. Send them the link to your transaction and ask them, nicely, to look into your situation.

### Transaction Details

TX Hash	<a href="#">0xc41cf162408983be7dfbb95ebb9621e7088638143c5f55c38e2f50bfd996b2f</a>
From Address	<a href="#">MAN.2nRsUetqWAaYUizRkgBxGETimfUTz</a>
To Address	<a href="#">MAN.2LrYy4EbbAi7Az4HdzKHbbyraMPBj</a>
Amount	0.125 MAN
To Address	<a href="#">MAN.2viWX2Gmr52qNahHxhoaqp83UUCT</a>
Amount	1.125 MAN
To Address	<a href="#">MAN.3EGTqrRzUeV6NhMVqcsQBMNcciWoL</a>

## 8 Deposit


Users who wish to run MATRIX AI Network blockchain miner or validator nodes need to deposit a certain amount of MAN tokens. This can be done under "Deposit"


There are two types of deposit transactions: Miner Node Deposits and Validator Node Deposits. Miner Node Deposits require at least 10,000 MANs while Validator Node Deposits require at least 100,000 MANs

### ➤ Deposit for Miner

[Search deposits](#)[Deposit/Withdrawal](#)

## Deposit/Withdrawal

  
○Deposit Transaction

  
○Withdrawal Transaction

Deposit Type

Please select

▼

Miner Deposit

Validator Deposit

amount

Deposit node Address

First, enter the amount and address, then unlock the wallet


amount


10000

Deposit node Address

MAN\_5xYzBHrJfXeJi9y08Qq8hvm19bU4

How would you like to access your wallet?

  
○Keystore/JSON File

  
○Private Key

ed to as your **account #** or **public key**, is what you share with people so that they can send you MAN or other tokens. When sending or receiving tokens, please ensure that your unic wallet.

Paste Your Private Key

Private Key

Click "Submit" to finish the deposit

➤ View Deposit Status

[Search deposits](#)

Deposit/Withdrawal

## Search deposits

Add Deposit Account Address

MAN.Yn8w7nF7ivSLKJipMtV9tLCK97oG

Search deposits

Deposit  
amount(WEI)

100028586302190763006762

Deposit node  
Address

MAN.RV8dtbBGJZ2Wr91y6JgaCDqTFnn

Deposit status

Set to Miner node

## ➤ Deposit for Validator

Choose "Validator Deposit" for deposit type

Deposit/Withdrawal



Deposit Transaction



Withdrawal Transaction

Deposit Type

Validator Deposit

Miner Deposit

Validator Deposit

amount

100000

Deposit node Address

MAN.5xYzBHrJfXeJ19yQ8Qq8hvm19bU4

## ➤ Withdraw

### Deposit/Withdrawal

○Deposit Transaction

○Withdrawal Transaction

deposit withdrawal

Unlock the wallet and submit.

- ### Add Deposit Account Address

## Search deposits

1000000000000000000000000


MAN.3LnNxKpv9itWqwBh8yKx38KmaGm4S


```
withdraw at block 7038
```

Search deposits

[Deposit/Withdrawal](#)

### Deposit/Withdrawal


  
☐ Deposit Transaction


  
☒ Withdrawal Transaction

Withdrawal Transaction	<input type="text" value="deposit refund"/>	▼
------------------------	---------------------------------------------	---

submit

## 9 AI Transaction

When you upload your own pictures or medical images through a special transaction, it will be automatically analyzed and processed by MATRIX AI server. Then you can view the transaction and AI processed results in HTML format in the blockchain explorer.

The AI server will provide different processing services, including AI pose detection, AI object detection and AI medical diagnosis, based on your choice.

- AI pose detection: Intelligent detection of human posture, identifying different parts of the human body

Under "AI Transaction", unlock the wallet and choose "Pose Detection"

### AI Transaction

AI Transaction Type


☒ Pose Detection

☐ Object Detection

☐ Medical Diagnosis

Upload Data

Please select upload file\*



0%

Choose file

Select the picture to upload

Generate and send the transaction



Transaction Information

Home | Transaction Information

TxHash:

0x327f40c5e8cedef9570ee10196a5cf94e898eee0de6d473291cff7bea7756990

Block Height:

131928

TimeStamp:

2019-01-09 17:30:39 +0800 (13 mins, 29 seconds ago)

From:

MAN.pfLeoExi3fjmSjixhadF45FKjzUA

To:

MAN.bjHU5ZCpKwg6k1nUCNG1vjKxVeBU

Value:


0 MAN

nonce

4503599627371333

Input Data

matrix{"type": "20", "length": 89, "data": "0x327f40c5e8cedef9570ee10196a5cf94e898eee0de6d473291cff7bea7756990"}




UTF-8

Original

Html

Within a few seconds, the AI server returns the results of the processing.

As you can see, the processed image is returned through another auto-triggered transaction. The 'from' address of this transaction is the unified address of the AI server, and the 'to' address is the 'from' address of the original transaction.

xHash:	0x10e28f800d1c6b78d47864b43339fce15f0c6eaff93e518dccb6f6d10970c8fc
Block Height:	132020
Timestamp:	2019-01-09 17:42:39 +0800 (38 seconds ago)
From:	MAN.2Uoz8g8jauMa2mtnwxrschj2qPjrE
To:	MAN.pfLeoExi3fjmSjixhadF45FKjzUA
Value:	0 MAN
Nonce:	4503599627930329
Input Data:	<div><div>matrix{"type": "2", "length": 256, "data": "}</div></div>

- AI Object Detection: Intelligent object recognition, which detects objects in pictures and provides similarity with other objects

## AI Transaction

AI Transaction Type

☐ Pose Detection

☒ Object Detection

☐ Medical Diagnosis

Before processing



TimeStamp:	2019-01-09 17:44:44 +0800 (14 mins, 20 seconds ago)
From:	MAN.2Uoz8g8jauMa2mntnwrschj2qPjRe
To:	MAN.pfLeoExi3fjmSjixhadF45KfjzUA
Value:	0 MAN
nonce	4503599627930330
Input Data	<pre>matrix("type": "2", "length": 256, "data": " person person 0.78 0.63 0.58 person 0.22 person 0.30 0.28 chair chair 0.39 0.35 chair 0.29 chair 0.45 0.52 chair chair 0.59 chair chair 0.47 0.22 person 0.99 person 0.99 person 0.37 person 0.99 person 0.99 "</pre>

## Page 33

## AI Transaction

AI Transaction Type

☐ Pose Detection☐ Object Detection☒ Medical Diagnosis

Select to upload the compressed file in the specified format (the file should contain a complete set of medical image DCM files)

870230_0000.dcm	52...	338,668	DCM 文件	2
870230_0001.dcm	52...	338,183	DCM 文件	2
870230_0002.dcm	52...	337,575	DCM 文件	2
870230_0003.dcm	52...	337,719	DCM 文件	2
870230_0004.dcm	52...	337,903	DCM 文件	2
870230_0005.dcm	52...	338,241	DCM 文件	2
870230_0006.dcm	52...	338,491	DCM 文件	2
870230_0007.dcm	52...	338,668	DCM 文件	2
870230_0008.dcm	52...	338,467	DCM 文件	2
870230_0009.dcm	52...	338,212	DCM 文件	2
870230_0010.dcm	52...	338,222	DCM 文件	2
870230_0011.dcm	52...	338,704	DCM 文件	2
870230_0012.dcm	52...	339,093	DCM 文件	2
870230_0013.dcm	52...	339,303	DCM 文件	2
870230_0014.dcm	52...	339,817	DCM 文件	2
870230_0015.dcm	52...	340,385	DCM 文件	2
870230_0016.dcm	52...	341,487	DCM 文件	2
870230_0017.dcm	52...	341,765	DCM 文件	2
870230_0018.dcm	52...	342,096	DCM 文件	2
870230_0019.dcm	52...	342,456	DCM 文件	2
870230_0020.dcm	52...	342,987	DCM 文件	2
870230_0021.dcm	52...	343,113	DCM 文件	2
870230_0022.dcm	52...	343,223	DCM 文件	2
870230_0023.dcm	52...	342,850	DCM 文件	2
870230_0024.dcm	52...	343,298	DCM 文件	2

Generate and Send the transaction



发送成功

Your TX has been broadcast to the network. This does not mean it has been mined & sent. During times of extreme volume, it may take 3+ hours to send. 1) Check your TX below. 2) If it is pending for hours or disappears, use the Check TX Status Page to replace. 3) Use [MAN Gas Station] to see what gas price is optimal. 4) Save your TX Hash in case you need it later:

[0x182dbfd03a40c45fdb59e6f6ff945199d3e9ba2b4592071cdeb05e2cbd81872e7b](#)

Hash:

0xff6f8034a9ed524f0c8ca1421c12359d2346ab5d53c28732b2a7396c93eafedd

TimeStamp:2019-01-07 16:22:54 +0800 (5 mins, 48 seconds ago)

From:MAN\_2Uoz8g8JauMa2mtnwxschj2qPjRE

To:MAN\_2skMrkoEeckKjJLPz6qTdI8B3NgjU

Value:0 MAN

nonce4503599627930091

Input Data

matrix[{"type":"2","length":256,"data":""}

QmQhmacC8mVjotHzAM2TcvLTG7kZ8WSV69NcijJp6pzi... 1 / 1

AI影像表现

影像号: 129

部位: 左肺

大小: 5.85mm\*5.85mm

体积: 106.02mm³

形态类型: 磨玻璃

结节性质: 100%

标准直径: 7mm

亚实风险: 99%

浸润程度: AIS

中心密度: -401 HU

平均密度: -603.80HU

最大密度: -254 HU

最小密度: -960 HU

MATRIX Foundation. All Rights Reserved

Page 35

