Clojure Cheat Sheet (Clojure 1.3 - 1.6, sheet v21)

Documentation

clojure.repl/ doc find-doc apropos source pst javadoc (foo.bar/ is

namespace for later syms)

Primitives

Numbers

Long: 7, hex 0xff, oct 017, base 2 2r1011, base 36 Literals

36rCRAZY BigInt: 7N Ratio: -22/7 Double: 2.78 -1.2e-5

BigDecimal: 4.2M

Arithmetic + - * / quot rem mod inc dec max min +' -' *' inc'

dec'

= == not= < > <= >= compare Compare

bit-and bit-or bit-xor bit-not bit-flip bit-set Bitwise

bit-shift-right bit-shift-left bit-and-not bit-clear bit-test (1.6) unsigned-bit-shift-right (see

BigInteger for integers larger than Long) Cast byte short int long float double bigdec bigint num

rationalize biginteger

zero? pos? neg? even? odd? number? rational? integer? Test

ratio? decimal? float?

Random rand rand-int **BigDecimal** with-precision

unchecked-math unchecked-add unchecked-dec Unchecked

unchecked-inc unchecked-multiply unchecked-negate

unchecked-subtract

Strings

Regex

str format See also IO/to string Create

count get subs compare (clojure.string/) join escape Use

> split split-lines replace replace-first reverse (1.5) re-quote-replacement (String) .indexOf .lastIndexOf #"pattern" re-find re-seq re-matches re-pattern

re-matcher re-groups (clojure.string/) replace replace-first

(1.5) re-quote-replacement

Letters (clojure.string/) capitalize lower-case upper-case Trim (clojure.string/) trim trim-newline triml trimr Test char char? string? (clojure.string/) blank? (String)

.startsWith .endsWith .contains

Other

Characters char char-name-string char-escape-string

Keywords keyword keyword? find-keyword Symbols symbol symbol? gensym

Collections

Collections

count empty not-empty into conj (clojure.walk/) walk Generic ops

prewalk prewalk-demo prewalk-replace postwalk

postwalk-demo postwalk-replace

Content tests distinct? empty? every? not-every? some not-any?

Capabilities sequential? associative? sorted? counted?

reversible?

coll? list? vector? set? map? seq? (1.6) record? Type tests

Lists

Create '() list list*

first nth peek .indexOf .lastIndexOf Examine

'Change cons conj rest pop

Vectors

[] vector vec vector-of (1.4) mapv filterv Create

(my-vec idx) \rightarrow (nth my-vec idx) get peek .indexOf Examine

.lastIndexOf

'Change' assoc pop subvec replace conj rseq

Ops (1.4) reduce-kv

Sets

#{} set hash-set sorted-set sorted-set-by (flat-Create

land.ordered.set/) ordered-set

Examine (my-set item) ightarrow (get my-set item) contains?

'Change' conj disj

Set ops (clojure.set/) union difference intersection select See

also Relations

(clojure.set/) subset? superset? Test

Sorted sets rseq subseq rsubseq

Maps

Create {} hash-map array-map zipmap sorted-map

sorted-map-by bean frequencies group-by (clojure.set/) index (flatland.ordered.map/) ordered-map (clojure.data.priority-map/) priority-map (flat-

land.useful.map/) ordering-map

Examine (my-map k) \rightarrow (get my-map k) also (:key my-map) \rightarrow

(get my-map :key) get-in contains? find keys vals assoc assoc-in dissoc merge merge-with select-keys 'Change

update-in (clojure.set/) rename-keys map-invert GitHub:

Medley

Ops (1.4) reduce-kv Entry key val

Sorted maps rseq subseq rsubseq

Relations (set of maps, each with same keys, aka rels)

transient persistent!

(clojure.set/) join select project union difference Rel algebra

intersection index rename

Transients (clojure.org/transients)

conj! pop! assoc! dissoc! disj! Note: always use return value Change

for later changes, never original!

Misc

Create

Compare = == identical? not= not compare clojure.data/diff

Test true? false? instance? nil? (1.6) some?

Sequences

Creating a Lazy Seq

From collection seq vals keys rseq subseq rsubseq From producer fn lazy-seq repeatedly iterate

From constant repeat range

From other file-seq line-seq resultset-seq re-seq tree-seq

xml-seq iterator-seq enumeration-seq

From seq keep keep-indexed

Seq in, Seq out

Get shorter distinct filter remove take-nth for

Get longer cons conj concat lazy-cat mapcat cycle interleave

interpose

Tail-items rest nthrest next fnext nnext drop drop-while

take-last for

Head-items take take-while butlast drop-last for

conj concat distinct flatten group-by partition 'Change

partition-all partition-by split-at split-with

filter remove replace shuffle Rearrange reverse sort sort-by compare

Process items map pmap map-indexed mapcat for replace seque

Using a Seq

Extract item first second last rest next ffirst nfirst fnext

nnext nth nthnext rand-nth when-first max-key

min-key

Construct coll zipmap into reduce reductions set vec into-array

to-array-2d (1.4) mapv filterv

Pass to fn apply Search some filter Force evaluation doseq dorun doall Check for forced realized?

Zippers (clojure.zip/)

Create zipper seq-zip vector-zip xml-zip Get loc up down left right leftmost rightmost

Get seq lefts rights path children

'Change make-node replace edit insert-child insert-left

insert-right append-child remove

Move next prev

Misc root node branch? end?

10

to writer

to/from spit slurp (to writer/from reader, Socket, string with file

name, URI, etc.)

to *out* pr prn print printf println newline (clojure.pprint/) print-table

(clojure.pprint/) pprint cl-format also: (binding [*out*

writer] ...) format with-out-str pr-str prn-str print-str to string

println-str

from *in* read-line (clojure.tools.reader.edn/) read

from reader line-seq (clojure.tools.reader.edn/) read also: (binding

[*in* reader] ...) java.io.Reader

from string with-in-str (clojure.tools.reader.edn/) read-string with-open (clojure.java.io/) text: reader writer binary: Open

input-stream output-stream

(.write ostream byte-arr) (.read istream byte-arr) java.io.OutputStream java.io.InputStream GitHub:

gloss byte-spec

flush (.close s) file-seq *in* *out* *err* (clojure.java.io/) file copy delete-file resource as-file

as-url as-relative-path GitHub: fs (1.4) *data-readers* default-data-readers (1.5) Data readers

default-data-reader-fn

Functions

Binary

Misc

Create fn defn defn- definline identity constantly memfn comp

complement partial juxt memoize fnil every-pred some-fn apply -> ->> trampoline (1.5) as-> cond-> cond->> some->

some->>

Test fn? ifn?

Abstractions (Clojure type selection flowchart)

Protocols (clojure.org/protocols)

(defprotocol Slicey (slice [at])) Define Extend (extend-type String Slicey (slice [at] ...)) Extend null (extend-type nil Slicey (slice [_] nil))

(reify Slicey (slice [at] ...)) Reify

Test satisfies? extends?

Other extend extend-protocol extenders

Records (clojure.org/datatypes)

Define (defrecord Pair [h t]) (:h (Pair. 1 2)) ightarrow 1 Access Pair. ->Pair map->Pair Create

record? Test

Types (clojure.org/datatypes)

Define (deftype Pair [h t]) (.h (Pair. 1 2)) ightarrow 1 Access Pair. ->Pair Create (deftype Pair [h t] With methods

Object

(toString [this] (str "<" h "," t ">")))

Multimethods (clojure.org/multimethods)

(defmulti my-mm dispatch-fn)

Method define (defmethod my-mm :dispatch-value [args] ...)

get-method methods Dispatch

Remove remove-method remove-all-methods

Prefer prefer-method prefers

Relation derive isa? parents ancestors descendants

make-hierarchy

Macros

Create defmacro definline

Debug macroexpand-1 macroexpand (clojure.walk/) macroexpand-all Branch and or when when-not when-let when-first if-not if-let

cond condp case (1.6) when-some if-some

Loop for doseq dotimes while

Arrange . doto -> ->> (1.5) as-> cond-> cond->> some->> binding locking time with-in-str with-local-vars Scope

with-open with-out-str with-precision with-redefs

with-redefs-fn

Lazy lazy-cat lazy-seq delay Doc. assert comment doc

Reader Macros (clojure.org/reader)

quote: 'form ightarrow (quote form)

Character literal

Single line comment

Metadata (see Metadata section)

@ Deref: $@form \rightarrow (deref form)$

Syntax-quote

Unquote

Unquote-splicing ~0

 $\mathsf{Regex}\ \mathsf{Pattern}\ p\ (\mathsf{see}\ \mathsf{Strings}/\mathsf{Regex}\ \mathsf{section})$ #"p"

 $\texttt{Var-quote} \ \texttt{\#'x} \ \to \ \texttt{(var x)}$

#() Anonymous function literal: $\#(\ldots) \to (fn [args] (\ldots))$

Ignore next form

Metadata (clojure.org/reader, special_forms)

General ^{:key1 val1 :key2 val2 ...}

^Type ightarrow ^{:tag Type}, ^:key ightarrow ^{:key true} Abbrevs

^:dynamic ^:private ^:doc ^:const Common

(defn ^:private ^String my-fn ...) (def ^:dynamic Examples

On Vars meta with-meta vary-meta alter-meta! reset-meta! doc

find-doc test

Special Forms (clojure.org/special_forms)

def if do let letfn quote var fn loop recur set! throw try

monitor-enter monitor-exit

Binding Forms / (examples) let fn defn defmacro loop for doseq Destructuring if-let when-let (1.6) if-some when-some

Vars and global environment (clojure.org/vars)

Def variants def defn defn- definline defmacro defmethod

defmulti defonce defrecord

Interned vars declare intern binding find-var var

Var objects with-local-vars var-get var-set alter-var-root var?

bound? thread-bound?

Var validators set-validator! get-validator

Namespace

Current *ns*

Create/Switch (tutorial) ns in-ns create-ns Add alias def import intern refer

Find all-ns find-ns

Examine ns-name ns-aliases ns-map ns-interns ns-publics

ns-refers ns-imports

From symbol resolve ns-resolve namespace the-ns Remove ns-unalias ns-unmap remove-ns

Loading

Load libs (tutorial) require use import refer

List loaded loaded-libs

Load misc load load-file load-reader load-string

Concurrency

atom swap! reset! compare-and-set! Atoms

Futures future future-call future-done? future-cancel

future-cancelled? future?

Threads bound-fn bound-fn* get-thread-bindings

push-thread-bindings pop-thread-bindings thread-bound? Misc locking pcalls pvalues pmap seque promise deliver

Refs and Transactions (clojure.org/refs)

Create ref

Examine $\texttt{deref @ (@form} \rightarrow (\mathsf{deref\ form}))$

Transaction sync dosync io!

In transaction ensure ref-set alter commute Validators set-validator! get-validator

History ref-history-count ref-min-history ref-max-history

Agents and Asynchronous Actions (clojure.org/agents)

Create agent Examine agent-error

Change state send send-off restart-agent (1.5)

send-via set-agent-send-executor! set-agent-send-off-executor!

Block waiting await await-for

Ref validators set-validator! get-validator

Watchers add-watch remove-watch Thread handling shutdown-agents

error-handler set-error-handler! error-mode Error

set-error-mode!

agent release-pending-sends

Java Interoperation (clojure.org/java_interop)

General .. doto Classname/ Classname. new bean comparator

enumeration-seq import iterator-seq memfn set! class

class? bases supers type

boolean byte short char int long float double bigdec Cast

bigint num cast biginteger

Exceptions throw try catch finally pst (1.4) ex-info ex-data

Arravs

Use

Create make-array object-array boolean-array byte-array

short-array char-array int-array long-array float-array double-array aclone to-array to-array-2d into-array aget aset aset-boolean aset-byte aset-short aset-char aset-int aset-long aset-float aset-double alength amap

areduce

Cast booleans bytes shorts chars ints longs floats doubles

Proxy (Clojure type selection flowchart)

Create proxy get-proxy-class construct-proxy init-proxy

Misc proxy-mappings proxy-super update-proxy

Other

XMI clojure.xml/parse xml-seq

REPL *1 *2 *3 *e *print-dup* *print-length* *print-level*

print-meta *print-readably* *compile-files* *compile-path* *file*

warn-on-reflection compile gen-class gen-interface

loaded-libs test

Misc eval force hash name *clojure-version* clojure-version *command-line-args*

(clojure.java.browse/) browse-url (clojure.java.shell/) sh Browser / Shell with-sh-dir with-sh-env