Clojure Cheat Sheet (Clojure 1.3 - 1.5, sheet v9)

Documentation

clojure.repl/ doc find-doc apropos source pst javadoc (foo.bar/

is namespace for later syms)

Primitives

Numbers

Literals Long: 7, hex 0xff, oct 017, base 2 2r1011, base

36 36rCRAZY BigInt: 7N Ratio: -22/7 Double: 2.78

-1.2e-5 BigDecimal: 4.2M

Arithmetic + - * / quot rem mod inc dec max min

Compare = == not= < > <= >= compare

Bitwise bit-{and, or, xor, not, flip, set, shift-right,

shift-left, and-not, clear, test}

Cast byte short int long float double bigdec bigint num

rationalize biginteger

Test nil? identical? zero? pos? neg? even? odd?

Random rand rand-int **BigDecimal** with-precision

Unchecked *unchecked-math* unchecked-{add, dec, divide, inc,

multiply, negate, remainder, subtract}-int

Strings

Create str format See also IO/to string

 ${\tt count \ get \ subs \ compare \ (clojure.string/) \ join \ escape \ split}$ Use

split-lines replace replace-first reverse (String) .indexOf .lastIndexOf (1.5) re-quote-replacement

Regex #"pattern" re-find re-seq re-matches re-pattern

re-matcher re-groups (clojure.string/) replace replace-first (1.5) re-quote-replacement

Letters (clojure.string/) capitalize lower-case upper-case Trim (clojure.string/) trim trim-newline triml trimr char char? string? (clojure.string/) blank? Test

Other

Characters char char-name-string char-escape-string

Kevwords keyword keyword? find-keyword

Symbols symbol symbol? gensym

Collections

Collections

count empty not-empty into conj (clojure.walk/) walk Generic ops

prewalk prewalk-demo prewalk-replace postwalk

postwalk-demo postwalk-replace

Content tests distinct? empty? every? not-every? some not-any?

Capabilities sequential? associative? sorted? counted?

reversible?

Type tests coll? list? vector? set? map? seq?

Lists

Create '() list list*

Examine first nth peek .indexOf .lastIndexOf

'Change' cons conj rest pop

Vectors

Create [] vector vec vector-of

Examine (my-vec idx) \rightarrow (nth my-vec idx) get peek .indexOf

.lastIndexOf

'Change' assoc pop subvec replace conj rseq

(1.4) mapv filterv reduce-kv Ops

Sets

#{} set hash-set sorted-set sorted-set-by Create

Examine (my-set item) ightarrow (get my-set item) contains?

'Change' coni disi

Rel algebra (clojure.set/) join select project union difference

intersection

Get map (clojure.set/) index rename-keys rename map-invert

Test (clojure.set/) subset? superset?

Maps

Examine

Create {} hash-map array-map zipmap sorted-map

sorted-map-by bean frequencies group-by

(:key my-map) \rightarrow (get my-map :key) get-in

contains? find keys vals

'Change' assoc assoc-in dissoc merge merge-with select-keys

update-in

Entry key val

Sorted maps rseq subseq rsubseq Transients (clojure.org/transients)

transient persistent!

conj! pop! assoc! dissoc! disj! Note: always use return Change

value for later changes, never original!

Misc

= == identical? not= not compare clojure.data/diff Compare

true? false? nil? instance? Test

Sequences

Creating a Lazy Seq

From collection seq vals keys rseq subseq rsubseq

From producer fn lazy-seq repeatedly iterate

From constant repeat range

From other file-seq line-seq resultset-seq re-seq

tree-seq xml-seq iterator-seq enumeration-seq

From sea keep keep-indexed

Seq in, Seq out

Get shorter distinct filter remove take-nth for

cons conj concat lazy-cat mapcat cycle interleave Get longer

interpose

Tail-items rest nthrest fnext nnext drop drop-while

take-last for

Head-items

take take-while butlast drop-last for 'Change'

conj concat distinct flatten group-by partition partition-all partition-by split-at split-with

filter remove replace shuffle

reverse sort sort-by compare Rearrange Process items map pmap map-indexed mapcat for replace seque

Using a Seq

Extract item first second last rest next ffirst nfirst fnext

nnext nth nthnext rand-nth when-first max-key

zipmap into reduce reductions set vec Construct coll

into-array to-array-2d Pass to fn apply

some filter Search Force evaluation doseq dorun doall

Check for forced realized?

Zippers (clojure.zip/)

Create zipper seq-zip vector-zip xml-zip

Get loc up down left right leftmost rightmost

Get seg lefts rights path children make-node replace edit insert-child insert-left 'Change'

insert-right append-child remove

Move next prev

Misc root node branch? end?

10

to writer

to string

Open

Misc

to/from spit slurp (to writer/from reader, Socket, string with file

name, URI, etc.)

to *out* pr prn print printf println newline (clojure.pprint/) print-table

(clojure.pprint/) pprint cl-format also: (binding

[*out* writer] ...)

format with-out-str pr-str prn-str print-str

println-str from *in* read-line (clojure.tools.reader.edn/) read

from reader line-seq (clojure.tools.reader.edn/) read also: (binding

[*in* reader] ...) java.io.Reader

from string with-in-str (clojure.tools.reader.edn/) read-string

with-open (clojure.java.io/) text: reader writer binary:

input-stream output-stream

Binary (.write ostream byte-arr) (.read istream byte-arr)

java.io.OutputStream java.io.InputStream GitHub:

gloss byte-spec

flush (.close s) file-seq *in* *out* *err* (clo-

jure.java.io/) file copy delete-file resource as-file

(1.4) *data-readers* default-data-readers (1.5) *default-data-reader-fn*

Functions

Data readers

Create fn defn defn- definline identity constantly memfn comp

as-url as-relative-path GitHub: fs

complement partial juxt memoize fnil every-pred some-fn Call apply -> ->> (1.5) as-> cond-> cond->> some->>

Test fn? ifn?

Abstractions Protocols (clojure.org/protocols) Define (defprotocol Slicey (slice [at])) Extend (extend-type String Slicey (slice [at] ...)) Extend null (extend-type nil Slicey (slice [_] nil)) (reify Slicey (slice [at] ...)) Reifv Records (clojure.org/datatypes) Define (defrecord Pair [h t]) Access (:h (Pair. 1 2)) \rightarrow 1 Create Pair. ->Pair map->Pair Types (clojure.org/datatypes) Define (deftype Pair [h t]) (.h (Pair. 1 2)) \rightarrow 1 Access Create Pair. ->Pair (deftype Pair [h t] With methods Object (toString [this] (str "<" h "," t ">"))) Multimethods (clojure.org/multimethods) Define (defmulti my-mm dispatch-fn) Method define (defmethod my-mm :dispatch-value [args] ...) Dispatch get-method methods Remove remove-method remove-all-methods Prefer prefer-method prefers Relation derive isa? parents ancestors descendants make-hierarchy Macros Create defmacro definline Debug macroexpand-1 macroexpand (clojure.walk/) macroexpand-all and or when when-not when-let when-first if-not if-let Branch cond condp case Loop for doseq dotimes while Arrange .. doto -> ->> (1.5) as-> cond-> cond->> some-> some->> Scope binding locking time with-{in-str, local-vars, open, out-str, precision, redefs, redefs-fn} lazy-cat lazy-seq delay Lazv Doc. assert comment doc Reader Macros Quote 'form \rightarrow (quote form) Character literal Single line comment ; Metadata (see Metadata section) 0 Deref @form \rightarrow (deref form) Syntax-quote Unquote ~@

Unquote-splicing Regex Pattern p#"p" Var quote $\#' \times \to (\text{var } \times)$ $\#(\ldots) \rightarrow (fn [args] (\ldots))$ #() Ignore next form

Metadata (clojure.org/special_forms)

General ^{:key1 val1 :key2 val2 ...} Type ightarrow $^{\text{tag Type}}$, $^{\text{key}}
ightarrow$ $^{\text{key true}}$ Abbrevs Common ^:dynamic ^:private ^:doc ^:const (def ^:dynamic (defn ^:private ^String my-fn ...) Examples *dyn-var* val) On Vars meta with-meta vary-meta alter-meta! reset-meta! doc find-doc test

Special Forms (clojure.org/special_forms)

def if do let quote var fn loop recur throw try monitor-enter monitor-exit Binding Forms / (examples) let fn defn defmacro loop for doseq

Destructuring if-let when-let

Vars and global environment (clojure.org/vars)

Def variants def defn defn- definline defmacro defmethod defmulti defonce defrecord declare intern binding find-var var Interned vars Var objects with-local-vars var-get var-set alter-var-root var? Var validators set-validator! get-validator

Namespace Current *ns* Create/Switch (tutorial) ns in-ns create-ns alias def import intern refer Add Find all-ns find-ns Examine ns-{name, aliases, map, interns, publics, refers, imports}

resolve ns-resolve namespace

ns-unalias ns-unmap remove-ns

Loading

Remove

Load libs (tutorial) require use import refer List loaded loaded-libs Load misc load load-file load-reader load-string

Concurrency

From symbol

Atoms atom swap! reset! compare-and-set! future future-{call, done?, cancel, cancelled?} Futures future? Threads bound-fn bound-fn* {get, push, pop}-thread-bindings thread-bound? locking pcalls pvalues pmap seque promise deliver Misc

Refs and Transactions (clojure.org/refs)

Create ref Examine $\texttt{deref @ (@form} \rightarrow (\mathsf{deref\ form}))$ Transaction sync dosync io! In transaction ensure ref-set alter commute Validators set-validator! get-validator ref-history-count ref-{min, max}-history History

Agents and Asynchronous Actions (clojure.org/agents)

Create agent Examine agent-error send send-off restart-agent (1.5) Change state send-via set-agent-send-executor! set-agent-send-off-executor! Block waiting await await-for Ref validators set-validator! get-validator Watchers add-watch remove-watch Thread handling shutdown-agents Error error-handler set-error-handler! error-mode set-error-mode! *agent* release-pending-sends

Java Interoperation (clojure.org/java_interop)

General .. doto Classname/ Classname. new bean comparator enumeration-seq import iterator-seq memfn set! Cast boolean byte short char int long float double bigdec bigint num cast biginteger

Exceptions throw try catch finally pst (1.4) ex-info ex-data

Arrays

Create make-array {object, boolean, byte, short, char, int, long, float, double}-array aclone to-array to-array-2d into-array Use aget aset aset-{boolean, byte, short, char, int, long, float, double} alength amap areduce Cast booleans bytes shorts chars ints longs floats doubles

Proxy

Create proxy get-proxy-class {construct, init}-proxy Misc proxy-mappings proxy-super update-proxy

Other

XML clojure.xml/parse xml-seq REPL *1 *2 *3 *e *print-dup* *print-length* *print-level* *print-meta* *print-readably* *compile-files* *compile-path* *file* Code *warn-on-reflection* compile gen-class gen-interface loaded-libs test Misc eval force hash name *clojure-version* clojure-version *command-line-args*

Browser (clojure.java.browse/) browse-url (clojure.java.shell/) sh / Shell with-sh-dir with-sh-env