Clojure Cheat Sheet (Clojure 1.3, sheet v1.4a1)

Documentation

clojure.repl/ doc find-doc apropos source pst javadoc (foo.bar/ is namespace for later syms)

Primitives

Numbers

Arithmetic + - * / quot rem mod inc dec max min

Compare = == not= < > <= >= compare

Bitwise bit-{and, or, xor, not, flip, set, shift-right,

shift-left, and-not, clear, test}

Cast byte short int long float double bigdec bigint

num rationalize biginteger

Test nil? identical? zero? pos? neg? even? odd?

Random rand rand-int BigInt with-precision

Unchecked unchecked-{add, dec, divide, inc, multiply,

negate, remainder, subtract}-int

Strings

Create str format See also IO/to string

Use count get subs compare (clojure.string/) join escape

split split-lines replace replace-first reverse

(String) .indexOf .lastIndexOf

Regex #"pattern" re-find re-seq re-matches re-pattern

re-matcher re-groups (clojure.string/) replace

replace-first

Letters (clojure.string/) capitalize lower-case upper-case Trim (clojure.string/) trim trim-newline triml trimr Test char char? string? (clojure.string/) blank?

Other

Characters char char-name-string char-escape-string

keyword keyword? find-keyword Keywords

Symbols symbol symbol? gensym

Collections

Collections

Generic ops count empty not-empty into conj

Content tests distinct? empty? every? not-every? some

not-any?

Capabilities sequential? associative? sorted? counted?

reversible?

Type tests coll? list? vector? set? map? seq?

Lists

Create '() list list* Examine first nth peek 'Change' cons conj rest pop

Vectors

Create [] vector vec vector-of

Examine (my-vec idx) \rightarrow (nth my-vec idx) get peek

'Change' assoc pop subvec replace conj rseq

Sets

Create #{} set hash-set sorted-set sorted-set-by Examine (my-set item) \rightarrow (get my-set item) contains?

'Change' conj disj

Rel algebra (clojure.set/) join select project union

difference intersection

(clojure.set/) index rename-keys rename map-invert Get map

Test (clojure.set/) subset? superset?

Maps

Create {} hash-map array-map zipmap sorted-map

sorted-map-by bean frequencies

Examine (:key my-map) \rightarrow (get my-map :key) get-in

contains? find keys vals

assoc assoc-in dissoc merge merge-with 'Change'

select-keys update-in

Entry key val

Sorted maps rseq subseq rsubseq

Transients (clojure.org/transients)

Create transient persistent!

Change conj! pop! assoc! dissoc! disj! Note: always use re-

turn value for later changes, never original!

Misc

= == identical? not= not compare Compare

clojure.data/diff

Test true? false? nil? instance?

Sequences

Creating a Lazy Seq

From collection seq vals keys rseq subseq rsubseq

From producer fn lazy-seq repeatedly iterate

From constant repeat range

From other file-seq line-seq resultset-seq

re-seq tree-seq xml-seq iterator-seq

enumeration-seq

From seq keep keep-indexed

Seq in, Seq out

distinct filter remove for Get shorter

Get longer cons conj concat lazy-cat mapcat cycle

interleave interpose

Tail-items rest nthrest fnext nnext drop drop-while

take-last for

Head-items take take-nth take-while butlast drop-last

'Change' conj concat distinct flatten group-by

partition partition-all partition-by split-at

split-with filter remove replace shuffle

Rearrange reverse sort sort-by compare

Process items map pmap map-indexed mapcat for replace seque

Using a Seq

Extract item first second last rest next ffirst nfirst

fnext nnext nth nthnext rand-nth when-first

max-kev min-kev

Construct coll zipmap into reduce reductions set vec

into-array to-array-2d

Pass to fn apply Search some filter Force evaluation doseq dorun doall

Check for forced realized?

Zippers (clojure.zip/)

Create zipper seq-zip vector-zip xml-zip Get loc up down left right leftmost rightmost

Get seq lefts rights path children

'Change' make-node replace edit insert-child insert-left

insert-right append-child remove

Move next prev

Misc root node branch? end?

10

Misc

to/from spit slurp (to writer/from reader, Socket, string with

file name, URI, etc.)

to *out* pr prn print printf println newline (clo-

jure.pprint/) print-table

to writer (clojure.pprint/) pprint cl-format also: (binding [*out* writer] ...)

to string format with-out-str pr-str prn-str print-str

println-str

from *in* read-line read

from reader line-seq also: (binding [*in* reader] ...)

java.io.Reader

from string read-string with-in-str

Open with-open (clojure.java.io/) text: reader writer

binary: input-stream output-stream

Binary (.write ostream byte-arr) (.read

istream byte-arr) java.io.OutputStream java.io.InputStream GitHub: gloss byte-spec flush (.close s) file-seq *in* *out* *err*

(clojure.java.io/) file copy GitHub: fs

Functions

Create fn defn defn- definline identity constantly memfn comp complement partial juxt memoize fnil every-pred some-fn

Call -> ->> apply Test fn? ifn?

Abstractions

Protocols (clojure.org/protocols)

Define (defprotocol Slicey (slice [at]))

Extend (extend-type String Slicey (slice [at] ...))

Extend null (extend-type nil Slicey (slice [_] nil))

Reify (reify Slicey (slice [at] ...))

Records (clojure.org/datatypes)

Define (defrecord Pair [h t]) Access (:h (Pair. 1 2)) \rightarrow 1 Create Pair. ->Pair map->Pair

Types (clojure.org/datatypes)

Define (deftype Pair [h t]) Access (.h (Pair. 1 2)) \rightarrow 1 Create Pair. ->Pair

(deftype Pair [h t]

With methods Object

(toString [this] (str "<" h "," t ">")))

Multimethods (clojure.org/multimethods)

Define (defmulti my-mm dispatch-fn)

Method define (defmethod my-mm :dispatch-value [args]

...)

Dispatch get-method methods

Remove remove-method remove-all-methods

Prefer prefer-method prefers

Relation derive isa? parents ancestors descendants

make-hierarchy

Macros

Loop

Create defmacro definline macroexpand-1 macroexpand
Branch and or when when-not when-let when-first if-not

if-let cond condp case
for doseq dotimes while

Arrange .. doto ->

Scope binding locking time with-{in-str, local-vars, open, out-str, precision, redefs, redefs-fn}

Lazy lazy-cat lazy-seq delay Doc. assert comment doc

Reader Macros

' Quote 'form \rightarrow (quote form)

Character literalSingle line comment

Metadata (see Metadata section)

 $\texttt{0} \qquad \mathsf{Deref} \; \mathsf{@form} \to \mathsf{(deref \; form)}$

' Syntax-quote

UnquoteUnquote-sp

~0 Unquote-splicing
#"p" Regex Pattern p

#' Var quote $\#'x \rightarrow (\text{var } x)$

#() $\#(...) \rightarrow (fn [args] (...))$

#_ Ignore next form

Metadata (clojure.org/special_forms)

General $^{:\text{key1}}$ val1 :key2 val2 ...} Abbrevs $^{:\text{Type}} \rightarrow ^{:\text{tag Type}}, ^{:\text{key}} \rightarrow ^{:\text{key true}}$ Common $^{:\text{dynamic}}$ $^{:\text{private}}$ $^{:\text{static}}$ $^{:\text{string my-fn}}$...) (def $^{:\text{dynamic}}$ *dyn-var* val)

On Vars meta with-meta vary-meta alter-meta! reset-meta!

doc find-doc test

Special Forms (clojure.org/special_forms)

def if do let quote var fn loop recur throw try

monitor-enter monitor-exit

Destructuring (examples) let fn defn defmacro loop for

doseq if-let when-let

Vars and global environment (clojure.org/vars)

Def variants def defn defn- definline defmacro defmethod

defmulti defonce defrecord

Interned vars declare intern binding find-var var Var objects with-local-vars var-get var-set

alter-var-root var?

Var validators set-validator! get-validator

Namespace

Current *ns*

Create/Switch in-ns ns create-ns

Add alias def import intern refer

Find all-ns find-ns

Examine ns-{name, aliases, map, interns, publics,

refers, imports}

From symbol resolve ns-resolve namespace
Remove ns-unalias ns-unmap remove-ns

Loading

Load libs require use import refer

List loaded loaded-libs

Load misc load load-file load-reader load-string

Concurrency

Atoms atom swap! reset! compare-and-set!

Futures future-{call, done?, cancel, cancelled?}

future?

Threads bound-fn bound-fn* {get, push,

pop}-thread-bindings thread-bound?

Misc locking pcalls pvalues pmap seque promise deliver

Refs and Transactions (clojure.org/refs)

Create ref

Examine $deref @ (@form \rightarrow (deref form))$

Transaction sync dosync io!

In transaction ensure ref-set alter commute Validators set-validator! get-validator

History ref-history-count ref-{min, max}-history

Agents and Asynchronous Actions (clojure.org/agents)

Create agent Examine agent-error

Change state send send-off restart-agent

Block waiting await await-for

Ref validators set-validator! get-validator
Watchers add-watch remove-watch

Thread handling shutdown-agents

Error error-handler set-error-handler! error-mode

set-error-mode!

Misc *agent* release-pending-sends

Java Interoperation (clojure.org/java_interop)

General .. doto Classname/ Classname. new bean

comparator enumeration-seq import iterator-seq

memfn set

Cast boolean byte short char int long float double

bigdec bigint num cast biginteger

Exceptions throw try catch finally pst

Arrays

Create make-array {object, boolean, byte, short, char,

int, long, float, double}-array aclone to-array

to-array-2d into-array

Use aget aset aset-{boolean, byte, short, char, int,

long, float, double} alength amap areduce

Cast booleans bytes shorts chars ints longs floats

doubles

Proxy

Create proxy get-proxy-class {construct, init}-proxy

Misc proxy-mappings proxy-super update-proxy

Other

XML clojure.xml/parse xml-seq

REPL *1 *2 *3 *e *print-dup* *print-length*

print-level *print-meta* *print-readably*

Code *compile-files* *compile-path* *file*

warn-on-reflection compile gen-class

gen-interface loaded-libs test

Misc eval force hash name *clojure-version*

clojure-version *command-line-args*