Clojure Cheat Sheet (Clojure 1.3.0, sheet v1.1)

Collections Collections

Generic ops count empty not-empty into conj Content tests distinct? empty? every? not-every? some

Capabilities sequential? associative? sorted? counted?

reversible? Type tests coll? list? vector? set? map? seq?

Lists

'() list list* Create Examine first nth peek cons conj rest pop 'Change'

Vectors

Create [] vector vec vector-of

(my-vec idx) \rightarrow (nth my-vec idx) get peek Examine

'Change' assoc pop subvec replace conj rseq

Sets

Create #{} set hash-set sorted-set sorted-set-by Examine (my-set item) \rightarrow (get my-set item) contains? 'Change' conj disj Rel. algebra (clojure.set) join select project union difference intersection Get map (clojure.set) index rename-keys rename

map-invert Test (clojure.set) subset? superset?

Maps

Create {} hash-map array-map zipmap sorted-map sorted-map-by bean frequencies Examine (:key my-map) \rightarrow (get my-map :key) get-in contains? find keys vals assoc assoc-in dissoc merge merge-with 'Change'

select-keys update-in

Entry key val

Sorted maps rseq subseq rsubseq

Transients

Create transient persistent!

conj! pop! assoc! dissoc! disj! Remember Change to

bind result to a symbol!

Documentation

clojure.repl doc find-doc apropos source pst javadoc

Primitives Numbers

Arithmetic + - * / quot rem mod inc dec max min = == not= < > <= >= compare Compare bit-{and, or, xor, not, flip, set, Bitwise shift-right, shift-left, and-not, clear, test} Cast byte short int long float double bigdec bigint num rationalize Test nil? identical? zero? pos? neg? even? odd? Random rand rand-int BigInt with-precision Unchecked unchecked-{add, dec, divide, inc, multiply, negate, remainder, subtract}-int

Strings

_	
Create	str format See also IO/to string
Use	count get subs compare (clojure.string)
	join escape split split-lines replace
	replace-first reverse
Regex	<pre>#"pattern" re-find re-seq re-matches</pre>
	re-pattern re-matcher re-groups replace
	replace-first
Letters	(clojure.string) capitalize lower-case
	upper-case
Trim	(clojure.string) trim trim-newline triml trimr
Cast/Test	char char? string? (clojure.string) blank?

Other

Characters char char-name-string char-escape-string Keywords keyword keyword? find-keyword

Symbols symbol symbol? gensym

Misc

= == identical? not= not compare Compare

clojure.data/diff

Test true? false? nil? instance?

Sequences

Creating a Lazy Seq

From collection seq vals keys rseq subseq rsubseq From producer fn lazy-seq repeatedly iterate

From constant repeat range

From other file-seq line-seq resultset-seq re-seq tree-seq xml-seq iterator-seq

enumeration-seq

From seq keep keep-indexed

Seq in, Seq out

Get shorter distinct filter remove for

cons conj concat lazy-cat mapcat cycle Get longer

interleave interpose

Tail-items rest nthrest fnext nnext drop drop-while

for

Head-items take take-nth take-while take-last

butlast drop-last for

'Change' conj concat distinct flatten group-by

partition partition-all partition-by split-at split-with filter remove

replace shuffle

reverse sort sort-by compare Rearrange

Process items map pmap map-indexed mapcat for replace

seque

Un-lazy Seq sequence

Using a Seq

Construct coll

Extract item first second last rest next ffirst

nfirst fnext nnext nth nthnext

rand-nth when-first max-key min-key

zipmap into reduce reductions set vec

into-array to-array-2d

Pass to fn apply Search some filter

Force evaluation doseq dorun doall

Check for forced realized?

Zippers (clojure.zip)

Create zipper

Get zipper seq-zip vector-zip xml-zip

Get location up down left right leftmost rightmost

Get seq lefts rights path children

'Change' make-node replace edit insert-child

insert-left insert-right append-child

remove

Move next prev

Misc root node branch? end?

10

to/from spit	slurp (t	to writer/	from reader,	Socket, stri	ng
--------------	----------	------------	--------------	--------------	----

with file name, URI, etc.)

to *out* pr prn print printf println newline (clo-

jure.pprint) print-table

to writer (clojure.pprint) pprint cl-format also:

(binding [*out* writer] ...)

format with-out-str pr-str prn-str to string

print-str println-str

from *in* read-line read

line-seq also: (binding [*in* reader] ...) from reader

java.io.Reader

from string read-string with-in-string

Open with-open (clojure.java.io) text: reader writer

binary: input-stream output-stream

(.write ostream byte-arr) (.read Binary

> istream byte-arr) java.io.OutputStream java.io.InputStream github: gloss byte-spec

Misc flush (.close s) file-seq *in* *out* *err*

Special Forms

def if do let quote var fn loop recur throw try monitor-enter monitor-exit

Functions

Create fn defn defn- definline identity constantly

memfn comp complement partial juxt memoize

fnil every-pred some-fn

Call -> -> apply fn? ifn? Test

Abstractions (http://clojure.org/protocols)

Protocols

(defprotocol Slicey (slice [at])) Define (extend-type String Slicey (slice [at] Extend

...))

Extend null (extend-type nil Slicey (slice [_] nil))

Reify (reify Slicey (slice [at] ...))

Records

Define (defrecord Pair [h t]) Access

(:h (Pair. 1 2)) \rightarrow 1 Create Pair. ->Pair map->Pair

Types

Define (deftype Pair [h t]) Access (.h (Pair. 1 2)) \rightarrow 1

Create Pair. ->Pair

With methods (deftype Pair [h t] Object (toString

[this] (str "<" h "," t ">")))

Multimethods

Define (defmulti my-mm dispatch-fn)

Method define (defmethod my-mm :dispatch-value [args]

...)

Dispatch get-method methods

Remove remove-method remove-all-methods

Prefer prefer-method prefers Relation derive isa? parents ancestors descendants make-hierarchy

Macros Create

defmacro definline macroexpand-1

macroexpand

Branch and or when when-not when-let when-first

if-not if-let cond condp case

Loop for doseq dotimes while

Arrange .. doto ->

Scope binding locking time with-in-str

with-local-vars with-open with-out-str with-precision with-redefs with-redefs-fn

lazy-cat lazy-seq delay Lazy

Document assert comment doc

Reader Macros

 $\mathsf{Quote} \ \mathsf{'form} \to (\mathsf{quote} \ \mathsf{form})$

١ Character literal

Single line comment $\mathsf{Deref}\ \mathsf{@form} \to \mathsf{(deref\ form)}$ 0

Syntax-quote

Unquote

~@ Unquote-splicing

#"p" Regex Pattern p

Metadata (see Metadata section)

#′ Var quote $\#' x \to (var x)$

 $\#(...) \rightarrow (fn [args] (...))$ #()

Ignore next form #_

Metadata

General ^{:key1 val1 :key2 val2 ...}

Abbrevs ^Type ightarrow ^{:tag Type}, ^:key ightarrow ^{:key true}

^:dynamic ^:private ^:static Common

(defn ^:private ^:static ^String my-fn ...) Example

(def ^:dynamic *dyn-var* val)

:added :author :arglists :doc :inline Others

:inline-arities :macro

On Vars meta with-meta vary-meta alter-meta!

reset-meta! doc find-doc test

Vars and global environment

Def variants def defn defn- definline defmacro

defmethod defmulti defonce defrecord

Interned vars declare intern binding find-var var

Var objects with-local-vars var-get var-set

alter-var-root var?

Var validators set-validator! get-validator

Namespace

Current

Create/Switch in-ns ns create-ns

Add alias def import intern refer

Find all-ns find-ns

Examine ns-name ns-aliases ns-map ns-interns

ns-publics ns-refers ns-imports

From symbol resolve ns-resolve namespace Remove ns-unalias ns-unmap remove-ns

Loading

Loading libs require use import refer

Listing loaded libs loaded-libs

Loading misc load load-file load-reader

load-string

Concurrency

Atoms atom swap! reset! compare-and-set!

future future-call future-done? future-cancel **Futures**

future-cancelled? future?

Threads bound-fn bound-fn* get-thread-bindings

push-thread-bindings pop-thread-bindings

thread-bound?

Misc locking pcalls pvalues pmap seque promise

deliver

Refs and Transactions

Create ref

 $\mathtt{deref} \ \mathtt{@} \ (\mathtt{@form} \rightarrow (\mathsf{deref} \ \mathsf{form}))$ Examine

Transaction macros sync dosync io!

In transaction ensure ref-set alter commute Validators set-validator! get-validator ref-history-count ref-max-history History

ref-min-history

Agents and Asynchronous Actions

Create agent Examine agent-error

Change state send send-off restart-agent

Block waiting await await-for

Block waiting await await-for
Ref validators set-validator! get-validator Watchers add-watch remove-watch

Thread handling shutdown-agents

Error error-handler set-error-handler!

error-mode set-error-mode!

Misc *agent* release-pending-sends

Java Interoperation

.. doto Classname/ Classname. new

bean comparator enumeration-seq import

iterator-seq memfn set!

Cast boolean byte short char int long float

double bigdec bigint num cast

Exceptions throw try catch finally pst

Arrays

Create make-array {object, boolean, byte, short,

char, int, long, float, double}-array aclone

to-array to-array-2d into-array

Use aget aset aset-{boolean, byte, short, char,

int, long, float, double} alength amap areduce

booleans bytes shorts chars ints longs floats

Proxy

Cast

Create proxy get-proxy-class construct-proxy

init-proxy

Misc proxy-mappings proxy-super update-proxy Other XML clojure.xml/parse xml-seq REPL *1 *2 *3 *e *print-dup* *print-length* *print-level* *print-meta* *print-readably* Code *compile-files* *compile-path* *file* *warn-on-reflection* compile gen-class gen-interface loaded-libs test Misc eval force hash name *clojure-version* clojure-version *command-line-args*