PARATUS REST API

SPECIFICATION VERSION 2.0

Content Page

1 REVISION HISTORY 3

2 INTRODUCTION 5

3 INTEGRATION CONTRACT 6

3.1 HTTP-Method GET 6
3.2 HTTP-Method PUT 7
3.3 HTTP-Method DELETE 8
3.4 HTTP-Method POST 8
3.5 Authentication 8
3.6 Duplicate assignments 9
3.7 Contract details and examples 9
3.7.1 Method GET serviceurl/assignments/ 9
3.7.2 Method GET serviceurl/unit/ 20
3.7.3 Method GET serviceurl/logs/ 21
3.7.4 Method GET serviceurl/symbols/ 21
3.7.5 Method GET serviceurl/command/{assignment_id} 22
3.7.6 Method GET serviceurl/notes/{assignment_id} 23
3.7.7 Method GET serviceurl/messages/ 23
3.7.8 Method POST serviceurl/destinations/ 24
3.7.9 Method POST serviceurl/command/{assignment_id} 24
3.7.10 Method POST serviceurl/notes/{assignment_id} 24
3.7.11 Method POST serviceurl/messages/ 25

1 REVISION HISTORY

Revision	Date	Description	Author
1.0	2015-04-16	Added revision history	Arvsell Tobias
1.1	2015-04-16	Updated REST API: Removed property *symbol* from route GET <url>/unit/	Arvsell Tobias
1.2	2015-05-06	Updated REST API: Added fields for REK report	Arvsell Tobias
1.3	2015-05-13	Updated *assignment_id* in route GET <url/symbols/	Arvsell Tobias
1.4	2015-05-20	Removed *parent_id* on *ward* and *id* on *destination*. Route: POST <url>/destinations	Arvsell Tobias
1.5	2015-05-24	Changed property *id* for symbolobjects of type *vehicle* to contain a GUID instead of name of the unit.	Arvsell Tobias
1.6	2015-05-28	Updated REST API: Added fields for METHANE report	Arvsell Tobias
1.7	2015-09-07	Updated REST API: Added field for status code for eac ward	Arvsell Tobias
1.8	2015-09-07	Updated REST API: Updated fields for plotting report	Arvsell Tobias
1.9	2015-10-15	Added REST API version 1.1. Added some information about assignments with duplicate id	Arvsell Tobias
2.0	2015-11-12	Updated property for assignment close reason. Updated REST API version to 1.2	Arvsell Tobias
2.1	2016-05-10	Updated timestamps in REST API to include milliseconds. Updated	Arvsell Tobias

		methane_report and *rek_report* to include timestamp for creation and last updated. Updated REST API version to 1.3	
2.2	2016-05-12	Added missing property, *assembly_site*, in *rek_report*	Arvsell Tobias
2.3	2016-11-16	Added property for indicating test assignments	Arvsell Tobias
2.4	2016-12-12	Updated REST API version 1.3.1	Arvsell Tobias
2.5	2020-02-10	Added routes for medical command, notes and messages. Added *MissionNo* in *assignment_number* property. Added *is_deleted* property to symbols object. Changed *assignmentId* property on symbols to assignment GUID instead of assignment number. Updated *inventory_level* and *extra_resources* on assignment report.	Arvsell Tobias
2.6	2020-03-17	Updated format of timestamps in some routes Added missing POST routes Removed *notes* field from *assignment* route, since it now is a separate route	Arvsell Tobias
2.7	2020-03-23	Updated routes for notes and command	Arvsell Tobias
2.8	2020-04-14	Fixed revision history and corresponding changes in document	Arvsell Tobias

2 INTRODUCTION

This specification describes the contract for the integration service in Paratus Navigation which is hosted as REST API.

3 INTEGRATION CONTRACT

Paratus Navigation exposes a REST API for an external system to use. This means that Paratus Navigation does not initiate any contact with the external system, instead it is the external system that must send and receive updates so that the systems are synchronized. All requests and responses use JSON as a data format. The Content-Type header should be set to *application/json* when sending data in the request body.

The service url is as default https://<ip>:443/api/rest/

3.1 HTTP-METHOD GET

Url	Description
serviceurl/assignments/	Returns all assignments.
serviceurl/assignment/{id}	Returns the assignment with the corresponding {id}. The {id} is defined as GUID and generated by Paratus Navigation.
serviceurl/symbols/	Returns all map objects that are shown in the map.
serviceurl/unit/	Returns information about the current unit.
serviceurl/logs/	Returns logs from assignments for past 24 hours.
serviceurl/apiversion/	Returns the current API version.
serviceurl/command/{assignment_id}	Returns the current medical command for the given assignment
serviceurl/notes/{assignment_id}	Returns all notes for the given assignment

serviceurl/messages	Returns all sent and received messages

3.2 HTTP-METHOD PUT

Url	**Description**
serviceurl/assignment/{id}	Updates the assignment with the corresponding {id}.
serviceurl/symbols/	Updates or adds map objects.

3.3 HTTP-METHOD DELETE

Url	Description
serviceurl/symbols/	Removes all map objects.
serviceurl/symbols/{id}	Removes the symbol with the corresponding {id}.
serviceurl/loggedinusers/{id}	Log outs the user with corrsesponding {id}.

3.4 HTTP-METHOD POST

Url	Description
serviceurl/symbols/	All map objects that should be shown in the map.
serviceurl/destinations/	Adds a list with all predefined destinations.
serviceurl/command/{assignment_id}	Updates information about the current medical command for the given assignment
serviceurl/notes/{assignment_id}	Adds a note to the given assignment
serviceurl/messages	Sends a message to the given RAKEL-receiver.

3.5 AUTHENTICATION

The REST API is accessed over HTTPS and uses a self-signed X.509 certificate for Secure Sockets Layer (SSL). In order to access the API the certificate needs to be added as a trusted certificate on the client.

Basic authentication (username and password) is used for authorizing the client.

3.6 DUPLICATE ASSIGNMENTS

In cases where an assignment number is reused by the external alarm source, e.g. SOS, a new assignment will be created in Paratus Navigation for each occasion. For example, when SOS sends out an assignment that are then canceled and resubmitted will result in two assignments in the result on the REST interface. The first interrupted case will be at the top of the list. Status updates are logged separately for each assignment.

3.7 CONTRACT DETAILS AND EXAMPLES

3.7.1 Method GET serviceurl/assignments/

GET https://localhost:443/api/rest/assignments/

Response:

```
[
    {
        Assignment number which consist of central number, case folder id, case id and mission id
        separated with :
        "assignment_number" : "[SiteID:CaseFolderID:CaseID:MissionNo]",
        Time when the assignment was created
         "created" : "2011-12-12T16:31:24Z",
        Time when the assignment was received in Paratus Navigation
         "received" : "2014-10-10T16:19:34Z",
        Time when the assignment was accepted in Paratus Navigation
         "accepted" : "2014-10-10T16:19:42Z",
        Internal unique id for an assignment
         "rowid" : "0faaa8e0-956b-444b-baea-ddf6e806ba6d",
        Indicates if the assignment is closed or not
         "is_closed" : "false",
        Contains possible reason for closing the assignment (entered by the user)
         "close_reason" :  {
            One of the mandatory options in SAFE
            "reason" : "Patient saknades",
            May contain any user comment
            "comment" : ""
        Indicates if the assignment is selected in Paratus Navigation. A value of 0 indicates that the
        assignment is not seleted, all values >= 1 indicates that the assignment is selected.
```

```
"is_selected" : "1",
```

Indicates if the destination has been alarmed

```
"is_destination_alarm_sent" : "false",
```

Id for selected destination

```
"selected_destination" : "",
```

Estimated time of arrival

```
"eta" : "2015-03-31T14:45:00Z",
```

Indicates if the unit is currently the commander for the current assignment

```
"is_head_unit" : "false",
```

Indicates if the route is plotted in the map

```
"is_routed" : "false",
```

The total driven distance on the assignment

```
"distance" : "0",
```

Methane-report, if a methane-report is not registered in Paratus Navigation the field will contain an empty object ({})

```
"methane_report" : {
```

Time when the report was created

```
"created" : "2015-03-31T14:14:00.353Z",
```

Time when the report was last updated

```
"last_updated" : "2015-03-31T14:44:34.934Z",
```

Access road

```
"access_road" : {
```

Indicates if the access road is obstructed

```
"is_obstructed" : false,
```

Contains any user entered comment for the obstructed access road

```
"comment" : ""
},
```

Address where the report is registered

```
"exact_location" : "Storgatan 3",
```

Information about extra resources

```
"extra_resources" : {
    "ambulances" : 0,
    "chemical_suit" : 0,
    "emergency_wagon" : 0,
    "medical_team" : 0,
    "sanitation_wagon" : 0,
    "doctor_on_duty" : 0,
    "helicopter" : 0,
    "commander_unit" : 0,
    "PAM" : 0,
    "medical_transport" : 0,
```

```
        "transport_ambulance" : 0,
        "units_total" : 0,
    },
```

Possible threats and risks on site

```
    "hazards" : [
        "Halka",
        "Rök/Gas"
    ],
```

Inventery level (between 0 – 100)

```
    "inventory_level" : {
      "selected_level_index" : 1,
      "levels" : [ "0", "1_3", "2_3", "3_3" ]
    },
```

Indicates if it is suspected major incident

```
    "major_incident" : false,
```

Number of affected

```
    "numbers_affected_green" : 0,
```

Number of affected - green

```
    "numbers_affected_green" : 0,
```

Number of affected - yellow

```
    "numbers_affected_yellow" : 0,
```

Number of affected - red

```
    "numbers_affected_red" : 0,
```

Exact position where the report is registered

```
    "position " : {
        "rt90_x" : 6581976.875412831,
        "rt90_y" : 1628492.661460190,
        "sweref99_e" : 674219.1730,
        "sweref99_n" : 6581806.7920,
        "wgs84_dd_la" : 59.3389850,
        "wgs84_dd_lo" : 18.063270
    },
```

Special injuries

```
    "special_injuries" : "",
```

Time for first transport departure

```
    "time_first_departure" : "2015-03-31T14:45:00Z",
```

Type of events

```
    "types " : [
      "Trafikolycka"
    ]
  },
```

REK report according to SLL plotting document

```
"rek_report" : {
```

Time when the report was created

```
"created" : "2015-03-31T14:14:00.353Z",
```

Time when the report was last updated

```
"last_updated" : "2015-03-31T14:44:34.934Z",
```

Number of affected

```
 "affected_count" : "",
```

Resources on site

```
 "resources_on_site" : "",
```

Comments

```
 "comments" : "",
```

Exact position where the report is registered

```
"position " : {
    "rt90_x" : 6581976.875412831,
    "rt90_y" : 1628492.661460190,
    "sweref99_e" : 674219.1730,
    "sweref99_n" : 6581806.7920,
    "wgs84_dd_la" : 59.3389850,
    "wgs84_dd_lo" : 18.063270
},
```

Command organization

```
"command_organization" : {
```

Medical commander

```
   "medical_commander" : "",
```

Chief of staff

```
   "hq_commander" : "",
```

Chief of staff - medical

```
   "hq_commander_medical" : "",
```

Sector chief – assembly point

```
   "section_commander_assembly_point" : "",
```

Sector chief – collect point

```
   "section_commander_collect_point" : "",
```

Sector chief 1 – incident site

```
   "section_commander_1_incident_site " : "",
```

Sector chief 2 – incident site

```
   "section_commander_2_incident_site" : "",
```

Incident site – break point

```
   "section_commander_breakpoint" : "",
},
```

Organization incident site

```
"incident_organization" : {
```

Breakpoint

```
"breakpoint" : "",
```

Command site

```
"command_site" : "",
```

Incident site

```
"incident_site" : "",
```

Assembly site

```
"assembly_site" : "",
```

Assembly point injured

```
"assembly_point_injured" : "",
```

Assembly point not injured

```
"assembly_point_uninjured" : "",
```

Collect point

```
"collect_point" : "",
```

HCP landing site

```
"landing_site" : ""
}
}
```

Position for the assignment (WGS84)

```
"position" : {
    "wgs84_dd_la" : 60.60837241855120,
    "wgs84_dd_lo" : 15.62368821634720
},
```

To position for the assignment (WGS84), for example if the patient should left at a health center – from SOS/Rakel

```
"to_position" : {
      "wgs84_dd_la" : -200.0,
      "wgs84_dd_lo" : -200.0
},
```

The following properties can depend on current configuration

```
 "properties" : [
```

Time when the assignment was created

```
{
    "name" : "created",
    "value" : "2011-12-12 16:31"
},
```

The sender of the assignment (RAKEL-number to SOS central)

```
{
```

```
    "name" : "sender",
    "value" : "370002"
},
```

Id for the sender SOS central

```
{
    "name" : "central",
    "value" : "1"
},
```

Area for the assignment position – from SOS/Rakel

```
{
    "name" : "area",
    "value" : ""
},
```

Case index 1 – from SOS/Rakel

```
{
    "name" : "caseindex1",
    "value" : "Trafikolycka"
},
```

Case index 2 – from SOS/Rakel

```
{
    "name" : "caseindex2",
    "value" : ""
},
```

Case index 3 – from SOS/Rakel

```
{
    "name" : "caseindex3",
    "value" : ""
},
```

City for assignment position – from SOS/Rakel

```
{
    "name" : "city",
    "value" : "Falun"
},
```

Case index comment – from SOS/Rakel

```
{
    "name" : "comment",
    "value" : "Trafikolycka, bil krockat med moped"
},
```

First name of patient – from SOS/Rakel

```
{
    "name" : "firstname",
    "value" : "Test"
},
```

Case id – from SOS/Rakel

```
{
    "name" : "ib",
    "value" : "1"
},
```

Case folder id – from SOS/Rakel

```
{
    "name" : "id",
    "value" : "1234567890"
},
```

Last name of patient – from SOS/Rakel

```
{
    "name" : "lastname",
    "value" : "Testman"
},
```

Municipality for the assignment position – from SOS/Rakel

```
{
    "name" : "municipality",
    "value" : "Falun"
},
```

Person number for the patient

```
{
    "name" : "personid",
    "value" : "1910101010-1010"
},
```

The position of the assignment (WGS84) – from SOS/Rakel

```
{
    "name" : "positionwgs84",
    "value" : "La=60.61 Lo=15.62"
},
```

Assignment priority

```
{
    "name" : "priority",
    "value" : "1"
},
```

Assignment priority after status *Lastat*, entered by the user

```
{
    "name" : "priorityin",
    "value" : "1"
},
```

Radio group for the assignment – from SOS/Rakel

```
{
    "name" : "radiogroup",
```

```
    "value" : ""
},
```

Radio group name for the assignment – from SOS/Rakel

```
{
    "name" : "radiogroupname",
    "value" : ""
},
```

Road description to the assignment position – from SOS/Rakel

```
{
    "name" : "routedirections",
    "value" : "Rakt fram"
},
```

Address for the assignment position – from SOS/Rakel

```
{
    "name" : "street",
    "value" : "Krokusvägen 3"
},
```

To address for the assignment, for example if the patient should be transported to a health center – from SOS/Rakel

```
{
    "name" : "toaddress",
    "value" : ""
},
```

To city for the assignment, for example if the patient should be transported to a health center – from SOS/Rakel

```
{
    "name" : "tocity",
    "value" : ""
},
```

To position for the assignment (WGS84), for example if the patient should be transported to a health center – from SOS/Rakel

```
{
    "name" : "toposition",
    "value" : ""
},
```

Time for when the assignment was sent from SOS – from SOS/Rakel

```
{
    "name" : "sendtime",
    "value" : ""
},
```

Time for when the patient should be picked up, e.g. in case of a booked transport – from SOS/Rakel

```
{
    "name" : "pickuptime",
```

```
    "value" : ""
},
```

To area for the assignment – from SOS/Rakel

```
{
    "name" : "toarea",
    "value" : ""
},
```

To municipality for the assignment – from SOS/Rakel

```
{
    "name" : "tomunicipality",
    "value" : ""
},
```

Time when the patient should be left, e.g in case of a booked transport – from SOS/Rakel

```
{
    "name" : "departuretime",
    "value" : ""
},
```

To position for the assignment (WGS84), for example if the patient should be transported to a health center – from SOS /Rakel

```
{
    "name" : "topositionrt90",
    "value" : ""
},
```

All radio groups for an assignment – from SOS/Rakel

```
{
    "name" : "allradiogroups",
    "value" : []
},
```

Other coordination information – from SOS/Rakel

```
{
    "name" : "additionalcoordinationinformation",
    "value" : ""
},
```

Other information – from SOS/Rakel

```
{
    "name" : "additionalinfo",
    "value" : ""
},
```

Object id, e.g. id for a building – from SOS/Rakel

```
{
    "name" : "objectid",
    "value" : ""
},
```

Alarm category – from SOS/Rakel

```
{
    "name" : "alarmcategory",
    "value" : ""
},
```

Alarm event code – from SOS/Rakel

```
{
    "name" : "alarmeventcode",
    "value" : ""
},
```

Contact information – from SOS/Rakel

```
{
    "name" : "areanumberandphonenumber",
    "value" : ""
},
```

All assigned resources – from SOS/Rakel

```
{
    "name" : "assignedresourceincasefolder",
    "value" : [ "" ]
},
```

Indicates if the assignment is a test assignment – from SAFE
If the property do not exist or is false => no test assignment
If the property exist and is true => test assignment

```
{
    "name" : "testassignment",
    "value" : "true"
}
],
```

Current assignment state and the states where transitions are allowed

```
"state" : {
    "action_name" : "Framme",
    "allowed_states" : [
        {
            "action_name" : "Hämtat",
            "state_id" : 3,
            "state_name" : "*HÄMTAT*"
        },
        {
            "action_name" : "Hemåt",
            "state_id" : 5,
            "state_name" : "*HEMÅT*"
        },
        {
```

```
            "action_name" : "Klar uppdrag",
            "state_id" : 6,
            "state_name" : "*KLAR UPPDRAG*"
        },
        {
            "action_name" : "Uppd. disp.",
            "state_id" : 7,
            "state_name" : "*UPPD DISP*"
        }
    ],
    "state_id" : 2,
    "state_name" : "*FRAMME*"
},
```

Total driven distance between each assignment state. Distance is given in metres. The id of each state is defined in *state_configuration.*

```
"state_entries" : [
    {
        "distance" : 23,
        "from_id" : 0,
        "to_id" : 1,
        "time" : "2015-03-31T18:25:43+01:00"
    },
    {
        "distance" : 2348,
        "from_id" : 1,
        "to_id" : 2,
        "time" : "2015-03-31T18:25:43+01:00"
    }
],
```

Current configuration of assignment states for this assignment.

```
"state_configuration" : [
    {
```

Allowed state transitions

```
        "allowed_transitions" : [ 2, 6 ],
```

Id for state

```
        "id" : 1,
```

Name of state

```
        "name" : "Kvitterat",
```

Name for the state transition

```
        "transition_name" : "Kvittera"
    },
    {
        "allowed_transitions" : [ 3, 5, 6, 7 ],
```

```
            "id" : 2,
            "name" : "Framme",
            "transition_name" : "Framme"
         },
         {
            "allowed_transitions" : [ 4, 5 ],
            "id" : 3,
            "name" : "Hämtat",
            "transition_name" : "Hämtat"
         },
         {
            "allowed_transitions" : [ 5 ],
            "id" : 4,
            "name" : "Avlämnar",
            "transition_name" : "Avlämnar"
         },
         {
            "allowed_transitions" : [ 6 ],
            "id" : 5,
            "name" : "Hemåt",
            "transition_name" : "Hemåt"
         },
         {
            "allowed_transitions" : [],
            "id" : 6,
            "name" : "Klar",
            "transition_name" : "Klar"
         },
         {
            "allowed_transitions" : [ 5 ],
            "id" : 7,
            "name" : "Uppd. disp.",
            "transition_name" : "Uppd. disp."
         }
      ]
   }
]
```


3.7.2 Method GET serviceurl/unit/

GET https://localhost:443/api/rest/unit/

```
{
   "id" : " dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
   "issi" : "331911",
   "msisdn" : "3319110",

   "position" : {
      "wgs84_dd_la" : -9.255963134931783e+061,
      "wgs84_dd_lo" : -9.255963134931783e+061
   },
   "state" : {
      "action_name" : "Idle",
      "allowed_states" : [],
      "state_id" : 10,
      "state_name" : "Idle"
   }

}
```


3.7.3 Method GET serviceurl/logs/

GET https://localhost:443/api/rest/logs/


```
{
      "name" : "logs",
      "type" : "string",
      "value" : ""
}
```


3.7.4 Method GET serviceurl/symbols/

GET https://localhost:443/api/rest/symbols/

Possible values for mapitemtype are 0 (vehicle), 1 (area) or 2 (point/icon)


```
[{
```


Unique id for the item


```
"id" : "dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
```


Map item type


```
"mapitemtype" : 0,
```


Text shown in the map for the item


```
"state" : "status text",
```


Heading for item (0 – 360 degrees)


```
"heading" : 53.2,
```


Description


```
"description" : "254-9110 ",
```


Assignment id

```
    "assignmentId" : "0faaa8e0-956b-444b-baea-ddf6e806ba6d",
```

Position

```
    "position" : {
      "wgs84_dd_la" : 59.36404,
      "wgs84_dd_lo" : 13.47386
    },
```

Indicates if the symbol is deleted

```
    "is_deleted" : false
},
{
    "id" : "dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
    "mapitemtype" : 2,
```

Path to the icon

```
    "icon" : "./image2.png",

    "description" : "desc",
    "assignmentid" : "0faaa8e0-956b-444b-baea-ddf6e806ba6d",
    "position" : {
      "wgs84_dd_la" : 59.36404,
      "wgs84_dd_lo" : 13.47386
    },
    "is_deleted" : false
},
{
    "id" : "dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
    "mapitemtype" : 1,
```

ARGB value as an Int32

```
    "color" : 0,

    "description" : "Description text",
    "assignmentId" : "0faaa8e0-956b-444b-baea-ddf6e806ba6d",
```

WKT string for the geometry

```
    "geometry" : "POLYGON ((30 10, 40 40, 20 40, 10 20, 30 10))",
    "is_deleted" : false
}]
```

3.7.5 Method GET serviceurl/command/{assignment_id}

GET https://localhost:443/api/rest/command/{assignment_id}

```
{
```

Unique identifier for the unit which currently is the medical commander

```
    "unit_id" : "dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
```

Radio number for the unit which currently is the medical commander

```
    "radio_number" : "3319110",
```
Time when this information was updated
```
    "created" : "2014-11-14T11:48:50Z"
}
```

3.7.6 Method GET serviceurl/notes/{assignment_id}

GET https://localhost:443/api/rest/notes/{assignment_id}

```
[{
```
The id for the current assignment
```
    "assignment_id" : "8b7d025a-5236-4f74-aeee-05a5ca697140",
```
Radio number for the unit that has written the note
```
    "author" : "3319180",
```
Time when the note was created
```
    "created" : "2014-11-14T11:48:50Z",
```
Unique identifier for the note
```
    "id" : "de9168e5-d422-4bc8-a6e2-71067b12ea63",
```
The note the content
```
    "text" : "Tre bilar inblandade och en lastbil. Ankomstvägen
    hindrad av bilkö."
}]
```

3.7.7 Method GET serviceurl/messages/

GET https://localhost:443/api/rest/messages/

```
[{
```
Radio number for the unit that has written the message
```
    "author" : "3319180",
```
Radio number for the receiving unit
```
    "destination" : "3319210",
```
Time when the message was created
```
    "created" : "2014-11-14T11:48:50Z",
```
Unique identifier for the message
```
    "id" : "de9168e5-d422-4bc8-a6e2-71067b12ea63",
```
The message the content
```
    "text" : "Tre bilar inblandade och en lastbil. Ankomstvägen
    hindrad av bilkö."
}]
```

3.7.8 Method POST serviceurl/destinations/

POST https://localhost:443/api/rest/destinations/


```
[{
    "name" : "Södersjukhuset",
    "abbreviation" : "SÖS",
    "position" : {
      "wgs84_dd_la" : 18.3233342,
      "wgs84_dd_lo" : 24.767692
    },
    "type" : "AkutSjukhus",
    "wards" : [{
      "id" : "",
      "name" : "Akutmottagning",
      "abbreviation" : "",
      "status_code" : 38684,
      "position" : {
         "wgs84_dd_la" : 18.3233342,
         "wgs84_dd_lo" : 24.767692
      }
    },
    {
      "id" : "1",
      "name" : "Röntgen",
      "abbreviation" : "",
      "position" : {
         "wgs84_dd_la" : 18.3233342,
         "wgs84_dd_lo" : 24.767692
      }
    }]
}]
```


3.7.9 Method POST serviceurl/command/{assignment_id}

POST https://localhost:443/api/rest/command/{assignment_id}

```
{
    Unique identifier for the unit which currently is the medical commander
    "unit_id" : "dfd4fd99-1fa9-4624-9cfe-05e65ef63fa9",
    Radio number for the unit which currently is the medical commander
    "radio_number" : "3319110",
    Time when this information was updated
    "created" : "2014-11-14T11:48:50Z"
}
```

3.7.10 Method POST serviceurl/notes/{assignment_id}

POST https://localhost:443/api/rest/notes/{assignment_id}

```
[{
```

The id for the current assignment

```
"assignment_id" : "8b7d025a-5236-4f74-aeee-05a5ca697140",
```

Radio number for the unit that has written the note

```
"author" : "3319180",
```

Time when the note was created

```
"created" : "2014-11-14T11:48:50Z",
```

Unique identifier for the note

```
"id" : "de9168e5-d422-4bc8-a6e2-71067b12ea63",
```

The note the content

```
"text" : "Tre bilar inblandade och en lastbil. Ankomstvägen
hindrad av bilkö."
}]
```

3.7.11 Method POST serviceurl/messages/

POST https://localhost:443/api/rest/messages/

```
{
```

Radio number for the unit that has written the message

```
"author" : "3319180",
```

Radio number for the receiving unit

```
"destination" : "3319210",
```

Time when the message was created

```
"created" : "2014-11-14T11:48:50Z",
```

The message the content

```
"text" : "Tre bilar inblandade och en lastbil. Ankomstvägen
hindrad av bilkö."
}
```