

Data Science Project by Mats

Team nr: Insert here	Student 1: Insert here IST nr: Insert here
	Student 2: Insert here IST nr: Insert here
	Student 3: Insert here IST nr: Insert here
	Student 4: Insert here IST nr: Insert here

The present document presents a template for the Data Science Project report. It specifies the mandatory format and suggests the structure to follow. All text with grey background shall be replaced with the analysis made over the datasets. Put your charts in the *images* folder, and set the name of the file in the *includegraphics* command, after uncommenting it.

CLASSIFICATION

1 DATA PROFILING

May be used to describe any useful observation about the data, and that was used in the current project. An example is the use of any domain knowledge to process the data or evaluate the results. **Shall not exceed 200 characters.**

Data Dimensionality

Shall contain all relevant information and charts respecting to the data dimensionality perspective, such as the number of records and number of dimensions, and their impact on the following analysis. **Shall not exceed 500 characters.**

Figure 1: Nr Records x Nr variables for dataset 1 (left) and dataset 2 (right)

Figure 2: Nr variables per type for dataset 1 (left) and dataset 2 (right)

Figure 3: Nr missing values for dataset 1 (left) and dataset 2 (right)

Data Distribution

Shall contain all relevant information and charts respecting to the data distribution perspective, such as each variable distribution, type, domain and range. May be used to describe any useful observation about the data, and that was used in the current project. **Shall not exceed 500 characters.**

Figure 4: Global boxplots dataset 1 (left) and dataset 2 (right)

Figure 5: Single variables boxplots for dataset 1

Figure 6: Single variables boxplots for dataset 2

Figure 7: Histograms for dataset 1

Figure 8: Histograms for dataset 2

Figure 9: Outliers study dataset 1

Figure 10: Outliers study dataset 2

Figure 11: Class distribution for dataset 1

Figure 12: Class distribution for dataset 2

Data Granularity

Shall contain all relevant information and charts respecting to the data granularity perspective, such as the impact of different granularities considered for each variable. May present additional taxonomies if needed. **Shall not exceed 500 characters.**

Figure 13: Granularity analysis for dataset 1

Figure 14: Granularity analysis for dataset 2

Data Sparsity

Shall contain all relevant information and charts respecting to the data sparsity perspective, such as domain coverage and correlation among variables. **Shall not exceed 500 characters.**

Figure 15: Sparsity analysis for dataset 1

Figure 16: Sparsity analysis for dataset 2

Figure 17: Correlation analysis for dataset 1

Figure 18: Correlation analysis for dataset 2

2 DATA PREPARATION

Variables Encoding

Missing Value Imputation

Shall contain all relevant information and charts respecting to missing values imputation, such as the choices made and the impact of the different approaches on modelling results. Shall also clearly reveal the approach selected to proceed with the processing. If not applied explain the reason for that, based on data characteristics. **Shall not exceed 500 characters.**

Figure 19: Missing values imputation results with different approaches for dataset 1

Figure 20: Missing values imputation results with different approaches for dataset 2

Outliers Treatment

Comparing no handling, dropping, fixed-value replacement, and truncation: Dropping outliers yielded the highest accuracy (0.99) but cut the dataset size drastically (3672→632). Truncation and no handling maintained data integrity but lowered accuracy. Balancing performance and data representativeness, doing nothing is chosen.

Figure 21: Outliers imputation results with different approaches for dataset 1

Figure 22: Outliers imputation results with different approaches for dataset 2

Scaling

Shall contain all relevant information and charts respecting to scaling transformation, such as the choices made and the impact of the different approaches on modelling results. Shall also clearly reveal the approach selected to proceed with the processing. If not applied explain the reason for that, based on data characteristics. **Shall not exceed 200 characters.**

Figure 23: Scaling results with different approaches for dataset 1

Figure 24: Scaling results with different approaches for dataset 2

Balancing

Shall contain all relevant information and charts respecting to balancing transformation, such as the choices made and the impact of the different approaches on modelling results. Shall also clearly reveal the approach selected to proceed with the processing. If not applied explain the reason for that, based on data characteristics. **Shall not exceed 500 characters.**

Figure 25: Balancing results with different approaches for dataset 1

Figure 26: Balancing results with different approaches for dataset 2

Feature Selection

Shall contain all relevant information and charts respecting to feature selection based on filtering out redundant (based on correlation) and relevant (based on variation) variables. The different choices and their impact on the modelling results shall be presented and explained. Should also clearly reveal the approach selected to proceed with the processing. All explanations shall be based on data characteristics. **Shall not exceed 500 characters.**

Figure 27: Feature selection of redundant variables results with different parameters for dataset 1

Figure 28: Feature selection of redundant variables results with different parameters for dataset 2

Figure 29: Feature selection of relevant variables results with different parameters for dataset 1 (variance study)

Figure 30: Feature selection of relevant variables results with different parameters for dataset 2 (variance study)

Feature Extraction (optional)

Shall contain all relevant information and charts respecting to feature extraction, in particular PCA. The different choices and their impact on the modelling results shall be presented and explained. **Shall not exceed 200 characters.**

Figure 31: Principal components analysis and feature extraction results for dataset 1

Figure 32: Principal components analysis and feature extraction results for dataset 2

Additional Feature Generation (if done)

Shall contain all relevant information and charts respecting to feature generation. The different choices and their impact on the modelling results shall be presented and explained. Shall summarise all variables generated and the formula used to derive them (in a table). **Shall not exceed 200 characters.**

Figure 33: Feature generation results for dataset 1

Figure 34: Feature generation results for dataset 2

3 MODELS' EVALUATION

Shall be used to point out any important decision taken during the training, including training strategy and evaluation measures used. **Shall not exceed 500 characters.**

Naïve Bayes

Shall be used to present the results achieved with each one of Naïve Bayes implementations, comparing and proposing explanations for them. If any of the implementations is not used, a justification for it shall be presented. Shall be used to present the evaluation of the best model achieved. **Shall not exceed 300 characters.**

Figure 35: Naïve Bayes alternatives comparison for dataset 1

Figure 36: Naïve Bayes alternative comparison for dataset 2

Figure 37: Naïve Bayes best model results for dataset 1 (left) and dataset 2 (right)

KNN

Shall be used to present the results achieved through different similarity measures and KNN parameterisations. The results shall be compared and explanations for them shall be presented. The justification for the chosen similarity measures shall be presented. Shall be used to address the overfitting phenomenon, studying the conditions under which models face it. Shall be used to present the evaluation of the best model achieved. **Shall not exceed 500 characters.**

Figure 38: KNN different parameterisations comparison for dataset 1

Figure 39: KNN different parameterisations comparison for dataset 2

Figure 40: KNN overfitting analysis for dataset 1 (left) and dataset 2 (right)

Figure 41: KNN best model results for dataset 1 (left) and dataset 2 (right)

Decision Trees

Shall be used to present the results achieved through different parameterisations for the train of decision trees. The results shall be compared and explanations for them shall be presented. Shall be used to address the overfitting phenomenon, studying the conditions under which models face it. Shall be used to present the evaluation of the best model achieved. Shall be used to present the best tree achieved and its succinct description. **Shall not exceed 500 characters.**

Figure 42: Decision Trees different parameterisations comparison for dataset 1

Figure 43: Decision Trees different parameterisations comparison for dataset 2

Figure 44: Decision Trees overfitting analysis for dataset 1 (left) and dataset 2 (right)

Figure 45: Decision trees best model results for dataset 1 (left) and dataset 2 (right)

Figure 46: Best tree for dataset 1

Figure 47: Best tree for dataset 2

Random Forests

Shall be used to present the results achieved through different parameterisations for the train of random forests. The results shall be compared and explanations for them shall be presented. Shall be used to address the overfitting phenomenon, studying the conditions under which models face it. Shall be used to present the evaluation of the best model achieved. May be used to present the most important variables in the model. **Shall not exceed 500 characters.**

Figure 48: Random Forests different parameterisations comparison for dataset 1

Figure 49: Random Forests different parameterisations comparison for dataset 2

Figure 50: Random Forests overfitting analysis for dataset 1 (left) and dataset 2 (right)

Figure 51: Random Forests best model results for dataset 1 (left) and dataset 2 (right)

Figure 52: Random Forests variables importance for dataset 1 (left) and dataset 2 (right)

Gradient Boosting

Shall be used to present the results achieved through different parameterisations for the train of gradient boosting. The results shall be compared and explanations for them shall be presented. Shall be used to address the overfitting phenomenon, studying the conditions under which models face it. Shall be used to present the evaluation of the best model achieved. May be used to present the most important variables in the model. **Shall not exceed 500 characters.**

Figure 53: Gradient boosting different parameterisations comparison for dataset 1

Figure 54: Gradient boosting different parameterisations comparison for dataset 2

Figure 55: Gradient boosting overfitting analysis for dataset 1 (left) and dataset 2 (right)

Figure 56: Gradient boosting best model results for dataset 1 (left) and dataset 2 (right)

Figure 57: Gradient boosting variables importance for dataset 1 (left) and dataset 2 (right)

Multi-Layer Perceptrons

Shall be used to present the results achieved through different parameterisations for the train of MLPs. The results shall be compared and explanations for them shall be presented. Shall be used to address the overfitting phenomenon, studying the conditions under which models face it. Shall be used to present the evaluation of the best model achieved. **Shall not exceed 500 characters.**

Figure 58: MLP different parameterisations comparison for dataset 1

Figure 59: MLP different parameterisations comparison for dataset 2

Figure 60: MLP overfitting analysis for dataset 1 (left) and dataset 2 (right)

Figure 61: Loss curve analysis for dataset 1 (left) and dataset 2 (right)

Figure 62: MLP best model results for dataset 1 (left) and dataset 2 (right)

4 CRITICAL ANALYSIS

Shall be used to present a summary of the results achieved with the different modelling techniques, and the impact of the different preparation tasks on their performance. A cross-analysis of the different models may also be presented, identifying the most relevant variables common to all of them (when possible) and the relation among the patterns identified within the different classifiers. A critical assessment of the best models shall be presented, clearly stating if the models seem to be good enough for the problem at hand. **Additional charts may be presented here. Shall not exceed 2000 characters.**

TIME SERIES ANALYSIS

5 DATA PROFILING

Data Dimensionality and Granularity

May be used to identify the most atomic granularity and two other different granularities to consider. **Shall not exceed 500 characters.**

Figure 63: Time series 1 at the most granular detail

Figure 64: Time series 1 at the second chosen granularity

Figure 65: Time series 1 at the third chosen granularity

Figure 66: Time series 2 at the most granular detail

Figure 67: Time series 2 at the second chosen granularity

Figure 68: Time series 2 at the third chosen granularity

Data Distribution

Shall be used to perform the data analysis at those three different granularities, concerning the series distribution. **Shall not exceed 500 characters.**

Figure 69: Boxplot(s) for time series 1

Figure 70: Boxplot(s) for time series 2

Figure 71: Histogram(s) for time series 1

Figure 72: Histogram(s) for time series 2

Figure 73: Autocorrelation lag-plots for original time series 1

Figure 74: Autocorrelation lag-plots for original time series 2

Figure 75: Autocorrelation correlogram for original time series 1

Figure 76: Autocorrelation correlogram for original time series 2

Data Stationarity

Shall be used to perform the data analysis at those three different granularities, concerning the series stationarity. **Shall not exceed 300 characters.**

Figure 77: Components study for time series 1

Figure 78: Stationarity study for time series 1

Figure 79: Components study for time series 2

Figure 80: Stationarity study for time series 2

6 DATA TRANSFORMATION

Aggregation

Shall describe the results of applying three different aggregations over both datasets, and identifying the granularity chosen to proceed. **Shall not exceed 300 characters.**

Figure 81: Forecasting plots after different aggregations on time series 1

Figure 82: Forecasting results after different aggregations on time series 1

Figure 83: Forecasting plots after different aggregations on time series 2

Figure 84: Forecasting results after different aggregations on time series 2

Smoothing

Shall describe the results of applying smoothing transformations over both datasets, and identifying the best result to proceed. **Shall not exceed 300 characters.**

Figure 85: Forecasting plots after different smoothing parameterisations on time series 1

Figure 86: Forecasting results after different smoothing parameterisations on time series 1

Figure 87: Forecasting plots after different smoothing parameterisations on time series 2

Figure 88: Forecasting results after different smoothing parameterisations on time series 2

Differentiation

Shall describe the results of applying two consecutive differentiation of both datasets, and identifying the best result to proceed. **Shall not exceed 300 characters.**

Figure 89: Forecasting plots after first and second differentiation of time series 1

Figure 90: Forecasting results after first and second differentiation of time series 1

Figure 91: Forecasting plots after first and second differentiation of time series 2

Figure 92: Forecasting results after first and second differentiation of time series 2

Other transformations (optional)

Shall describe the results of applying other transformations over both datasets, and identifying the best result to proceed. **Shall not exceed 500 characters.**

Figure 93: Forecasting plots after applying other transformations over time series 1

Figure 94: Forecasting results after applying other transformations over time series 1

Figure 95: Forecasting plots after applying other transformations over time series 2

Figure 96: Forecasting results after applying other transformations over time series 2

7 MODELS' EVALUATION

Shall be used to summarise the transformations done over the original time series. **Shall not exceed 500 characters.**

Simple Average Model

Shall be used to present the results achieved through the simple average model. **Shall not exceed 200 characters.**

Figure 97: Forecasting plots obtained with Simple Average model over time series 1

Figure 98: Forecasting results obtained with Simple Average model over time series 1

Figure 99: Forecasting plots obtained with Simple Average model over time series 2

Figure 100: Forecasting results obtained with Simple Average model over time series 2

Persistence Model

Shall be used to present the results achieved through the persistence model. **Shall not exceed 500 characters.**

Figure 101: Forecasting plots obtained with Persistence model (long term) over time series 1

Figure 102: Forecasting plots obtained with Persistence model (one-set-behind) over time series 1

Figure 103: Forecasting results obtained with Persistence model in both situations over time series 1

Figure 104: Forecasting plots obtained with Persistence model (long term) over time series 2

Figure 105: Forecasting plots obtained with Persistence model (one-set-behind) over time series 2

Figure 106: Forecasting results obtained with Persistence model in both situations over time series 2

Rolling Mean Model

Shall be used to present the results achieved through the Rolling Mean forecasting algorithms. **Shall not exceed 500 characters.**

Figure 107: Forecasting study over different parameterisations of the Rolling Mean algorithm over time series 1

Figure 108: Forecasting plots obtained with the best parameterisation of Rolling Mean algorithm, over time series 1

Figure 109: Forecasting results obtained with the best parameterisation of Rolling Mean algorithm, over time series 1

Figure 110: Forecasting study over different parameterisations of the Rolling Mean algorithm over time series 2

Figure 111: Forecasting plots obtained with the best parameterisation of Rolling Mean algorithm, over time series 2

Figure 112: Forecasting results obtained with the best parameterisation of Rolling Mean algorithm, over time series 2

Exponential Smoothing Model

Shall be used to present the results achieved through the Exponential Smoothing forecasting algorithms. **Shall not exceed 500 characters.**

Figure 113: Forecasting study over different parameterisations of the Exponential Smoothing algorithm over time series 1

Figure 114: Forecasting plots obtained with the best parameterisation of Exponential Smoothing algorithm, over time series 1

Figure 115: Forecasting results obtained with the best parameterisation of Exponential Smoothing algorithm, over time series 1

Figure 116: Forecasting study over different parameterisations of the Exponential Smoothing algorithm over time series 2

Figure 117: Forecasting plots obtained with the best parameterisation of Exponential Smoothing algorithm, over time series 2

Figure 118: Forecasting results obtained with the best parameterisation of Exponential Smoothing algorithm, over time series 2

Linear Regression Model

Shall be used to present the results achieved through the simple average model. **Shall not exceed 200 characters.**

Figure 119: Forecasting plots obtained with Linear Regression model over time series 1

Figure 120: Forecasting results obtained with Linear Regression model over time series 1

Figure 121: Forecasting plots obtained with Linear Regression model over time series 2

Figure 122: Forecasting results obtained with Linear Regression model over time series 2

ARIMA Model

Shall be used to present the results achieved through the ARIMA forecasting algorithms. **Shall not exceed 500 characters.**

Figure 123: Forecasting study over different parameterisations of the ARIMA algorithm over time series 1, only with the target variable

Figure 124: Forecasting plots obtained with the best parameterisation of ARIMA algorithm, over time series 1, only with the target variable

Figure 125: Forecasting results obtained with the best parameterisation of ARIMA algorithm, over time series 1, only with the target variable

Figure 126: Forecasting study over different parameterisations of the ARIMA algorithm over time series 2, only with the target variable

Figure 127: Forecasting plots obtained with the best parameterisation of ARIMA algorithm, over time series 2, only with the target variable

Figure 128: Forecasting results obtained with the best parameterisation of ARIMA algorithm, over time series 2, only with the target variable

Figure 129: Forecasting study over different parameterisations of the ARIMA algorithm with multiple variables over time series 1

Figure 130: Forecasting plots obtained with the best parameterisation of ARIMA algorithm with multiple variables over time series 1

Figure 131: Forecasting results obtained with the best parameterisation of ARIMA algorithm with multiple variables over time series 1

Figure 132: Forecasting study over different parameterisations of the ARIMA algorithm with multiple variables over time series 2

Figure 133: Forecasting plots obtained with the best parameterisation of ARIMA algorithm with multiple variables over time series 2

Figure 134: Forecasting results obtained with the best parameterisation of ARIMA algorithm with multiple variables over time series 2

LSTMs Model

Shall be used to present the results achieved through LSTMs. **Shall not exceed 500 characters.**

Figure 135: Forecasting study over different parameterisations of LSTMs over time series 1, only with the target variable

Figure 136: Forecasting plots obtained with the best parameterisation of LSTMs, over time series 1, only with the target variable

Figure 137: Forecasting results obtained with the best parameterisation of LSTMs, over time series 1, only with the target variable

Figure 138: Forecasting study over different parameterisations of the LSTMs over time series 2, only with the target variable

Figure 139: Forecasting plots obtained with the best parameterisation of LSTMs, over time series 2, only with the target variable

Figure 140: Forecasting results obtained with the best parameterisation of LSTMs, over time series 2, only with the target variable

Figure 141: Forecasting study over different parameterisations of LSTMs with multiple variables over time series 1

Figure 142: Forecasting plots obtained with the best parameterisation of LSTMs with multiple variables over time series 1

Figure 143: Forecasting results obtained with the best parameterisation of LSTMs with multiple variables over time series 1

Figure 144: Forecasting study over different parameterisations of LSTMs with multiple variables over time series 2

Figure 145: Forecasting plots obtained with the best parameterisation of LSTMs with multiple variables over time series 2

Figure 146: Forecasting results obtained with the best parameterisation of LSTMs with multiple variables over time series 2

8 CRITICAL ANALYSIS

Shall be used to present a summary of the results achieved with the different forecasting techniques, and the impact of the different preparation tasks on their performance. A critical assessment of the best models shall be presented, clearly stating if the models seem to be good enough for the problem at hand. Additional charts may be presented here. **Shall not exceed 2000 characters.**