Profile Summary
Generated 02-Mar-2018 11:11:38 using performance time.

Function Name	Calls	Total Time	Self Time*	Total Time Plot (dark band = self time)
HW1_Hybrid	1	0.134 s	0.016 s	
imread	2	0.051 s	0.006 s	
imread>call_format_specific_reader	2	0.039 s	0.001 s	
imagesci\private\readbmp	2	0.037 s	0.001 s	
imresize	2	0.035 s	0.007 s	
imagesci\private\imbmpinfo	2	0.029 s	0.002 s	
\imbmpinfo>initializeBMPInfoStruct	2	0.019 s	0.001 s	
imai\private\initializeMetadataStruct	2	0.018 s	0.002 s	
datestr	2	0.016 s	0.002 s	
timefun\private\dateformverify	2	0.013 s	0.001 s	
timefun\private\formatdate	2	0.012 s	0.007 s	•
imresize>parseInputs	2	0.011 s	0.003 s	
fft2	2	0.010 s	0.010 s	
ifft2	2	0.008 s	0.008 s	
imagesci\private\readbmpdata	2	0.008 s	0.001 s	I
close	1	0.007 s	0.002 s	
imaivate\readbmpdata>bmpReadData24	2	0.007 s	0.004 s	L
imresize>resizeAlongDim	4	0.007 s	0.003 s	I
imagesci\private\imbmpinfo>readBMPInfo	2	0.006 s	0.001 s	
cnv2icudf	2	0.005 s	0.005 s	1
contributions	4	0.005 s	0.004 s	I
imagesci\private\imbmpinfo>readWin3xInfo	2	0.005 s	0.001 s	
close>safegetchildren	1	0.004 s	0.000 s	I

<u>angle</u>	2	0.004 s	0.004 s	I
allchild	1	0.004 s	0.002 s	I
imresize>fixupSizeAndScale	2	0.003 s	0.002 s	I
<u>fileparts</u>	2	0.003 s	0.002 s	I
<u>stringToChar</u>	2	0.002 s	0.001 s	I
imresize>parsePreMethodArgs	2	0.002 s	0.002 s	I
rgb2gray	2	0.002 s	0.002 s	I
te\imbmpinfo>readWin3xBitmapHeader	2	0.002 s	0.002 s	I
imarivate\readbmpdata>readFromFile	2	0.002 s	0.002 s	I
imagesci\private\getFileFromURL	2	0.002 s	0.001 s	I
resizeAlongDimUsingNearestNeighbor	2	0.002 s	0.002 s	I
imresizemex (MEX-file)	2	0.002 s	0.002 s	
onCleanup>onCleanup.delete	5	0.002 s	0.001 s	I
<u>contains</u>	2	0.001 s	0.001 s	I
<u>rot90</u>	2	0.001 s	0.001 s	I
stringToChar>@(x)convertToChar(x)	4	0.001 s	0.001 s	I
cubic	4	0.001 s	0.001 s	
imread>get_full_filename	2	0.001 s	0.001 s	I
<u>cell.ismember</u>	2	0.001 s	0.001 s	I
<u>isPureNearestNeighborComputation</u>	8	0.001 s	0.001 s	I
findFirstParamString	2	0.001 s	0.001 s	I
<u>deriveScaleFromSize</u>	2	0.001 s	0.001 s	I
imresize>findMethodArg	2	0.001 s	0.001 s	I
rgb2gray>parse_inputs	2	0.001 s	0.001 s	I
imresize>fixupSize	2	0.001 s	0.001 s	I
imresize>scaleOrSize	2	0.001 s	0.001 s	I
imagesci\private\imbmpinfo>getSignature	2	0.001 s	0.001 s	I
	-	-	-	

imaate\imbmpinfo>readBMPFileHeader	2	0.001 s	0.001 s
imresize>postprocessImage	2	0.001 s	0.001 s
imagesci\private\imbmpinfo>postProcess	2	0.001 s	0.001 s
imread>parse_inputs	2	0.001 s	0.001 s
imresize>checkForMissingOutputArgument	2	0.001 s	0.000 s
te\imbmpinfo>readVersion3xColormap	2	0.001 s	0.001 s
imresize>preprocessImage	2	0.000 s	0.000 s
imresize>warnlfPostMethodArgs	2	0.000 s	0.000 s
stringToChar>convertToChar	4	0.000 s	0.000 s
close>getEmptyHandleList	1	0.000 s	0.000 s
onCleanup>onCleanup.onCleanup	5	0.000 s	0.000 s
strfun\private\isTextStrict	2	0.000 s	0.000 s
set(rootobj,'ShowHiddenHandles',Temp)	1	0.000 s	0.000 s
allchild>getchildren	1	0.000 s	0.000 s
close>request_close	1	0.000 s	0.000 s
dimensionOrder	2	0.000 s	0.000 s
imresize>parseParamValuePairs	2	0.000 s	0.000 s
stringToLegacyText	2	0.000 s	0.000 s
close>checkfigs	1	0.000 s	0.000 s
datestr>getdateform	2	0.000 s	0.000 s
imarivate\imbmpinfo>@()fclose(fid)	2	0.000 s	0.000 s
uitools\private\allchildRootHelper	1	0.000 s	0.000 s
imaate\imbmpinfo>decodeCompression	2	0.000 s	0.000 s
imresize>isInputIndexed	6	0.000 s	0.000 s
imavate\readbmpdata>@()fclose(fid)	2	0.000 s	0.000 s
ispc	2	0.000 s	0.000 s

Self time is the time spent in a function excluding the time spent in its child functions. Self

time also includes overhead resulting from the process of profiling.