$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
F_3(x) = \sum_{k=0}^{3} f(x_k) \cdot k_k(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots \\
f(x_2) \ell_2(x) + f(x_3) \ell_3(x) + f(x_3) \ell_3(x)
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_3 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_2 = 3 \\
f(x) = f(x_0) \ell_0(x) + f(x_1) \ell_1(x) + \cdots
\end{cases}$$

$$\begin{cases}
f(x) = e^{x}, & x_0 = 0, x_1 = 1, x_1 = 2, x_2 = 3, x_2 = 3, x_3 = 3$$