Health and Safety Arrangements

Section	Arrangements	Page
1	Accident, Incident, Near Miss and Hazard Reporting and Investigation	1
2	Asbestos Policy Statement	4
3	Company Staff Visiting Hazardous Areas/Sites	5
4	Communications on Site	6
5	Company Vehicles	6
6	Consulation with Employees	6
7	Display Screen Equipment	7
8	Drug and Alcohol Policy	8
9	Emergency Procedures and Planning	9
10	Employement of Temporary Workers and Personnel obtained from Employement Businesses	10
11	Environmental Arrangements	10
12	Fire Prevention	10
13	First Aid	12
14	Hazardous Substances (COSHH)	12
15	Health, Safety & Welfare	13
16	Home Working	14
17	Lone Working	14
18	Manual Handling Operations	14
19	Mobile Phone Usage	15
20	New & Expectant Mothers	16
21	Noise at Work	16
22	Non English Speaking Personnel	17
23	Occupational Health Programmes and Health Surveillance	17
24	Outside Contractors Working on this Company's Premises	18
25	PAT Testing	18
26	Permit to Work	19
27	Personal Protective Equipment (PPE)	19
28	Protection of the Public	20
29	Risk Assessment, Method Statements and Safe Systems of Work	20
30	Safety Audits	21
31	Safety Signs	21
33	Selection of Trade Contractors & Labour only Contractors	22
33	Sub Contractors Safety Information	22
34	Smoking	23
35	Training & Competence	23
36	Vibration – Whole Body Vibration & Hand Arm Vibration	24
37	Work Equipment	24
38	Work with Electricity	25
39	Working at Height Regulations	25
40	Works Falling under the Construction (Design & Management) Regulations 2015	26
41	Young Persons	29

1. Accidents, Incidents, Near Misses & Hazard Reporting & Investigation

In all cases where an accident or potential dangerous occurrence has happened it is the policy of the company to inform the Managing Director and consult with Temple Safety to ascertain the reporting and investigation strategy required in each and every case.

What must be reported?

Work-related accidents

For the purposes of RIDDOR, an accident is a separate, identifiable, unintended incident that causes physical injury. This specifically includes acts of non-consensual violence to people at work.

Not all accidents need to be reported, a RIDDOR report is required only when:

- the accident is **work-related**; and
- it results in an injury of a type which is **reportable** (as listed under 'Types of reportable injuries').

When deciding if the accident that led to the death or injury is work-related, the key issues to consider are whether the accident was related to:

- the way the work was organised, carried out or supervised;
- any machinery, plant, substances or equipment used for work; and
- the condition of the site or premises where the accident happened.

If none of these factors are relevant to the incident, it is likely that a report will not be required.

See https://www.hse.gov.uk/riddor/examples-reportable-incidents.htm for examples of incidents that do and do not have to be reported.

Types of reportable injury

Deaths

All deaths to workers and non-workers must be reported if they arise from a work-related accident, including an act of physical violence to a worker. Suicides are not reportable, as the death does not result from a work-related accident.

Specified injuries to workers

The list of 'specified injuries' in RIDDOR 2013 (regulation 4) includes:

- a fracture, other than to fingers, thumbs and toes;
- amputation of an arm, hand, finger, thumb, leg, foot or toe;
- permanent loss of sight or reduction of sight;
- crush injuries leading to internal organ damage;
- serious burns (covering more than 10% of the body, or damaging the eyes, respiratory system or other vital organs);
- scalping's (separation of skin from the head) which require hospital treatment;
- unconsciousness caused by head injury or asphyxia;
- any other injury arising from working in an enclosed space, which leads to hypothermia, heat-induced illness or requires resuscitation or admittance to hospital for more than 24 hours.

Over-seven-day injuries to workers

This is where an employee, or self-employed person, is away from work or unable to perform their normal work duties for more than seven consecutive days (not counting the day of the accident). Health and Safety Executive

Injuries to non-workers

Work-related accidents involving members of the public or people who are not at work must be reported if a person is injured, and is taken from the scene of the accident to hospital for treatment to that injury. There is no requirement to establish what hospital treatment was actually provided, and no need to report incidents where people are taken to hospital purely as a precaution when no injury is apparent.

If the accident occurred at a hospital, the report only needs to be made if the injury is a 'specified injury' (see above).

Reportable occupational diseases

Employers and self-employed people must report diagnoses of certain occupational diseases, where these are likely to have been caused or made worse by their work. These diseases include (regulations 8 and 9):

- carpal tunnel syndrome;
- severe cramp of the hand or forearm;
- occupational dermatitis;
- hand-arm vibration syndrome;
- occupational asthma;
- tendonitis or tenosynovitis of the hand or forearm;
- any occupational cancer;
- any disease attributed to an occupational exposure to a biological agent.

Reportable dangerous occurrences

Dangerous occurrences are certain, specified 'near-miss' events (incidents with the potential to cause harm.) Not all such events require reporting. There are 27 categories of dangerous occurrences that are relevant to most workplaces. For example:

- the collapse, overturning or failure of load-bearing parts of lifts and lifting equipment;
- plant or equipment coming into contact with overhead power lines;
- explosions or fires causing work to be stopped for more than 24 hours.

Certain additional categories of dangerous occurrences apply to mines, quarries, offshore workplaces and certain transport systems (railways etc). For a full, detailed list, refer to the online guidance at: www.hse.gov.uk/riddor or contact Temple Safety.

Reportable gas incidents

If you are a distributor, filler, importer or supplier of flammable gas and you learn, either directly or indirectly, that someone has died, lost consciousness, or been taken to hospital for treatment to an injury arising in connection with the gas you distributed, filled, imported or supplied, this can be reported online.

If you are a gas engineer registered with the Gas Safe Register, you must provide details of any gas appliances or fittings that you consider to be dangerous to the extent that people could die, lose consciousness or require hospital treatment. This may be due to the design, construction, installation, modification or servicing, and could result in:

- an accidental leakage of gas
- inadequate combustion of gas; or
- inadequate removal of products of the combustion of gas.

Reports can be made online.

Exemptions

In general, reports are not required (regulation 14) for deaths and injuries that result from:

- medical or dental treatment, or an examination carried out by, or under the supervision of, a doctor or registered dentist;
- the duties carried out by a member of the armed forces while on duty; or
- road traffic accidents, unless the accident involved:
    - the loading or unloading of a vehicle;
    - work alongside the road, eg construction or maintenance work;
    - the escape of a substance being conveyed by the vehicle; or a train.

Recording requirements

Records of incidents covered by RIDDOR are also important. They ensure that you collect sufficient information to allow you to properly manage health and safety risks. This information is a valuable management tool that can be used as an aid to risk assessment, helping to develop solutions to potential risks. In this way, records also help to prevent injuries and ill health, and control costs from accidental loss.

You must keep a record of:

- any **accident, occupational disease or dangerous occurrence** which requires reporting under RIDDOR; and
- any other occupational accident causing injuries that result in a worker being away from work or **incapacitated for more than three consecutive days** (not counting the day of the accident but including any weekends or other rest days). You do not have to report over-three-day injuries, unless the incapacitation period goes on to exceed seven days.

If you are an employer who has to keep an accident book, the record you make in this will be enough.

You must produce RIDDOR records when asked by HSE, local authority or Office of Rail Regulation inspectors.

How to report

Online
Go to www.hse.gov.uk/riddor and complete the appropriate online report form. The form will then be submitted directly to the RIDDOR database. You will receive a copy for your records.

Telephone
All incidents can be reported online but a telephone service remains for reporting **fatal and specified injuries only**. Call the Incident Contact Centre on 0345 300 9923 (opening hours Monday to Friday 8.30 am to 5 pm).

Reporting out of hours

HSE has an out-of-hours duty officer. Circumstances where HSE may need to respond out of hours include:

- a work-related death or situation where there is a strong likelihood of death following an incident at, or connected with, work;
- a serious accident at a workplace so that HSE can gather details of physical evidence that would be lost with time; and
- following a major incident at a workplace where the severity of the incident, or the degree of public concern, requires an immediate public statement from either HSE or government ministers.

If you want to report less serious incidents out of normal working hours, you should complete an online form at www.hse.gov.uk/riddor/report.htm#online

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations, 2013

2. Asbestos Policy Statement

We will continue to **develop and implement preventative and protective measures relating to health risks** associated with occupational exposure to asbestos fibres in order to fulfil the Company's obligations under the Control of Asbestos Regulations 2012 and the Health and Safety at Work etc Act 1974 with the objective of reducing the exposure to airborne respirable fibres of employees, contractors working on its behalf and any person who may be affected by any of our activities.

Hazard identification and risk assessment will be the basis for **introducing practical preventive policies** and control measures in the workplace. Information on the risks, systems of work and the precautions to be taken will be communicated to employees and others who may, in the course of their work, be exposed to asbestos.

Adequate information, instruction and training will be given to employees and other persons affected by the Company's activities to ensure that they are aware of:

- the health risks associated with asbestos
- the reasons for and the nature of the precautions to be observed to protect themselves and other people who may be affected
- how to make use of the protective equipment and other safeguards
- their duties under the Health and Safety at Work etc Act 1974.

Where upgrading, refurbishment or demolition works are to be undertaken on premises built pre 2000 a refurbishment / demolition survey will be requested. This will ensure that no employees or contractors will be harmed by potential exposure to asbestos containing materials (ACM's) in the premises.

The refurbishment / demolition survey must identify all ACM's with a stated location or on stated equipment at the premises before any work begins. Reports provided will be checked to ensure they state the location, presence and extent of asbestos-containing materials and debris.

The company does not carry out or intent to carry out non-licensed or notifiable non-licensed asbestos work.

Only contractors licensed by the Health and Safety Executive (HSE), will be appointed to undertake work with asbestos falling under the scope of the Control of Asbestos Regulations 2012.

Discovery of Presumed Asbestos Containing Materials

In the event suspected asbestos containing materials are discovered the following procedures must be followed:

- Must stop work immediately
- Report to the site supervisor
- The area should be isolated and no one allowed to enter
- Warning signs may need to be displayed to warn people of the danger
- Any suspected asbestos containing materials will need to be dealt with by trained/licensed asbestos contractors
- If it is suspected that any airborne fibres have been released, air monitoring must be carried out by an approved asbestos laboratory.

Emergency Procedures

If accidental disturbance or damage of suspected materials occurs then further emergency procedures should be followed**:**

- Identify – The immediate area where the incident occurred must be identified
- Isolate – The area will need to be isolated and access prevented to other persons
- Remove Contaminated Clothing – Any clothing suspected to have been contaminated with asbestos dust must be carefully removed. This must then be double wrapped in polythene bags and arrangements must be made to dispose of it as asbestos waste
- Shower if affected- Any affected workers should proceed to the nearest washing facility and wash thoroughly, preferably taking a shower
- Contact Manager
- Evacuate – The incident will need to be evaluated so that procedures can be put in place to prevent any future incidents occurring
- Carry out Lab tests - If it is suspected that airborne asbestos fibres may have been released, air tests will need to be carried out by an approved laboratory
- Repair – Any damaged asbestos containing materials will need to be repaired or removed using trained / licensed asbestos contractors
- Update – the asbestos register needs to be updated for the building.

Source: **Health and Safety at Work, etc Act, 1974**
Control of Asbestos Regulations 2012

3. Company Staff Visiting Hazardous Area/Sites

“Hazardous Areas” in the context of this section relates to areas within the Company premises, or on external work sites (e.g.: construction sites) where Company employees are required to work/visit on Company business.

It is the policy of this Company that in the event of any of our Company employees being required to periodically work or visit external work sites or parts of the Company’s premises that are deemed to be hazardous, then certain procedures will be required to be put into place before entry or any works are undertaken. These procedures will either be in the form of a specific risk assessment or safe system of work as the case may be and might incorporate a permit to work system.

Source: **Management of Health and Safety at Work Regulations, 1999**

4. Communications on Site

Every effort will be made by both management and employees of this Company to keep other contractors, clients and other interested parties informed of health and safety issues pertinent to this Company's operations on site. The precise nature of the form of communication to be used will be dependent on the requirements of the site and/or the client (e.g.: memo's, formal safety meetings, verbal, compilation of documentation, etc), however it will be ensured that the mode of communication is agreed upon prior to works commencing and that both site management and operatives are aware of this requirement. Trade contractors/sub-contractors doing work for our Company are expected to have a communications procedure in place which is suitable and sufficient for the individual work circumstances. Proof of such communication procedures is part of our vetting procedure prior to works being awarded. Communications between management and employees of this Company will be such that legislated requirements are adhered to and that employees are aware of matters having an impact on their health and safety during the course of works.

Source: **Health and Safety at Work, etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999
Construction (Design and Management) Regulations 2015

5. Company Vehicles

It is the policy of this company that if any employees were required to use a company vehicle a suitable first aid kit would be made available to them. This first aid kit would be checked by the user of the vehicle to ensure there were adequate supplies. If it was found that insufficient supplies were available it must be reported to a manager immediately.

All vehicles are to be used in a safe manner with the driver having a full driving licence. Before any employees were to use a company vehicle the following would be considered:

- Safe driving practices
- Authorisation for the company to check the driver's Motor vehicle Record
- Use of the vehicle by others, including any age restrictions
- Responsibility for parking or traffic violations
- Reporting of accidents
- Proper use of mobile phones (hands free only)
- Any other applicable restrictions

Please refer to the separate: **Driving At Work Policy** which provides more information

Sources: **The Health and Safety at Work etc Act, 1974**
The Management of Health and Safety at Work Regulations, 1999

6. Consultation with Employees

The Health and Safety (Consultation with Employees) Regulations, 1996, require the employer to consult with employees in good time on matters of health and safety in the workplace. It is the policy of this Company that all personnel will be regularly informed in good time regarding the introduction of any substantial measures which can affect health and safety at the workplace, including:

1. the appointing or nominating of persons to co-ordinate emergency procedures and health and safety assistance,
2. planning and organising of required Health and Safety training for employees and health and safety information.

3. any health and safety information the Company is required to provide to our employees by or under any relevant statutory provisions;
4. the health and safety consequences for Company employees of the introduction (including the planning thereof) of new technologies into the workplace.

Persons to be consulted

As required by law the consultation required with the employees of this Company will be with the employees directly; or, if elected to the position by this Company's employees, a representative of employee safety. Where a representative of employee safety has been elected then the Company management will inform Company employees of the names of those representatives and the group of employees represented by those representatives.

Sources: **The Health and Safety (Consultation with Employees) Regulations, 1996**
The Health and Safety at Work etc Act, 1974
The Construction (Design and Management) Regulations, 2015
The Management of Health and Safety at Work Regulations, 1999

7. Display Screen Equipment

It is the policy of this company that where employees are to use computers and monitors a safe and healthy working environment for employees will be provided. The equipment should include:

- Screen position – it should be able to tilt and swivel
- Posture – Sat upright with the small of the back fully supported with arms and legs at 90°. Eyes should be level with the top of the VDU casing with feet flat on the floor or a footrest.
- Keyboard & mouse – This should be separate from the monitor, be clean, legible and adjustable. There should be room to rest the wrists and the mouse should be near enough to minimise wrist and arm movement.
- Chair – Should have an adjustable back rest and tilt and have a five point base. The backrest must comfortably support the small of the back.
- Reflection & glare – Reflection and glare should not affect you while you are working.
- Screen display – There should be brightness and contrast controls in order to meet the lighting conditions within the working area.
- Work surface – The height of the work surface should allow for a comfortable position for arms and wrists when using the keyboard.
- Working space – There should be enough room under the workstation for the person to change posture when required as sitting for prolonged periods can be harmful.
- Work breaks – breaks should be taken for the onset of fatigue. Short frequent breaks are more beneficial than occasional longer breaks. Work should be organised so there is a mix between screen and non-screen work.
- Office ergonomics – Consideration should be given to the general ergonomics of an individuals' workstation. Including seating arrangements, foot rests, lighting and general layout of the work area.
- Eye-care provision – If personnel are classed as DSE users then an appropriate eye-sight test can be requested and may get assistance towards spectacles if a specific pair are required for VDU use.
- Display screen assessments – All staff using display screen equipment shall have a DSE assessment undertaken on their workstation. A competent person shall undertake an assessment at regular intervals or if there is a significant change.

Source: **The Health and Safety (Display Screen Equipment) Regulations 1992**

8. Drug and Alcohol Policy

See separate Policy document – Drugs & Alcohol Policy (ref TSLDA01)

9. Emergency Procedures and Planning

It is the aim of the Company to ensure that it carries out proactive, continual development of a flexible emergency management plan enabling the Company to deal effectively with a major or minor emergency, whether foreseen or unforeseen.

The objectives of this emergency management policy are:

- To save life
- To prevent escalation of an emergency
- To relieve suffering
- To safeguard the environment
- To protect property
- To continue to maintain services at an appropriate level
- To promote self-help and recovery
- To restore normality as soon as possible
- To evaluate the response and identify lessons to be learned
- To facilitate criminal investigations or other inquiries

In order to ensure the Company is organised in the event of an emergency, regular reviews of operations will be carried out.

The individual emergency procedures will set out clear guidance on when employees and others at work should stop work and how they should move to a place of safety. In some cases, this will require full evacuation of the workplace. In other cases, it might mean some or the entire workforce moving to a safer part of the workplace.

A sufficient number of competent persons within the workplace will be nominated to implement those procedures which relate to evacuation of any part of the workplace.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Construction (Design & Management) Regulations 2015
The Civil Contingencies Act 2004

10. Employment of Temporary Workers and Personnel Obtained from Employment Businesses

This Company recognises that it has certain duties under relevant legislation to ensure the health and safety of employees who are temporary workers, or employees obtained from an employment business. These duties include the following:

- to provide any operative whom he has employed under a fixed term contract of employment (i.e.: Temporary Worker), or who has been provided by an employment business with comprehensible information on:

  a) any special occupational qualifications or skills required to be held by that employee if he is to carry out his work safely (e.g.: working at height), and
  b) any health surveillance required to be provided to that employee by legislation

- to ensure that the person carrying on the employment business has been provided with comprehensive information on:

  a) any special occupational qualifications or skills required to be held by the operative if he is to carry out his work for this Company safely, and

b) the specific health and safety features of the jobs in this Company to be filled by operatives obtained from employment businesses

- to check that the information provided by this Company, to an employer carrying on an employment business, is received by the operative (although it is appreciated that the person carrying on the employment business has a legal obligation to pass this information on once received from this Company)

- informing the persons responsible for the provision of health and safety assistance to this Company of the employment of temporary workers or of operatives obtained from an employment business

It is the policy of this Company to adhere to the requirements above, and the responsibility for its implementation will be accorded to this Company's director, or a designated subordinate.

Source: **Management of Health and Safety at Work Regulations, 1999**

11. Environmental Arrangements

The Control of Pollution Act and the Environmental Protection Act impose a duty on everyone to prevent pollution to the environment. In order to fulfil its obligations, it is the policy of this Company that all work activities will be assessed with regard to the level of risk to the environment.

The Company will continue to identify any significant environmental aspects associated with its products and services and take steps to eliminate or reduce the impact of the items identified.

Environmental Risk Assessments will be carried out in a similar manner to normal Risk Assessments, but from the perspective of the environment not the worker. Waste will always be taken for treatment to transfer station and not sent directly to a landfill site.

Source: **Environmental Protection Act, 1990**
Control of Pollution Act, 1974

12. Fire Prevention

The Company recognises the need for effective and suitable fire prevention measures to combat risks to the health and safety of our employees and others affected by our activities. To this end we are committed to the principal of fire risk assessment (the effective ongoing evaluation of our premises and other workplaces where our employees may be required to work to determine fire risks and control measures required to eliminate or reduce the risk of fire to as low a level as possible). Where necessary the assistance of suitable persons and/or companies will be enlisted.

This Company is also committed to the provision of adequate and suitable fire fighting equipment, training in the use of such equipment to identified members of staff, and any other such measures as required by the stipulations contained in relevant legislation. The Company will conduct fire risk assessment, as well as a checklist of items to be inspected on the premises.

What to do if you discover a fire

You must raise the alarm immediately by calling the Fire Brigade on 999 and inform them that there is a fire within the building. If you are within other companies premises, please follow the procedure as described to you during induction.

Do not try to extinguish the fire unless you have been trained to do so, there is suitable equipment available and it is safe to undertake. All personnel must exit the building via the nearest exit and

process to the assembly point, by going in the direction of the fire exit and running man signs shown below.





Fire extinguisher

Fire fighting should only be attempted by trained personnel when it is safe to do so. Under no circumstances should the safety of the individual be compromised.

All fire extinguishers should be wall mounted and located in corridors, on landings or in stair enclosures – safe areas on the escape route out of the building. All fire extinguishers should be tested and maintained.

		A	B	C	D		F
		Wood, paper, textiles and other carbonaceous materials.	Flammable liquids, petrols and spirits.	Flammable gasses. For example propane and butane.	Fires involving burning metals.	Fires caused by electrical equipment where electric current may be present.	Cooking oil and fat. For example olive oil, maize oil, lard and butter.
Water		✓	✗	✗	✗	✗	✗
Foam		✓	✓	✗	✗	✗	ABF Foam Only
Dry Powder		✓	✓	✓	✗	✓*	✗
M28/L2		✗	✗	✗	✓	✗	✗
CO2 Gas		✗	✓	✗	✗	✓	✗
Wet Chemical		✓	✗	✗	✗	✗	✓

Source: **Regulatory Reform (Fire Safety) Order 2005**

13. First Aid

The term “First Aid” refers to where a person will need help from a medical practitioner or nurse, treatment for the purpose of preserving life and minimising the consequences of injury and illness until such help is obtained, and, treatment of minor injuries which would otherwise receive no treatment or which do not need treatment by a medical practitioner or nurse.

It is the policy of this Company to provide, or arrange to be provided, equipment and facilities which are adequate and appropriate for rendering of First Aid to employees. Additionally, a sufficient number of trained and suitable persons will be appointed to render First Aid to employees, taking into account the specific risks that an employee may encounter in the course of his daily tasks. The risk assessment process will be used to determine specific risks as necessary.

Employees will be informed of the arrangements concerning First Aid, including the location of the equipment, facilities and personnel. The location of First Aid boxes/equipment and the names of First Aiders will be indicated by signage. Wherever reasonably practicable, COSHH data sheets and assessments will be available for use by First Aiders. Employees are instructed to record all accidents, including injuries requiring First Aid only, in the accident book provided for this purpose. First Aiders/appointed persons are made responsible for the safekeeping and maintenance of First Aid boxes/equipment and their contents, and to report deficiencies to Company management for action.

First Aiders will provide initial support and reassurance to a worker experiencing a mental health episode and will be trained to: -

- know how to access professional help if necessary;
- can act promptly, safely and effectively until that help is available.

Source: **The Health and Safety (First Aid) Regulations, 1981**

14. Hazardous Substances

Hazardous Substances encompass all those substances, liquid, solid, gaseous or biological which may pose a hazard to health.

It is the policy of this Company that all substances in use and stored by our employees will have a COSHH assessment made with regard to the health risks imposed on the employee, and others, by its use. All substances will be stored safely and in accordance with the manufacturers instructions. Where possible, hazardous substances will be substituted by another, less harmful substance. Assessments made under the Regulations for controlling hazardous substances will be recorded, and retained for future reference by employees and First Aiders.

A hazardous substance and can be a solid, liquid or gas. The following are common hazardous symbols that this company may encounter.



Acute toxicity, Very toxic (fatal), Toxic etc



Gasses under pressure



Harmful skin irritation, serious eye irritation



Flammable gasses, flammable liquids, flammable solids, flammable aerosols, organic peroxides, self-reactive, pyrophoric, self-heating, contact with water emits flammable gas



Explosive, self reactive, organic peroxide



Harmful to the environment



oxidising gases, oxidising liquids, oxidising solids



Respiratory sensitiser, mutagen, carcinogen, reproductive toxicity, systemic target organ toxicity, aspiration hazard



Corrosive (causes severe skin burns and eye damage), serious eye damage

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Control of Substances Hazardous to Health Regulations 2002

15. Health, Safety & Welfare

It is the policy of this Company that close attention is paid to the provision of suitable and sufficient facilities and measures to ensure compliance with requirements on health, safety and welfare of its employees at work. Where such a duty extends to outside contractors, visitors or others attending our premises, then procedures will be implemented to ensure their health, safety and welfare whilst on our premises. These facilities include toilets, hand washing facilities, rest areas and facilities to make and prepare food. These facilities are cleaned and maintained by the company; however it is also the

responsibility of staff using the facilities to keep them clean and tidy and to report any problems with the facilities to the company manager or site manager if working on other companies' premises.

The Company's risk assessment procedure will be used to identify risks to health and safety on the Company's premises.

Source: **Health and Safety at Work etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999
The Workplace (Health, Safety and Welfare) Regulations, 1992

16. Home Working

For employees working from home, we will ensure that we will meet any special requirements that they may have. We will also consider and agree:-

- The best way of keeping in touch with them.
- The type of work they will be doing (and for how long)

In addition, we will provide advice and guidance on home working set-up and, self-assessment questionnaires and communicate using phone and video calls.

17. Lone Working

A lone worker is a person who works by themselves without close or direct supervision. There are no legal restrictions to lone working however the employee must not be placed at a greater risk than other employees.

It is the policy of this company that where a situation arose where an employee would have to work alone the following would be carried out:

- Consider the health and safety implications of work prior to any off site visit or inspection
- Carry out a specific risk assessment for the lone worker and the works to be carried out. Certain risks may not be foreseeable until a site visit is carried out.
- Provide arrangements for back up or help
- If the lone worker is working on another employer's workplace, that employer should inform the lone worker's employer of any risks and the required control measures.
- The employee is to carry a mobile phone or personal alarm
- Ensure there is a first aid kit to treat minor injuries
- Ensure that there is a safe way in and out for the person
- If a customer or other workers become abusive, please do not aggravate the situation. Calm the situation down if possible, if not leave the premises via the safest route.
- All accidents, incidents or near misses are to be reported

Source: **Health and Safety at Work etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999

18. Manual Handling Operations

Manual Handling means any transporting or supporting of a load including lifting, putting down, pushing, pulling, carrying or moving by hand or by bodily force.

The Company will endeavour to avoid the need for employees to undertake manual handling operations which involve a risk of injury. If this is not reasonably practicable then the Company will make a suitable and sufficient assessment of the task and reduce the risk to the lowest level

reasonably practicable. This will include, where possible, the provision of information and general indications on the weight of each load and the heaviest side of any load whose centre of gravity is not positioned centrally. The assessment will be recorded and reviewed if no longer valid, or if there is a significant change in the matter to which it relates.

Where a more detailed assessment is necessary the following items will be considered:

- The task
- The load
- The working environment
- The individual capability
- Other factors eg; person protective clothing.

Safe handling techniques should be adopted by following these steps below;

- Get a firm grip
- Stand close to the load
- Bend your knees
- Hold the load close to your body
- Lift with your legs not your back.



The requirement that the employee has a duty to make full and proper use of any system of work provided by this Company (as the employer) to alleviate or reduce the risk of manual handling operations, will be communicated to the Company's employees.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Manual Handling Operations Regulations, 1992 (as amended 2004)

19. Mobile Phone Usage

It is the policy of this company to ensure that all staff understand and expect everyone who drives for works to drive safely for their own and others benefit. From the 1st December 2003 it became illegal to use a hand-held mobile phone while driving and it is also an offence to 'cause or permit' another person to use a hand-held mobile phone while driving.

Staff should never make or receive calls on a mobile phone, or use any similar device, while driving. All journeys should be planned to include time and places to stop for rest and refreshment and to check messages and return calls.

The law does not ban the use of hands-free mobile phones. Drivers are able to use hands-free phones as long as they keep proper control of their vehicle. Dependent upon the individual circumstances, drivers can be charged with 'failing to have proper control of their vehicle'. Phone records can be checked by police where a fatal or serious crash has occurred to determine if the use of the phone contributed to the crash.

Where mobiles phones are provided to staff it is instructed that all employees drive carefully whilst using hands –free calling kit. Where possible all staff should pull over to a safe place and switch the engine off before making any calls.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Road vehicles (Construction and Use (Amendment) (No. 4) Regulations 2003

20. New & Expectant Mothers

It is the policy of this company that if any women were to become pregnant a risk assessment for expectant mothers would be completed. This would include any mothers returning to work after the birth of their child or who were still breastfeeding.

Work routines would be changed for any expectant mothers carrying out manual handling tasks or other tasks that would pose a risk to them or their unborn child. Consideration would be given to ensure that all new & expectant mothers were comfortable, had easily access for toilet breaks and rest rooms. Discussions and changes would also be carried out for any women working shifts.

Source: **The Management of Health and Safety at Work Regulations 1999**
Workplace (Health, Safety and Welfare) Regulations 1992
Equality Act 2010

21. Noise at Work

Excessive noise in the workplace presents a risk to all personnel, and may lead to irreparable hearing damage. Regulations regarding noise at work require that employers make provisions to protect their employees from levels of noise which could pose a risk to their hearing.

It is the policy of this Company to comply with the Noise at Work Regulations, 2005, in so far as they affect our own employees and those persons not in the employ of the Company

Where any doubt exists as to whether any machinery or plant owned or used by Company employees has a noise output in excess of 80dB(A), or a peak output in excess of 135 dB(A), then a noise survey will be carried out by a competent person to ascertain the actual levels.

Where the level is less than 80dB(A) no further action will usually be necessary, although it is the policy of the Company to keep all noise to a minimum level consistent with good commercial practice.

Where the level exceeds 80dB(A), but is less than 85dB(A), then all persons affected shall be advised of the survey results, instructed about industrial hearing loss and advised to wear hearing protection. The Company shall supply, maintain, and replace such protection free of charge.

Should the survey reveal levels of over 85dB(A), and/or peak levels of over 135 dB(A), then the Company shall do all that is possible to reduce these levels so far as is reasonably practicable

Identified areas will be marked as Ear Protection Zones in accordance with BS 5378, and the wearing of hearing protection shall be made mandatory.

Employees have a duty under these regulations to wear protection provided.

Records will be kept of all surveys and subsequent action taken.

Sources: **The Health and Safety at Work, etc, Act, 1974**
The Management of Health and Safety at Work Regulations, 1999
The Noise at Work Regulations, 2005

22. Non-English Speaking Personnel

The Company shall ensure that all personnel fully understand the site Health and Safety requirements as expressed orally and in signage, including emergency arrangements. The language needs of non-English speaking/reading personnel shall be addressed during induction, and through training. Emphasis should be placed on ensuring proper supervision of all staff, but in particular those who may have difficulties in understanding verbal or written communications. Those who have responsibility for managing the Supplier personnel on site shall be able to communicate in both written and oral English to a standard appropriate to the tasks being performed. Note that there may be personnel who are not competent in the English language, and this is permitted provided that the Supplier can demonstrate that:

- such team members shall receive the required health and safety training / briefing (including any emergency procedures) before commencing work in a form that they understand it;
- such team members are able to give oral warnings to others; and,
- the Supplier shall make appropriate arrangements to ensure that instructions are effectively communicated to, and understood by, all team members.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999

23. Occupational Health Programmes and Health Surveillance

If, during the course of our business, a need for health surveillance is identified as a result of our assessment procedures and/or available information about any of the sites where our employees would carry out Company tasks, then such health surveillance and monitoring will be initiated by the management of this Company.

Health surveillance requires a thorough approach to watching out for early signs of work-related ill health in employees exposed to certain health risks and requires putting in place certain procedures to achieve this. These include:

- Simple methods, such as looking for skin damage on hands from using certain chemicals;
- Technical checks on employees, such as hearing tests;
- More involved medical examinations.

Where employees are at risk from:-

- Noise or hand-arm vibration. If so, health surveillance may be under the Management of Health and Safety at Work Regulations 1999;

- Solvents, fumes, dusts, biological agents and other substances hazardous to health. If so, health surveillance may be needed under the Control of Substances Hazardous to Health Regulations 2002;
- Asbestos, lead or work in compressed air. If so, medical examinations may be needed under specific regulations;

For exposure to some other health risks such as manual handling, work-related upper limb disorders, work that might give rise to stress-related diseases and symptoms from whole body vibration, there are no specific legal requirements for health surveillance. This is mainly because valid ways to detect ill health do not exist yet and/or the link between work and the ill health condition is uncertain. In these cases, other methods to monitor the health of employees exposed to these risks will be employed, such as encouraging symptom reporting and checking sickness records.

Sources: **As specific to the actual circumstance dictates**

24. Outside Contractors Working on this Company's Premises

It is the policy of this Company that in situations where outside contractors (e.g.: utility Company personnel, cleaners, maintenance personnel) enter our premises to perform tasks in areas where there may be a risk to their health and/or safety, measures will be taken to reduce that risk to the lowest level practicable under the circumstances. These measures may include any or all of the following:

25. induction training (to include the hazards and/or risks posed by this Company's operations)
26. supervision by a competent representative of this Company who is aware of the hazards presented in the area of works to be performed
27. ensuring that personal protective equipment has been provided and is being worn, as required
28. verifying that the outside contractor is competent and trained to carry out the proposed tasks
29. ensuring that outside contractors employers have received appropriate safety information relative to their proposed tasks, issued by this Company, and that outside contractor employees have been informed of such information prior to their works commencing

The measures to be taken will be dependent upon the hazard presented and the control measures as recommended by the risk assessment procedures.

Likewise, this Company requires that any proposed works by outside contractors employers which includes elements of risk or hazard to this Company's employees, is communicated by that employer to this Company's authorised representative in the form of a risk assessment or similar, prior to works commencing on the premises.

Source: **The Management of Health and Safety at Work Regulations, 1999**
The Health and Safety at Work etc Act, 1974

25. PAT Testing

Portable electrical equipment is something that has a lead/cable and plug which is moved around or can easily be moved from one place to another. This includes items such as kettles, heaters, fans, lamps etc. This also includes large equipment that could be moved if necessary eg: photocopiers, fax machines and computers.

Leads/cables and plugs can become damaged or faulty. This could result in a person becoming electrocuted or a fault could result in a fire. If any faulty equipment is found it must be removed from use immediately and marked as defective.

Visual checks are to be carried out by staff before use. Employees should look for:

- Damaged wires, plugs, casings or bent pins

- Bare or loose wires
- Overheating – burn marks or staining
- The equipment being used in unsuitable conditions eg: Exposure to liquid, dust or dirt
- Non-standard joints including taped joints in the cable

PAT Testing will be carried out by a competent person at regularly defined intervals depending on the item and the environment it is exposed to. All records of testing will be kept for future reference.

This company will ensure that any extension leads do not create tripping hazards or be placed where it could be damaged from the environment it is in. All portable hand tools will be checked to ensure that they have a suitable residual circuit device (RCD) in the circuit and that double insulated low voltage or battery powered equipment will be used where possible.

Any electrical risks are to be reported to the manager immediately, who should disconnect the equipment and place a warning sign on the equipment talking it out of use. Only competent persons shall carry out any maintenance or repairs to electrical equipment.

Sources: **The Health and Safety at Work, etc, Act, 1974**
The Management of Health and Safety at Work Regulations, 1999

26. Permit to Work

A permit to work is a formal written, authorising document which must be signed by a responsible person before the works are carried out.

If works were to be carried out where a permit to work was deemed necessary the following would be undertaken;

- Approved by management
- Details the works to carried out
- Details the precautions to be taken
- Identifying the potential hazards or interacting activities that can take place (foreseeable risk)
- States the control measures to be implemented
- Cancellation
- List other permits in operation

Source: **The Health and Safety at Work, etc, Act, 1974**
The Management of Health and Safety at Work Regulations, 1999

27. Personal Protective Equipment (PPE)

Personal Protective Equipment means all equipment, including accessories, additions and clothing used as weather protection, which is intended to be worn or held by a person at work to protect that person against one or more risks to health or safety.

It is the policy of this Company that suitable and sufficient personal protective equipment (PPE) is provided at no cost to our employees where risk assessment has shown a significant risk to their health or safety while at work.

It is also a legal requirement that the employee uses the protective equipment provided by the Company, where practicable return it to the accommodation supplied, and report defects or loss of PPE to the Company immediately.

PPE will only be utilised when engineering controls and safe systems of work are not sufficient or practicable in reducing the risk to an acceptable level.

This Company also recognises that they are legally required to provide training to their employees in the proper fitting and use of PPE, and the provision of accommodation for the PPE it provides to its employees when it is not in use.

The duty to provide PPE and training in its use will be extended to limb workers

Sources: **The Health and Safety at Work, etc, Act, 1974**
The Management of Health and Safety at Work Regulations, 1999
The Personal Protective Equipment at Work (Amendment) Regulations 2022

28. Protection of the Public

The protection of the public is to be as important a function as the protection of any other person involved in the execution of the task. The possibility of injury or ill health occurring to a member of the public as a consequence of the Company's activities is to be identified in the risk assessment procedure and the control measures required to prevent such injury or ill health implemented as part of the risk assessment procedure.

Source: **Health and Safety at Work, etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999

29. Risk Assessments, Method Statements & Safe Systems of Work

Risk Assessment

The purpose of risk assessment is to identify the risks to health and safety to Company employees, as well as others affected by this Company's activities, in order that measures can be taken to either remove such risk to health and safety from the workplace or reduce those risks to as low a level as practicable. In order to comply with legislation this Company will require that written risk assessments be compiled by designated Company personnel on activities that could be deemed, or do, present a health and safety risk to either our own employees or others affected by our activities. These assessments will require to be held at places where the risk is likely to be encountered and measures will be taken by this Company to ensure that the assessment findings and precautionary measures to be taken are communicated to persons at risk to which the assessment refers. All risk assessments compiled will be subject to being reviewed if the designated person suspects that the assessment is no longer valid, or if there has been a significant change in the matters to which the assessment relates.

Method Statement

Method statements are a useful way of recording the hazards involved in specific works and communicating the risks and precautions required to all those people involved in the task. This should be clear, to the point and easy to understand. Equipment needed for safe working should be clearly identified and available before work starts. Employees must sign method statements to ensure that have read and understood the tasks required of them. Where the method of working changes, managers and employees must be made aware of this to ensure that method statements are updated and followed correctly.

Safe Systems of Work

A safe system of work is a formal procedure which results from systematic examination of a task in order to identify all the hazards. It defines safe methods to ensure that hazards are eliminated or risks minimised. Safe systems of work are based on risk assessments and will be conveyed to all employees involved within the task. For more complex tasks a 'Permit to Work' may be required. This will include:

- Assessing the task

- Identifying the hazards
- Defining safe methods
- Implementing the system
- Monitoring the system

Sources: **The Health and Safety at Work, etc Act, 1974**
The Management of Health and Safety at Work Regulations, 1999

30. Safety Audits

Progressive improvement in Health and Safety can only be achieved through the constant development of policy, approaches to implementation and techniques of risk control.

It is the policy of this Company that a systematic audit of all safety arrangements will be carried out on a regular basis.
Regular inspections of work areas will be carried out at a frequency commensurate with the level of risk imposed by the activity within that area.
Where appropriate the Company's health and safety advisors, Temple Safety, will visit the workplace to carry out Safety Inspections and Audits.
Records of Safety Inspections and Audits will be kept in order that Management can monitor the performance of the Company and improve the overall safety culture within the workforce.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Construction (Design & Management) Regulations 2015

31. Safety Signs

Safety signs are provided where there is a risk that cannot be reduced significantly by a safe system of work. Safety signs provide information, warnings, and when not to do something as shown below;




Mandatory Signs – These have a blue background with white text. These provide instructions that MUST be followed. Eg: You must wear safety helmets, eye protection etc.



Safety Information & Safe Condition – These have a green background with white text and provide safe information or safe condition. Eg: First aid, fire exits etc.



Warning Signs – These have yellow backgrounds and black text. These include risk of fire, internal vehicles, noise etc.



Prohibition Signs – These have a white background and red circular band and crossbar. These include no smoking, no pedestrians etc.

Sources: **The Health and Safety (Safety Signs and Signals) Regulations 1996**

32. Selection of Trade Contractors & Labour Only Contractors

It is Company policy to ensure that duties under the Health and Safety at Work Act 1974 for the health and safety of persons who are not in their employment but who may be affected by their undertaking are adhered to. A 'contractor' is anyone appointed by the company that is not an employee of the company to undertake work on our behalf.

Appointment of contractors:

- All contractors & labour only contractors are appointed following the correct procurement procedure
- The suitability and competence of the contractor is to be taken into account
- Contractor Competence Assessments are to be completed by all contractors and labour only contractors
- Health and Safety Policies and Arrangements are to be reviewed to ensure they are adequate
- Risk Assessments and Method Statements are to be provided by the contractors and must reflect the works to be undertaken
- Works are not to be sub-contracted unless previously agreed by the company. All sub-contractors must complete the relevant competence checks
- Instruction and training information is to be provided to all contractors & labour only contractors on the works to be undertaken
- Co-operation and communication between all parties involved to ensure the health and safety of all the workplace and anyone who is likely to be affected

Source: **Health and Safety at Work, etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999
Construction (Design and Management) Regulations 2015

33. Sub-Contractors Safety Information

Safety Information, which forms an integral part of the Company's Health and Safety Policy, is applicable to all Trade Contractors and persons under their control and forms part of the Terms of Contract.

Trade Contractors are required to ensure that:-

- they, and all persons under their control, familiarise themselves with the site and any hazards to be found on the site;
- they are familiar with the premises emergency procedures
- their activities are conducted in accordance with the safe practices as detailed in this Policy, taking precautions to protect all employees and others who may be affected by their actions or failures to act;
- they comply with all the relevant legislation applicable to the workplace;

- they provide the correct protective equipment and clothing to their employees at the contractor's expense;
- employees remain within the designated areas of their work;
- they only employ persons who are sufficiently trained and experienced in the performance of their duties. If persons under training are employed the contractor is to ensure that they are adequately supervised.
- Give consideration to any 3rd parties who may be affected by their activities
- Report all accidents, incidents and near misses that occur whilst carrying our work on behalf of this company
- Inform management of any changes to the works to be carried out
- Inform management of any known hazards that may arise from the works being undertaken
- Obtain a permit to work or permission to undertake works where necessary

Nothing in the above information relieves the contractor of their duties and obligations under Statute or Common Law.
Failure to comply with our Company's Health and Safety Policy or any legal requirements will lead, at our Company's discretion, to suspension of the contractor's work, at no cost to the employer, or to termination of the contract.

Source: **Health and Safety at Work, etc Act, 1974**
Management of Health and Safety at Work Regulations, 1999
Construction (Design and Management) Regulations 2015

34. Smoking

It is illegal to smoke within an enclosed public place or within an enclosed workplace. Any employee working on our premises or a company's premises must ensure that they only smoke in designated smoking areas. Any restrictions regarding smoking must be identified.

Do not smoke in areas that have the potential to cause a fire, explosion or flash fire and always ensure that cigarette ends are put out correctly.

Source: **The Smoke-Free (Premises and Enforcement) Regulations 2006**

35. Training & Competence

In order that personnel can work safely and efficiently it is important that each person receives training appropriate to the job they are required to do.

Whilst appropriate qualifications are required by the Company before employment, it is not accepted that training will cease for that employee. It is the policy of this Company that all employees continue training during the course of their employment by various methods from attending courses to "tool-box-talks" to formal training.

All employees will receive appropriate induction training which will include the standard introduction programme, making them aware of their statutory duties, the emergency procedures and an explanation of the Company Safety Policy.

An awareness of safety issues at all levels is an important feature in the promotion of this Safety Policy. Accordingly, in all forms of training, the safety requirements related directly or indirectly to the task or work area will be an integral part of occupational training and appropriate training will be given to anyone who undertakes a new task.

All training will be mandatory and records kept of courses and qualifications. A training matrix is used to identify individuals training requirements.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Provision and Use of Work Equipment Regulations 1998

36. Vibration – Whole Body Vibration & Hand-Arm Vibration

The Company will ensure that workers' are protected from vibration at their place of work. Workers will be informed of the Exposure Action Values (EAV) of specific tools and the maximum period that applicable tools can be operated

The exposure action value (EAV) is a daily amount of vibration exposure above which employers are required to take action to control exposure. The greater the exposure level, the greater the risk and the more action employers will need to take to reduce the risk. For hand-arm vibration the EAV is a daily exposure of 2.5 m/s^2 A(8).

Reviews will be taken to minimise risk by:-

- Changes to working practices to reduce vibration exposure;
- Correct selection, use and maintenance of equipment;
- Correct techniques for equipment use, how to reduce grip force etc;
- Maintenance of good blood circulation at work by keeping warm and massaging fingers and, if possible, cutting down on smoking.

Records will be kept of all surveys and subsequent action taken.

Sources: **The Control of Vibration at Work Regulations 2005**

37. Work Equipment

It is the policy of this Company that all work equipment used in the course of Company activities, whether provided by the Company, on lease or loan from another Company, or belonging to individuals, should be safe for use, suitable for the task and properly maintained in accordance with the manufacturers/suppliers instructions and at intervals set by this Company.

Work Equipment means any machinery, appliance, apparatus or tool and any assembly of components which, to achieve a common end, are arranged and controlled so that they function as a whole.

All personnel who use work equipment, and those who supervise them, will have available to them adequate health and safety information and, where appropriate written instructions in the safe use of that equipment

All personnel who use work equipment, and those who supervise them, will receive adequate training for purposes of health and safety, including training in the methods which may be adopted when using the work equipment, any risk which may be generated by that use and the precautions to be taken.

Where there is a specific risk associated with the use, repair, modification, maintenance or servicing of any equipment, only those personnel specifically trained and authorised will be permitted to carry out such operations.

Machinery which is considered to be in any way hazardous will be fitted with the appropriate guarding and other safety devices required to reduce that danger to the lowest practicable level, and only those personnel specifically trained and authorised will be permitted to use that equipment. Where applicable, manufacturers and/or suppliers of work equipment to this Company will be approached by

management to supply pertinent safety instruction and information relating to the work equipment's function and safe usage.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Provision and Use of Work Equipment Regulations 1998

38. Work with Electricity

It is the policy of this Company that no person in its employ be allowed to work on or near any live conductor, except where the live conductor is insulated so as to prevent danger, or there is an absolute need for the equipment to be live in order for work to be carried out. The following factors will be included for consideration in determining whether work with live conductors is justified:

- When it would not be practicable to carry out work with the conductors dead (e.g.: testing purposes)
- if the making of the system dead will create hazards for other users of the system, or for continuously operating plant, etc
- the need to comply with other statutory requirements
- the level of risk involved in working on the live equipment and the effectiveness of the precautions available set against the economic need to perform that work.

This Company recognises that statutory legislation only permits persons at work to be near live conductors if it is not feasible to do the work at a safe distance from the live conductors. Additionally, persons whose presence near the live conductors is not necessary should not be so near the conductors that they are at risk of injury.

Portable electrical equipment will be tagged, tested and maintained on a regular basis. The recommended maintenance frequencies will be used as a reference point for all items of electrical equipment utilised by this Company.

Sources: **The Health and Safety at Work, etc, Act 1974**
The Management of Health and Safety at Work Regulations 1999
The Electricity at Work Regulations 1989

39. Working at Height

Where work is to be carried out at height which has the potential to result in personal injury, the Company will ensure the following measures are implemented:

- Where possible, eliminate the need for working at height.
- Where working at height cannot be eliminated then suitable and sufficient fall prevention measures will be assessed and implemented to protect those persons at possible risk.
- All equipment and machinery used for fall prevention measures will be well maintained and those persons expected to use the equipment will be trained in the use of it.
- Access equipment will be selected on the frequency of use and the duration of use.

All working at height operations will be adequately planned prior to commencement with the selection of work equipment suitable for the tasks to be carried out. The applicable risk assessments will be used when carrying out any working at height tasks.

Sources: **The Work At Height Regulations 2005**

40. Works Falling under The Construction (Design & Management) Regulations 2015

This Company has the ability to assume roles and responsibilities under the above regulations, dependent upon the duty holder role decided upon at the pre tender stage of the works. It is our aim to comply with the regulations in so far as they relate to our work activities and our relations with other duty holders during the course of the works and to ensure that all duties and responsibilities assigned to us under the relevant statutory provisions are fulfilled in as competent a manner as possible.

The main duties are summarised below and these will be the basis for the Company's compliance depending on the role or roles to be undertaken on a particular project.

CDM Dutyholders* – Who are they?	**Main duties – What they need to do**
Commercial clients – Organisations or individuals for whom a construction project is carried out that is done as part of a business.	Make suitable arrangements for managing a project, including making sure: • other dutyholders are appointed as appropriate • sufficient time and resources are allocated Make sure: • relevant information is prepared and provided to other dutyholders • the principal designer and principal contractor carry out their duties • welfare facilities are provided
Domestic clients – People who have construction work carried out on their own home (or the home of a family member) that is **not** done as part of a business.**	Though in scope of CDM 2015, their client duties are normally transferred to: • the contractor for single contractor projects • the principal contractor for projects with more than one contractor However, the domestic client can instead choose to have a written agreement with the principal designer to carry out the client duties.

Designers - Organisations or individuals who as part of a business, prepare or modify designs for a building, product or system relating to construction work.	When preparing or modifying designs, eliminate, reduce or control foreseeable risks that may arise during: • construction • the maintenance and use of a building once it is built Provide information to other members of the project team to help them fulfil their duties.
Principal designers - Designers appointed by the client in projects involving more than one contractor. They can be an organisation or an individual with sufficient knowledge, experience and ability to carry out the role.	Plan, manage, monitor and coordinate health and safety in the pre-construction phase of a project. This includes: • identifying, eliminating or controlling foreseeable risks • ensuring designers carry out their duties Prepare and provide relevant information to other dutyholders. Liaise with the principal contractor to help in the planning, management, monitoring and coordination of the construction phase.
Principal contractors – Contractors appointed by the client to coordinate the construction phase of a project where it involves more than one contractor.	Plan, manage, monitor and coordinate health and safety in the construction phase of a project. This includes: • liaising with the client and principal designer • preparing the construction phase plan • organising cooperation between contractors and coordinating their work Make sure:

	• suitable site inductions are provided • reasonable steps are taken to prevent unauthorised access • workers are consulted and engaged in securing their health and safety • welfare facilities are provided
Contractors – Those who carry out the actual construction work, contractors can be an individual or a company.	Plan, manage and monitor construction work under their control so it is carried out without risks to health and safety. For projects involving more than one contractor, coordinate their activities with others in the project team – in particular, comply with directions given to them by the principal designer or principal contractor. For single contractor projects, prepare a construction phase plan .
Workers – Those working for or under the control of contractors on a construction site.	Workers must: • be consulted about matters which affect their health, safety and welfare • take care of their own health and safety, and of others who might be affected by their actions • report anything they see which is likely to endanger either their own or others' health and safety • cooperate with their employer, fellow workers, contractors and other dutyholders

***** Organisations or individuals can carry out the role of more than one dutyholder, provided they have the skills, knowledge, experience and (if an organisation) the organisational capability necessary to carry out those roles in a way that secures health and safety.

** CDM 2015 applies if the work is carried out by someone else on the domestic client's behalf. If the householder carries out the work themselves, it is classed as DIY and CDM 2015 does not apply Relating to Health and Safety on Construction Sites (Regulations 25 to 44) will be followed.

Source: **The Construction (Design and Management) Regulations, 2015**

41. Young Persons

It is the policy of this company that where a work experience placement or an apprenticeship placement is offered to a student under the age of 18 the suitable precautions must be in place.

Responsibilities towards young persons:

- To asses risks to all young persons under 18 years of age, before they start work
- Ensure a risk assessment takes into account their psychological or physical immaturity, in experience and lack of awareness of existing or potential risk
- To introduce control measures to eliminate or minimise the risks
- Take account of the risk assessment in deciding whether the young people should be prohibited from certain works activities

All young people will undertake suitable training and have the appropriate level of supervision

Training must cover:

- Hazards and risks in the workplace
- Control measure in place to protect their health and safety
- Basis introduction to health and safety eg; first aid, fire and evacuation procedures.

Source: **The Management of Health and Safety at Work Regulations 1999**