


# ActivPal internal presentation #8

Adnan Akbas Ali Safdari Dmitrijs Sekijevskis Mark Boon Matthew Turkenberg Colin Werkhoven

# Topics

- Introduction
- MET Prediction Model
- Activity recognition
- Data analyses
- Questions



## Introduction

- Current models
- Issues
- Group member



#### MET Prediction Model Research

- To get nonbiased results we looked for multiple models that predict the MET value
- Random Forest Model
- K-nearest Neighbour Model
- XGBoost Model


### First MET Prediction Model

#### Features in our current Random Forest Model

- Sum of magnitude of acceleration
- Body Mass Index (BMI)
- Age Category (ranging from 15-79)
- Is the Person Sporting (is\_sporting)
- Does the person meet the balance guidelines (meets\_balance\_guidelines)

pal_time	sum_mag_acc	bmi	age_category	is_sporting	meets_balance_guidelines
2019-09-26 13:10:00	1409.222602	19.773854	2.0	1.0	1.0
2019-10-02 14:39:00	1412.507255	36.148088	12.0	1.0	0.0
2019-10-11 10:19:00	1480.956743	20.189072	1.0	0.0	0.0
2019-09-30 11:40:00	1434.234623	22.041522	1.0	0.0	0.0


#### **Random Forest current results**



score = randomForest.score(X\_test, y\_test)
score


0.5552479060498544

## Activity recognition optimization: Time segment




## Activity recognition optimization: Trees

#### 1 to 200 trees



#### 175 to 200 trees



## Activity recognition: Final results


#### **Optimization / configurations**

- Time segment size is 9.4s
- Amount of trees set to 179
- Random forest model

#### **Results**

- Validation / training split
  - Accuracy: 95%
  - Precision: 96%
  - Recall: 95%
- Cross validation
  - Accuracy: 84% (+/- 4%)
  - Precision: 89% (+/- 2%)
  - Recall: 84% (+/- 4%)

## Data analyses



## Questions?

