SULLIVAN NICOLAIDES PATHOLOGY



E/LFT, EUC and LFT Panels

TEST NAME	PSEUDONYMS
E/LFT: Electrolytes/Liver Function Tests	Multiple Biochemical Analysis (MBA), SMAC, ELFT, CHEM20
EUC: Electrolytes, Urea, Creatinine	BUSE, U&E (Urea & Electrolytes), U/E, UE, UEC, KFT
LFT: Liver Function Tests	Liver Enzymes

COLLECTION

Serum separator tube (SST) – yellow top
SST 8.5 mL Item 11188 **SST paediatric 1.8 mL** Item 11052
Allow blood to clot at room temperature in upright position for 15–30 minutes.
Centrifuge for 10 minutes on the recommended setting. **Do not** refrigerate before centrifuging.



E/LFT, EUC and LFT Panels

Test	E/LFT	EUC	LFT
Sodium	✓	✓	
Potassium	✓	✓	
Chloride	✓	✓	
Bicarbonate	✓	✓	
Anion Gap	✓		
Calcium (corrected)	✓		
Phosphate	✓		
Urea	✓		
Urate (uric acid)	✓	✓	
Creatinine	✓	✓	
eGFR	✓	✓	
Glucose (fasting/random)	✓	✓	
Total Protein	✓		✓
Albumin	✓		✓
Globulin	✓		✓
Total Bilirubin	✓		✓
ALP (alkaline phosphatase)	✓		✓
AST (aspartate amino transferase)	✓		✓
ALT (alanine amino transferase)	✓		✓
GGT (gamma GT/gamma glutamyl transpeptidase)	✓		✓
LDH (lactate dehydrogenase)	✓		
Cholesterol	✓		

Correct at time of printing. March 2023

Sullivan Nicolaides Pathology
24 Hurworth Street, Bowen Hills, QLD 4006 Australia
P 1300 767 284 | **F** (07) 3318 7409