

Tidy Time Series & Forecasting in R

1. Introduction to tsibbles



Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2

Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2



Tidyverts developers

Earo Wang



Mitchell O'Hara-Wild



Time series data

- Four-yearly Olympic winning times
- Annual Google profits
- Quarterly Australian beer production
- Monthly rainfall
- Weekly retail sales
- Daily IBM stock prices
- Hourly electricity demand
- 5-minute freeway traffic counts
- Time-stamped stock transaction data

Class packages

```
# Data manipulation and plotting functions  
library(tidyverse)  
# Time series manipulation  
library(tsibble)  
# Forecasting functions  
library(fable)  
# Time series graphics and statistics  
library(feasts)  
# Tidy time series data  
library(tsibbledata)
```

Class packages

```
# Data manipulation and plotting functions
```

```
library(tidyverse)
```

```
# Time series manipulation
```

```
library(tsibble)
```

```
# Forecasting functions
```

```
library(fable)
```

```
# Time series graphics and statistics
```

```
library(feasts)
```

```
# Tidy time series data
```

```
library(tsibbledata)
```

```
# All of the above and more
```

```
library(fpp3)
```


tsibble objects

```
global_economy
```

```
## # A tsibble: 15,150 x 6 [1Y]
```

```
## # Key:      Country [263]
```

##	Year	Country	GDP	Imports	Exports	Population
##	<dbl>	<fct>	<dbl>	<dbl>	<dbl>	<dbl>
## 1	1960	Afghanistan	537777811.	7.02	4.13	8996351
## 2	1961	Afghanistan	548888896.	8.10	4.45	9166764
## 3	1962	Afghanistan	546666678.	9.35	4.88	9345868
## 4	1963	Afghanistan	751111191.	16.9	9.17	9533954
## 5	1964	Afghanistan	800000044.	18.1	8.89	9731361
## 6	1965	Afghanistan	1006666638.	21.4	11.3	9938414
## 7	1966	Afghanistan	1399999967.	18.6	8.57	10152331
## 8	1967	Afghanistan	1673333418.	14.2	6.77	10372630
## 9	1968	Afghanistan	1373333367.	15.2	8.90	10604346
## 10	1969	Afghanistan	1408888922.	15.0	10.1	10854428

tsibble objects

```
global_economy
```

```
## # A tsibble: 15,150 x 6 [1Y]
```

```
## # Key:      Country [263]
```

##	Year	Country	GDP	Imports	Exports	Population
##	Index	<fct>	<dbl>	<dbl>	<dbl>	<dbl>
##	1	1960 Afghanistan	537777811.	7.02	4.13	8996351
##	2	1961 Afghanistan	548888896.	8.10	4.45	9166764
##	3	1962 Afghanistan	546666678.	9.35	4.88	9345868
##	4	1963 Afghanistan	751111191.	16.9	9.17	9533954
##	5	1964 Afghanistan	800000044.	18.1	8.89	9731361
##	6	1965 Afghanistan	1006666638.	21.4	11.3	9938414
##	7	1966 Afghanistan	1399999967.	18.6	8.57	10152331
##	8	1967 Afghanistan	1673333418.	14.2	6.77	10372630
##	9	1968 Afghanistan	1373333367.	15.2	8.90	10604346
##	10	1969 Afghanistan	1408888922.	15.0	10.1	10854428

tsibble objects

```
global_economy
```

```
## # A tsibble: 15,150 x 6 [1Y]
```

```
## # Key:      Country [263]
```

##		Year	Country	GDP	Imports	Exports	Population
##		Index	Key	<dbl>	<dbl>	<dbl>	<dbl>
##	1	1960	Afghanistan	537777811.	7.02	4.13	8996351
##	2	1961	Afghanistan	548888896.	8.10	4.45	9166764
##	3	1962	Afghanistan	546666678.	9.35	4.88	9345868
##	4	1963	Afghanistan	751111191.	16.9	9.17	9533954
##	5	1964	Afghanistan	800000044.	18.1	8.89	9731361
##	6	1965	Afghanistan	1006666638.	21.4	11.3	9938414
##	7	1966	Afghanistan	1399999967.	18.6	8.57	10152331
##	8	1967	Afghanistan	1673333418.	14.2	6.77	10372630
##	9	1968	Afghanistan	1373333367.	15.2	8.90	10604346
##	10	1969	Afghanistan	1408888922.	15.0	10.1	10854428

tsibble objects

```
global_economy
```

```
## # A tsibble: 15,150 x 6 [1Y]
```

```
## # Key:      Country [263]
```

```
##      Year Country      GDP Imports Exports Population
```

```
##      Index  Key      Measured variables
```

```
## 1  1960 Afghanistan 5377777811.    7.02    4.13    8996351
```

```
## 2  1961 Afghanistan 5488888896.    8.10    4.45    9166764
```

```
## 3  1962 Afghanistan 5466666678.    9.35    4.88    9345868
```

```
## 4  1963 Afghanistan 7511111191.   16.9    9.17    9533954
```

```
## 5  1964 Afghanistan 8000000044.   18.1    8.89    9731361
```

```
## 6  1965 Afghanistan 10066666638.  21.4   11.3    9938414
```

```
## 7  1966 Afghanistan 13999999967.  18.6    8.57   10152331
```

```
## 8  1967 Afghanistan 1673333418.   14.2    6.77   10372630
```

```
## 9  1968 Afghanistan 13733333367.  15.2    8.90   10604346
```

```
## 10 1969 Afghanistan 14088888922.  15.0   10.1   10854428
```

tsibble objects

tourism

```
## # A tsibble: 24,320 x 5 [1Q]
## # Key:      Region, State, Purpose [304]
##   Quarter Region  State Purpose  Trips
##   <qtr> <chr>    <chr> <chr>    <dbl>
## 1 1998 Q1 Adelaide SA      Business 135.
## 2 1998 Q2 Adelaide SA      Business 110.
## 3 1998 Q3 Adelaide SA      Business 166.
## 4 1998 Q4 Adelaide SA      Business 127.
## 5 1999 Q1 Adelaide SA      Business 137.
## 6 1999 Q2 Adelaide SA      Business 200.
## 7 1999 Q3 Adelaide SA      Business 169.
## 8 1999 Q4 Adelaide SA      Business 134.
## 9 2000 Q1 Adelaide SA      Business 154.
## 10 2000 Q2 Adelaide SA      Business 169.
```

tsibble objects

```
tourism
```

```
## # A tsibble: 24,320 x 5 [1Q]
## # Key:           Region, State, Purpose [304]
##   Quarter Region  State Purpose  Trips
##   Index  <chr>    <chr> <chr>    <dbl>
## 1 1998 Q1 Adelaide SA      Business 135.
## 2 1998 Q2 Adelaide SA      Business 110.
## 3 1998 Q3 Adelaide SA      Business 166.
## 4 1998 Q4 Adelaide SA      Business 127.
## 5 1999 Q1 Adelaide SA      Business 137.
## 6 1999 Q2 Adelaide SA      Business 200.
## 7 1999 Q3 Adelaide SA      Business 169.
## 8 1999 Q4 Adelaide SA      Business 134.
## 9 2000 Q1 Adelaide SA      Business 154.
## 10 2000 Q2 Adelaide SA      Business 169.
```

tsibble objects

```
tourism
```

```
## # A tsibble: 24,320 x 5 [1Q]
## # Key:      Region, State, Purpose [304]
##   Quarter Region  State Purpose Trips
##   Index      Keys      <dbl>
## 1 1998 Q1 Adelaide SA      Business 135.
## 2 1998 Q2 Adelaide SA      Business 110.
## 3 1998 Q3 Adelaide SA      Business 166.
## 4 1998 Q4 Adelaide SA      Business 127.
## 5 1999 Q1 Adelaide SA      Business 137.
## 6 1999 Q2 Adelaide SA      Business 200.
## 7 1999 Q3 Adelaide SA      Business 169.
## 8 1999 Q4 Adelaide SA      Business 134.
## 9 2000 Q1 Adelaide SA      Business 154.
## 10 2000 Q2 Adelaide SA      Business 169.
```

tsibble objects

```
tourism
```

```
## # A tsibble: 24,320 x 5 [1Q]
```

```
## # Key:           Region, State, Purpose [304]
```

```
##   Quarter Region  State Purpose  Trips
```

```
##   Index      Keys      Measure
```

```
## 1 1998 Q1 Adelaide SA      Business 135.
```

```
## 2 1998 Q2 Adelaide SA      Business 110.
```

```
## 3 1998 Q3 Adelaide SA      Business 166.
```

```
## 4 1998 Q4 Adelaide SA      Business 127.
```

```
## 5 1999 Q1 Adelaide SA      Business 137.
```

```
## 6 1999 Q2 Adelaide SA      Business 200.
```

```
## 7 1999 Q3 Adelaide SA      Business 169.
```

```
## 8 1999 Q4 Adelaide SA      Business 134.
```

```
## 9 2000 Q1 Adelaide SA      Business 154.
```

```
## 10 2000 Q2 Adelaide SA      Business 169.
```


tsibble objects

tourism

A tsibble: 24,320 x 5 [1Q]

Key: Region, State, Purpose [304]

##	Quarter	Region	State	Purpose	Trips
##	Index	Keys			Measure

##	1	1998 Q1	Adelaide	SA	Business	135.
----	---	---------	----------	----	----------	------

##	2	1998 Q2	Adelaide	SA	Business	110.
----	---	---------	----------	----	----------	------

##	3	1998 Q3	Adelaide	SA	Business	166.
----	---	---------	----------	----	----------	------

##	4	1998 Q4	Adelaide	SA	Business	127.
----	---	---------	----------	----	----------	------

##	5	1999 Q1	Adelaide	SA	Business	137.
----	---	---------	----------	----	----------	------

##	6	1999 Q2	Adelaide	SA	Business	200.
----	---	---------	----------	----	----------	------

##	7	1999 Q3	Adelaide	SA	Business	169.
----	---	---------	----------	----	----------	------

##	8	1999 Q4	Adelaide	SA	Business	134.
----	---	---------	----------	----	----------	------

##	9	2000 Q1	Adelaide	SA	Business	154.
----	---	---------	----------	----	----------	------

##	10	2000 Q2	Adelaide	SA	Business	169.
----	----	---------	----------	----	----------	------

Domestic visitor
nights in thousands
by state/region and
purpose.

tsibble objects

- A `tsibble` allows storage and manipulation of multiple time series in R.
- It contains:
 - ▶ An index: time information about the observation
 - ▶ Measured variable(s): numbers of interest
 - ▶ Key variable(s): optional unique identifiers for each series
- It works with tidyverse functions.

The tsibble index

Example

```
mydata <- tsibble(  
  year = 2012:2016,  
  y = c(123, 39, 78, 52, 110),  
  index = year  
)  
mydata
```

```
## # A tsibble: 5 x 2 [1Y]
```

```
##   year      y
```

```
##   <int> <dbl>
```

```
## 1  2012   123
```

```
## 2  2013    39
```

```
## 3  2014    78
```

```
## 4  2015    52
```

```
## 5  2016   110
```

The tsibble index

For observations more frequent than once per year, we need to use a time class function on the index.

```
z
```

```
## # A tibble: 5 x 2
##   Month      Observation
##   <chr>         <dbl>
## 1 2019 Jan           50
## 2 2019 Feb           23
## 3 2019 Mar           34
## 4 2019 Apr           30
## 5 2019 May           25
```

The tsibble index

For observations more frequent than once per year, we need to use a time class function on the index.

```
z ▷  
  mutate(Month = yearmonth(Month)) ▷  
  as_tsibble(index = Month)
```

```
## # A tsibble: 5 x 2 [1M]
```

```
##      Month Observation
```

```
##      <mth>          <dbl>
```

```
## 1 2019 Jan           50
```

```
## 2 2019 Feb           23
```

```
## 3 2019 Mar           34
```

```
## 4 2019 Apr           30
```

```
## 5 2019 May           25
```

The tsibble index

Common time index variables can be created with these functions:

Frequency	Function
Annual	<code>start:end</code>
Quarterly	<code>yearquarter()</code>
Monthly	<code>yearmonth()</code>
Weekly	<code>yearweek()</code>
Daily	<code>as_date(), ymd()</code>
Sub-daily	<code>as_datetime()</code>

Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2

Australian prison population



Read a csv file and convert to a tsibble

```
prison <- readr::read_csv("data/prison_population.csv")
```

```
## # A tibble: 3,072 x 6
```

```
##   date      state gender legal      indigenous count
##   <date>    <chr> <chr> <chr>    <chr>         <dbl>
## 1 2005-03-01 ACT    Female Remanded ATSI           0
## 2 2005-03-01 ACT    Female Remanded Other         2
## 3 2005-03-01 ACT    Female Sentenced ATSI           0
## 4 2005-03-01 ACT    Female Sentenced Other         0
## 5 2005-03-01 ACT    Male   Remanded ATSI           7
## 6 2005-03-01 ACT    Male   Remanded Other        58
## 7 2005-03-01 ACT    Male   Sentenced ATSI           0
## 8 2005-03-01 ACT    Male   Sentenced Other         0
## 9 2005-03-01 NSW    Female Remanded ATSI          51
## 10 2005-03-01 NSW    Female Remanded Other       131
## # ... with 3,062 more rows
```

Read a csv file and convert to a tsibble

```
prison <- readr::read_csv("data/prison_population.csv") >  
mutate(Quarter = yearquarter(date))
```

```
## # A tibble: 3,072 x 7
```

##	date	state	gender	legal	indigenous	count	Quarter
##	<date>	<chr>	<chr>	<chr>	<chr>	<dbl>	<qtr>
##	1 2005-03-01	ACT	Female	Remanded	ATSI	0	2005 Q1
##	2 2005-03-01	ACT	Female	Remanded	Other	2	2005 Q1
##	3 2005-03-01	ACT	Female	Sentenced	ATSI	0	2005 Q1
##	4 2005-03-01	ACT	Female	Sentenced	Other	0	2005 Q1
##	5 2005-03-01	ACT	Male	Remanded	ATSI	7	2005 Q1
##	6 2005-03-01	ACT	Male	Remanded	Other	58	2005 Q1
##	7 2005-03-01	ACT	Male	Sentenced	ATSI	0	2005 Q1
##	8 2005-03-01	ACT	Male	Sentenced	Other	0	2005 Q1
##	9 2005-03-01	NSW	Female	Remanded	ATSI	51	2005 Q1
##	10 2005-03-01	NSW	Female	Remanded	Other	131	2005 Q1

Read a csv file and convert to a tsibble

```
prison <- readr::read_csv("data/prison_population.csv") >
mutate(Quarter = yearquarter(date)) >
select(-date)
```

A tibble: 3,072 x 6

##	state	gender	legal	indigenous	count	Quarter
##	<chr>	<chr>	<chr>	<chr>	<dbl>	<qtr>
##	1 ACT	Female	Remanded	ATSI	0	2005 Q1
##	2 ACT	Female	Remanded	Other	2	2005 Q1
##	3 ACT	Female	Sentenced	ATSI	0	2005 Q1
##	4 ACT	Female	Sentenced	Other	0	2005 Q1
##	5 ACT	Male	Remanded	ATSI	7	2005 Q1
##	6 ACT	Male	Remanded	Other	58	2005 Q1
##	7 ACT	Male	Sentenced	ATSI	0	2005 Q1
##	8 ACT	Male	Sentenced	Other	0	2005 Q1
##	9 NSW	Female	Remanded	ATSI	51	2005 Q1
##	10 NSW	Female	Remanded	Other	124	2005 Q1

Read a csv file and convert to a tsibble

```
prison <- readr::read_csv("data/prison_population.csv") >
  mutate(Quarter = yearquarter(date)) >
  select(-date) >
  as_tsibble(
    index = Quarter,
    key = c(state, gender, legal, indigenous)
  )
```

```
## # A tsibble: 3,072 x 6 [1Q]
```

```
## # Key:      state, gender, legal, indigenous [64]
```

```
##   state gender legal   indigenous count Quarter
```

```
##   <chr> <chr>  <chr>    <chr>      <dbl>   <qtr>
```

```
## 1 ACT   Female Remanded ATSI          0 2005 Q1
```

```
## 2 ACT   Female Remanded ATSI          1 2005 Q2
```

```
## 3 ACT   Female Remanded ATSI          0 2005 Q3
```

```
## 4 ACT   Female Remanded ATSI          0 2005 Q4
```

```
## 5 ACT   Female Remanded ATSI          1 2006 Q1
```

Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2

Australian Pharmaceutical Benefits Scheme



Australian Pharmaceutical Benefits Scheme

The **Pharmaceutical Benefits Scheme** (PBS) is the Australian government drugs subsidy scheme.

Australian Pharmaceutical Benefits Scheme

The **Pharmaceutical Benefits Scheme** (PBS) is the Australian government drugs subsidy scheme.

- Many drugs bought from pharmacies are subsidised to allow more equitable access to modern drugs.
- The cost to government is determined by the number and types of drugs purchased. Currently nearly 1% of GDP.
- The total cost is budgeted based on forecasts of drug usage.
- Costs are disaggregated by drug type (ATC1 x15 / ATC2 84), concession category (x2) and patient type (x2), giving $84 \times 2 \times 2 = 336$ time series.

Working with tibble objects

PBS

```
## # A tibble: 67,596 x 9 [1M]
## # Key:      Concession, Type, ATC1, ATC2 [336]
##      Month Concession  Type   ATC1  ATC1_desc ATC2  ATC2_desc Scripts  Cost
##      <nth> <chr>      <chr>  <chr> <chr>      <chr> <chr>      <dbl> <dbl>
##  1 1991 Jul Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 18228 67877
##  2 1991 Aug Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 15327 57011
##  3 1991 Sep Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 14775 55020
##  4 1991 Oct Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 15380 57222
##  5 1991 Nov Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 14371 52120
##  6 1991 Dec Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 15028 54299
##  7 1992 Jan Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 11040 39753
##  8 1992 Feb Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 15165 54405
##  9 1992 Mar Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 16898 61108
## 10 1992 Apr Concessional Co-pay~ A      Alimenta~ A01  STOMATOL~ 18141 65356
## # ... with 67,586 more rows
```

Working with tsibble objects

We can use the `filter()` function to select rows.

```
PBS ▷  
  filter(ATC2 = "A10")
```

```
## # A tsibble: 816 x 9 [1M]  
## # Key:      Concession, Type, ATC1, ATC2 [4]  
##   Month Concession  Type  ATC1  ATC1_desc ATC2  ATC2_desc Scripts  Cost  
##   <mt> <chr>        <chr> <chr> <chr>      <chr> <chr>      <dbl> <dbl>  
## 1 1991 Jul Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 89733 2.09e6  
## 2 1991 Aug Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 77101 1.80e6  
## 3 1991 Sep Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 76255 1.78e6  
## 4 1991 Oct Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 78681 1.85e6  
## 5 1991 Nov Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 70554 1.69e6  
## 6 1991 Dec Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 75814 1.84e6  
## 7 1992 Jan Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 64186 1.56e6  
## 8 1992 Feb Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 75899 1.73e6  
## 9 1992 Mar Concessional Co-pa~ A      Alimenta~ A10    ANTIDIAB~ 89445 2.05e6
```

Working with tibble objects

We can use the `select()` function to select columns.

```
PBS ▷  
  filter(ATC2="A10") ▷  
  select(Cost)
```

Selecting index: "Month"

Error: The result is not a valid tibble.

Do you need ``as_tibble()`` to work with data frame?

Working with tsibble objects

We can use the `select()` function to select columns.

```
PBS ▷  
  filter(ATC2 = "A10") ▷  
  select(Month, Concession, Type, Cost)
```

```
## # A tsibble: 816 x 4 [1M]  
## # Key:      Concession, Type [4]  
##   Month Concession  Type      Cost  
##   <mtm> <chr>        <chr>    <dbl>  
## 1 1991 Jul Concessional Co-payments 2092878  
## 2 1991 Aug Concessional Co-payments 1795733  
## 3 1991 Sep Concessional Co-payments 1777231  
## 4 1991 Oct Concessional Co-payments 1848507  
## 5 1991 Nov Concessional Co-payments 1686458  
## 6 1991 Dec Concessional Co-payments 1843079  
## 7 1992 Jan Concessional Co-payments 1564702  
## 8 1992 Feb Concessional Co-payments 1732508
```

Working with tsibble objects

We can use the `summarise()` function to summarise over keys.

```
PBS ▷  
  filter(ATC2 = "A10") ▷  
  select(Month, Concession, Type, Cost) ▷  
  summarise(total_cost = sum(Cost))
```

```
## # A tsibble: 204 x 2 [1M]
```

```
##       Month total_cost
```

```
##       <mth>      <dbl>
```

```
## 1 1991 Jul      3526591
```

```
## 2 1991 Aug      3180891
```

```
## 3 1991 Sep      3252221
```

```
## 4 1991 Oct      3611003
```

```
## 5 1991 Nov      3565869
```

```
## 6 1991 Dec      4306371
```

```
## 7 1992 Jan      5088335
```

```
## 8 1992 Feb      2814520
```

Working with tsibble objects

We can use the `mutate()` function to create new variables.

```
PBS ▷  
  filter(ATC2 = "A10") ▷  
  select(Month, Concession, Type, Cost) ▷  
  summarise(total_cost = sum(Cost)) ▷  
  mutate(total_cost = total_cost / 1e6)
```

```
## # A tsibble: 204 x 2 [1M]  
##       Month total_cost  
##       <mt>      <dbl>  
## 1 1991 Jul      3.53  
## 2 1991 Aug      3.18  
## 3 1991 Sep      3.25  
## 4 1991 Oct      3.61  
## 5 1991 Nov      3.57  
## 6 1991 Dec      4.31  
## 7 1992 Jan      5.09
```

Working with tsibble objects

We can use the `mutate()` function to create new variables.

```
PBS ▷  
  filter(ATC2 = "A10") ▷  
  select(Month, Concession, Type, Cost) ▷  
  summarise(total_cost = sum(Cost)) ▷  
  mutate(total_cost = total_cost / 1e6) → a10
```

```
## # A tsibble: 204 x 2 [1M]  
##       Month total_cost  
##       <mtm>      <dbl>  
## 1 1991 Jul         3.53  
## 2 1991 Aug         3.18  
## 3 1991 Sep         3.25  
## 4 1991 Oct         3.61  
## 5 1991 Nov         3.57  
## 6 1991 Dec         4.31  
## 7 1992 Jan         5.09
```

Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2

Lab Session 1


- 1 Download `tourism.xlsx` from <http://robjhyndman.com/data/tourism.xlsx>, and read it into R using `read_excel()` from the `readxl` package.
- 2 Create a `tsibble` which is identical to the `tourism` `tsibble` from the `tsibble` package.
- 3 Find what combination of `Region` and `Purpose` had the maximum number of overnight trips on average.
- 4 Create a new `tsibble` which combines the `Purposes` and `Regions`, and just has total trips by `State`.

Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots**
- 6 Lab Session 2

Time plots

```
maxtemp <- vic_elec ▷  
  index_by(Day = date(Time)) ▷  
  summarise(Temperature = max(Temperature))  
maxtemp ▷  
  autoplot(Temperature) +  
  xlab("Week") + ylab("Max temperature")
```





Ansett airlines




Ansett airlines

```
ansett >  
autoplot(Passengers)
```




Ansett airlines

```
ansett ▷  
  filter(Class = "Economy") ▷  
  autoplot(Passengers)
```




Ansett airlines

```
ansett ▷  
  filter(Airports = "MEL-SYD") ▷  
  autoplot(Passengers)
```



Ansett airlines

```
ansett ▷  
  filter(Airports = "MEL-SYD") ▷  
  autoplot(Passengers)
```



Outline

- 1 Time series data and tsibbles
- 2 Example: Australian prison population
- 3 Example: Australian pharmaceutical sales
- 4 Lab Session 1
- 5 Time plots
- 6 Lab Session 2

Lab Session 2

- Create time plots of the following four time series: Bricks from `aus_production`, Lynx from `pel_t`, Close from `gafa_stock`, Demand from `vic_elec`.
- Use `help()` to find out about the data in each series.
- For the last plot, modify the axis labels and title.