

RSE Task

The program receives an input from the command line of two Roman Numerals, sum them and output them in standard output as a Roman Numeral.

Compiling

- In Windows, to compile the source code call run.bat from the command line inside the running directory.
- In Linux...

Running

- In Windows call RomanNum <Roman Numeral 1> <Roman Numeral 2> inside the running directory.
- In Linux ...

Testing

- In Windows
 - To test output from valid input, call qrun.bat from the command line inside the running directory in order to call RomanNum I <Roman Numeral 2>, where Roman Numeral 2 takes all values from 1 to 3999. Sum should output all values from II to MMMM.
 - To test output from invalid input, call runascii.bat from the command line inside the running directory in order to call RomanNum I <ASCII>, where ASCII represents all 256 ASCII characters. ASCII includes space-like characters as well as the valid Roman characters. When the former are detected an error will specify that the argument contains a null string. When the latter are detected, normal operation will commence, and the expected sum will be shown.

Coding style tests

- None yet.

Compiled with

- In Windows, the Intel Fortran Compiler 64bit 17.0.1.143 was used to compile the source code.
- In Linux...

Acknowledgments

The algorithms handling the roman-to-number and number-to-roman transitions originate from rosettacode.org website.

- https://www.rosettacode.org/wiki/Roman_numerals/DECODE#Fortran
- https://www.rosettacode.org/wiki/Roman_numerals/Encode#Fortran