Paratext 8

Supporters Manual (English)

Paratext 8

Supporters Manual (English) Jenni Beadle

Jenni Beadle Matthew Lee SIL International May. 2017

Table of Contents

Part I	Supporters!	M	[anual
--------	-------------	---	--------

IS: I	nstall										2
1.1	Introduction										3
1.2	Install Paratext 8										3
1.3	Register a user (first time run Paratext)										4
1.4	Manually updating your existing version of Paratext										4
MD	: Migrate Data										5
2.1	Introduction										5
2.2	Migrate Shared project										6
											6
	2.2.2 Register a project (before migrating the project)										7
											9
2.3	Additional Project settings										11
											13
REC	G: Registration										14
3.1	Introduction										14
3.2	Register for (with a Google account)										15
3.3	Filling in the registration										15
3.4	Register for Paratext with a non-google account										16
3.5	Change (generate) a new Paratext code										16
											17
	3.5.2 Change a user's code (who you registered)										18
3.6	Register a new user (who does not have an email address)										19
3.7	Translation project by an unrecognised individual/organisation										21
CP:	Creating a new project										22
											22
											22
											23
											25
4.5	Type of project										26
4.6	Register the new project										26
4.7	Editing your registration										27
IR: l	Installing Resources										28
5.1	Introduction										28
5.2	Install resources – Internet (DBL)										28
5.3	Installer resources – files										29
PP1	: Setup Project Plan										30
											30
	1.1 1.2 1.3 1.4 MD 2.1 2.2 2.3 2.4 REC 3.1 3.2 3.3 3.4 4.5 4.6 4.7 IR: 15.2 5.3 PP1	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration III: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration III: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5.1 Change (generate) a new Paratext code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – Internet (DBL) 5.3 Installer resources – Files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan	1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.3 Additional Project settings 2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PPI: Setup Project Plan	Is: Install 1.1 Introduction 1.2 Install Paratext 8 1.3 Register a user (first time run Paratext) 1.4 Manually updating your existing version of Paratext MD: Migrate Data 2.1 Introduction 2.2 Migrate Shared project 2.2.1 Prepare a project for migration 2.2.2 Register a project (before migrating the project) 2.2.3 Migrating a registered project 2.2.4 Migrate a non-shared project REG: Registration 3.1 Introduction 3.2 Register for (with a Google account) 3.3 Filling in the registration 3.4 Register for Paratext with a non-google account 3.5 Change (generate) a new Paratext code 3.5.1 Change your own code 3.5.2 Change a user's code (who you registered) 3.6 Register a new user (who does not have an email address) 3.7 Translation project by an unrecognised individual/organisation CP: Creating a new project 4.1 Introduction 4.2 Create a new project 4.3 Name for the project 4.4 Specify language 4.5 Type of project 4.6 Register the new project 4.7 Editing your registration IR: Installing Resources 5.1 Introduction 5.2 Install resources – Internet (DBL) 5.3 Installer resources – files PP1: Setup Project Plan 6.1 Introduction

iv Table of Contents

	6.2 Add the organisational base plan	
	6.3 Remove current plan (if necessary)	32
	6.4 Configure – assigning checks to a stage	32
	6.5 Configure - Reordering tasks / Move tasks to another stage	34
	6.6 Configure — Add tasks	34
	6.7 Configure — Delete tasks	35
	6.8 Rename or edit tasks	36
	6.9 Check the settings	36
	6.10 Configure - Assign tasks to team members	36
	6.11 Configure - Books to include	37
	6.12 Copy a task from one plan to your project	37
	6.13 Updating the project plan (for a migrated project)	38
7	Setting up a project for success	39
	CV: Convert project	41
	8.1 Introduction	41
	8.2 The convert project dialog	42
	8.2.1 Changing the short name of the project	42
	8.2.2 Removing deleted files from the project history	43
	8.2.3 Clean up Paratext Live history	43
	8.2.4 Convert encoding to 65001 – Unicode (UTF8)	43
	8.2.5 Normalising – composed or decomposed	43
	8.2.6 Replacing old User names	44
	8.3 Convert the project	44
9	CR: Cross-references	45
	9.1 Introduction	45
	9.2 Extract the references from the model text	46
	9.3 Check your scripture reference settings	46
	9.4 Check your Language Settings	46
	9.5 Insert Cross references	47
	7.3 HISCH CHUSS ICHCHUCS	4/

Part I SupportersManual

1

IS: Install

Introduction

In this module, you will install Paratext 8. Paratext is the world's leading software application for the development and checking of new Bible translation texts, or revisions to existing texts. Developed jointly by UBS and SIL International, it enables consistent and accurate translation, based on original texts, and modelled on versions in major languages. Due in part to its cutting edge collaboration features, Paratext greatly assists in producing higher quality translations in much less time than previous tools and methods have allowed.

Where We are

You have already installed Paratext 7 and now want to install Paratext 8.

Why is this Important

Paratext 7 and Paratext 8 can both be installed at the same time but you need to understand the limitation of using them together .

- Both may be installed
- They use different data directories.
 - My Paratext Projects (Paratext 7)
 - My Paratext 8 Projects (Paratext 8)
- They use different data servers

What are you going to do?

You will install Paratext 8 (without uninstalling Paratext 7). You will also install an update from an MSP file.

IS: Install

1.1 Introduction

1.2 Install Paratext 8

Note: you do not need to uninstall Paratext 7 or earlier. But you may need to uninstall an earlier version of Paratext 8.

- Double-click on the installer file. (available at https://pt8.paratext.org/download)
- Click, "I agree to the license terms",
- Click Install.

This step might take a few minutes if the installer needs to install the .NET 4.5 Framework on your computer.

• If a dialog appears and asks for your permission, click **Yes** or provide the credentials as required.

A welcome message is displayed.

Click Next

The destination folder step appears.

• Accept the defaults for the folder.

Note: Paratext 8 data may not share the same directory as Paratext 7 data.

- Click Next, then Install
- Click Finish and then Close.
- The first time you launch Paratext 8 you will need to enter your Paratext 8 registration code. Information on how to obtain this code is on the Registration page.

4 IS: Install

1.3 Register a user (first time run Paratext)

All users need a new registration for Paratext 8.

- Run Paratext (for the first time)
- Choose the interface language.

 A dialogue box is displayed asking for your registration code.
- Go to https://registry.paratext.org The Sign-in page is displayed.
- · Log-in with a gmail work account
- Click on the Register link
- Type in the user name
- Type in (or copy) the user's Paratext 7 registration code
- Copy the new code
- · Return to Paratext
- Paratext will paste the code
- Click OK

1.4 Manually updating your existing version of Paratext

The new update files have a .msp extension instead of PUD or SPUD as in the past.

- Make sure Paratext is closed.
- Double-click on the **msp** file to install the update.

2.1 Introduction

Migration is the process of moving a project (including all settings files) from Paratext 7 to Paratext 8. This is similar to the process of setting up S/R for the first time in Paratext 7.x. Note: all users of a project have to migrate at the same time.

Where We are

You have already installed Paratext 8 and you have a Paratext 7 project that you want to use in Paratext 8.

Why is this Important?

In order to get the full functionality of Paratext 8 your project needs to be migrated. Paratext 7 and Paratext 8 use different send/receive servers so there is no way for a project to be shared with some users on Paratext and some users on Paratext 8. It is also hoped that the old (Paratext 7) server will be closed down soon. So it is important to migrate as soon as possible.

Users can have both Paratext 7 and Paratext 8 on their computers at the same time, and run one or the other, but no project can be shared simultaneously with users in Paratext 7 and other users in Paratext 8.

Once you have migrated the project, everyone on the team needs to get the migrated project, and only do work in Paratext 8 from then on.

You need to have a good Internet connection to migrate the project, but if you usually work without an Internet connection, you can keep working that way in Paratext 8 once the project is migrated.

What are you going to do?

You will

- migrate a shared project
- migrate a non-shared project

2.2 Migrate Shared project

If you administer a project that is shared in Paratext 7 and you want to migrate it to Paratext 8, this is how you need to proceed.

2.2.1 Prepare a project for migration

All your users have to upgrade at the same time.

- All users must do send/receive in Paratext 7 (then cease working in Paratext 7).
- The Administrator then confirms that the text is in a good state.
- The Administrator then loads Paratext 8.
- File > Open Project/Resource
- Click the box at the bottom left to show Paratext 7 projects




• Choose the project to migrate.

It will likely be described as "v7, unregistered."

Some active Paratext 7 projects have been registered already for Paratext 8. If yours is one of them, Paratext 8 will show the project as P7 but show it as registered. You can skip the registration step we'll show you if your project is already registered.

• Click **OK** to start Migrating the Project.

The 'Migrate shared project' dialog is displayed.



Paratext 8may tell you the project must be registered (if it is not preregistered) and it must be migrated to Paratext 8.

2.2.2 Register a project (before migrating the project)

- Click the Register online button
- Fill in the web form. (Fields with an asterisk [red star] are required.)
- Short name: You cannot change the project short name,
- Long project name: You can change the long project name.
- Paratext 8 requires a language identifier for your language. Use the search in the language name to find the ethnologue code for your language. You can modify the language name, or use the "advanced" to specify or create additional information about the language.
- **Scope** refers to whether the project will be a complete Bible, or complete Bible including apocrypha, or New Testament, or some other grouping of books. You can add more books to your project scope later as this can be changed after registration.
- Translation type refers to whether it is the first translation for this language, a revision of an existing translation, or a new translation, or a translation including study materials, such as a study Bible. For a revision, you have to specify that you have permission from the rights holders of the translation you are revising.
- Specify the country where the language is spoken. You can type a few letters of the name then pick the desired country. You can specify more than one country if the language spreads across borders

• The rights holder would be the organization you expect will have the copyright for a print edition. This too can be changed if it needs to be later on.

- The last four fields allow you to add more information if it is relevant for describing your project. (None of these are required.)
- You can mark if your project is confidential or not. Only Paratext 8 registered users can view the name of standard projects, a confidential project will be hidden even from other Paratext 8 users.
- Another option is to mark a project as a test or training project. You can use this option for test projects you create, or for projects you use for practice in a training course.
- The last requirement to register is stating that you agree to follow the FOBAI guidelines in your translation project, and you agree to store a backup copy of your project in the Digital Bible Library.


The Digital Bible Library is a tool for making translations available online or for mobile users, but your project will not be available to anyone until you agree to make it available.

• To submit the registration, click **Submit Registration**. The registry should tell you that the project registered successfully. (You may need to scroll to the top of the page to see this).

✓ Project successfully registered and available in Paratext.


· Go back to Paratext.

It should detect that the project is now registered, and inform you of that.



2.2.3 Migrating a registered project

• The migration step has several boxes you have to check off to verify that you understand what is involved.



Put a check in these boxes if they are true, then click Migrate now to proceed.

If you need to do something else before you are ready to migrate, click "Migrate Later," and go finish your preparations.


- When you click Migrate now, Paratext will copy the project from your Paratext 7 into your Paratext 8, and will also do a send/receive to the Internet.
- Now your colleagues can go to **Paratext 8** and do a **Send/Receive** to receive the migrated project.

2.3 Additional Project settings

• Language identifier: After you click "Migrate now", Paratext 8 may tell you that need to specify a language identifier for your project.

You can verify what the language name and language identifier are for your project by going to **Project** > **Project Properties and settings**, and looking at the **language settings**. The language identifier is either in brackets after the language name, or listed separately below the name.

• **Books** The project properties and settings has a **Books** tab, you specify here the books that you plan to track their progress in your project.




You can choose book by book, or specify **Old Testament**, **New Testament**, **Deuterocanon** by using the buttons. You can change this list of books later on in the project if your plans for the project change.

Note: Once you have migrated your project, you need to migrate the back translation and any other daughter projects (one after the other).

2.4 Migrate a non-shared project

If a project was not shared in Paratext 7 then you do not have to register it in order to migrate.

- Run Paratext 8
- File > Open Project/Resource
- Click "Show Paratext 7 Projects"
- Choose the desired project
- Click Migrate Now



When you click "Migrate" the project will be migrated to the Paratext 8 folder and ready to be used. The registration status will determine what functionality exists for the project.

Note: Non-shared projects don't have to be registered but it is recommended.

Remember, no one should edit the project anymore in Paratext 7. That would be wasted effort as no one else will see their changes. To help your team members remember this, you could have them remove the project from their Paratext 7 once they have gotten it in Paratext 8. Or maybe they can uninstall Paratext 7 from their computer if they don't need it for other projects.

3.1 Introduction

Starting with Paratext 8 it is a requirement that projects share their basic metadata information with the translation community. It is strongly encouraged that they share progress information [some organizations and/or donors may require this].

Where We are?

Paratext 8 has been installed on your computer and you have the Paratext 7 registration codes for your team members.

Why is this Important?

In Paratext 8 both users and projects should to be registered. Access to specific text resources, e.g. TEV, is determined by what organization you are a part of

Projects may be registered by the administrator (or a consultant serving as an administrator)

Other organizations/users are notified and may object to BoG. Basic project metadata information is available to all in ParaTExt community

If your project is not registered you will not have access to

- Interlinearizer
- Internet Send/Receive
- Statistical glossing tools (guess translation)
- Print Draft

What are you going to do?

- You will register a P8 user
- You will register a new P8 project
- You will see what information is displayed in the ParaTExt Registry for a registered project.

3.2 Register for (with a Google account)

- Go to registry.paratext.org in your web browser. *The "Sign in" screen is displayed.*
- Enter your émail account.

 The site will check if your account exists, and if it is on a Google server, you will have the choice of authenticating with Google.
- Choose to authenticate with Google *A new screen is displayed asking for your password.*
- Enter your Google account password.
- Click **yes** to authorize the Paratext site to use your profile information. *You are then ready to start filling in your Paratext registration.*

If you do not have a Google address, see section 3.4

3.3 Filling in the registration

- Click the appropriate circle to choose your **registration type** (new registration, previous Paratext 7 registration, or previous Paratext 8 registration).
- If you are a Paratext 7 user, fill-in your Paratext 7 code
- Choose your **organization** from the list, or if you are not a member you can leave this blank.

Anyone can register to use Paratext, but people who are not members of a translation organization and who are not members of a registered project will not be able to use all the features of Paratext and will have access to only a few resources.

- Select your **country**.
- Enter if relevant your field entity and your supervisor
- Explain why you want to use Paratext.
- Check the box at the bottom if you want to get émail announcements about Paratext updates and news.

• When finished, click "Register"

The server will give you a code. It will also send this to your émail.

Keep that email, or to the code that is displayed here, because if you lose it, there is no way to look it up again. (This is a security feature, user codes are not stored on the server so they cannot be stolen if someone hacks onto the server)

3.4 Register for Paratext with a non-google account

- If your email account is not on a Google server, or if it is but you choose to not use Google to authenticate, the registry server will ask you to enter a password.
- Enter the password you want to set up
- Enter it again as a confirmation

 The server will send an email to your account with a link to verify.
- Open your email, go to the link, and proceed to register for Paratext (see 3.3).

3.5 Change (generate) a new Paratext code


There are many reasons why you may need to change your Paratext code, particularly if your computer is stolen.

3.5.1 Change your own code

- Go to the registration website, https://registry.paratext.org .
- Log in (if you are not logged in)
- Click on your user name at the top left.



• Click on Settings.



- Beside Paratext 8, click **Settings**. *The registration Details screen is displayed.*
- Click on the **Generate button** to generate a new code.



The code will be sent to your email address.

Start Paratext

If it connects to the Internet it will detect that the old code is no longer valid, and it will ask you to update your registration info.

- Go to your email, and copy the new code.
- Go back to Paratext

 It may already have pasted in your new code.
- If it has not, paste in the new code into the registration form, and click **OK**. *You should be reregistered*.


You will need to do this on any other computer that your Paratext code is installed on as well.

- If Paratext is not connecting to the Internet to detect that you need to give a new code, go to
- Tools > Registration Information and paste the code there.

3.5.2 Change a user's code (who you registered)

- Go to the registration website, https://registry.paratext.org
- Log in (if you are not logged in)
- · Click on User
- Click on the user's name in the list
- Click on the down arrow beside View

• Choose Generate code



- Click Proceed
- Check your email for the code.

3.6 Register a new user (who does not have an email address)

Any administrator of a registered project can create new user registrations if they need to add people to their project. These users do not need to have an email address.

- Go to registry.paratext.org
- Log in if you are not already logged in.



• Click the "+ Register new user" button.

The new user registration form is displayed.

0147	Hser	۰

e this form to create a registration for a user who does ojects of their own until they sign up for themselves.	not have an e-mail address. The user will be able to participate in projects and use resources, but cannot registe
First Name *	
Last Name *	
Organisation	If this user has a translation, translation support, or publication role in an organisation please specify that organisation here. Otherwise leave this field empty.
	SIL International (in Africa)
Country	Select country ▼
Field Unit / Entity	
Supervisor Name	
Reason for using Paratext *	
1	The registration code for the new user will be sent to your e-mail address after registration has been approved.

• Fill in their name, and the rest of their information.

A user added by someone else cannot be made an administrator of a project, nor a consultant. If you would like to make someone a consultant or administrator they can register themselves for Paratext, then you can add their name to the project.

• When competed, click "Create"

The server should respond by e-mailing you the user code for the new user.

Hang onto this code, because it cannot be recovered again if you lose it. But you can generate a new code see 3.5

3.7 Translation project by an unrecognised individual/organisation

• If a translator is not part of a recognised organisation, s/he can apply to the BoG (boardofgovernors@paratext.org) to be members of "Independent Translators" pseudo-organization

It is unclear how many text resource owners will grant access to this group

CP: Creating a new project

4.1 Introduction

In this module, you will create and register a new project.

Where We are

You have already installed Paratext and registered a user.

Why is this Important

A new aspect in Paratext 8 is that projects need to be registered as well as users. This may feel like an extra complication, but it does offer benefits to users.

As we saw in the user registration section, the project administrator can create registrations for users they want to be part of their project.


What are you going to do?

We will create and register a new project.

4.2 Create a new project

• File > New Project

The New project dialog is displayed.




4.3 Name for the project

• Click the **Edit** button

Full Name:	My Paratext Project 3	
Short Name:	MP3	Edit
Copyright:		

The "edit name" dialog is displayed




• In the name section, give the project a name and a matching short name.

Once you create a project name, the short name cannot be changed, because this is the name Paratext will give to the folder containing the project files, and also the name given to the project on the Internet server. (However, you can convert the project to a new project with a different short name.)

4.4 Specify language

- If you have another Paratext project in the same language, you can just pick the language from the list in Paratext [2]. If not, you will need to create a new language.
- · Click on New




- Click in the Search box
- Start typing the name of your language Paratext will display matching names.
- Click on your language in the list. Paratext will add the language name.
- Fill in the advaced fields if necessary.

• Click OK.

You can also specify additional information if needed in the "advanced" section of the language settings dialog.

4.5 Type of project

Click the drop-down list beside "Type of Project"



• Choose the appropriate type for your project.

If it is a back translation, or a daughter or transliteration project, you will need to define the source.

4.6 Register the new project

- Make sure you have given the project a name and chosen the project type.
- Click Register online to go to the registration page
- Fill in the information (see above)
- Click Register to submit and return to Paratext.
 Paratext should "automagically" detect that the project is now registered,
- Click **OK** to create the new project.

The types of projects that do not need to be registred separately:

- Projects that inherit their inscription from the parent project.
- · Back translations
- Transliterations
- Auxiliary
- · Consultant notes.

4.7 Editing your registration

As you work in your project, you can change your registration information later on.

- From Paratext, make sure you are connected to the Internet,
- Project > Project Properties and settings
- Click the "Manage registration" link.

 This will bring up the project registration info and you can edit it. Any project administrator can edit the registration info.

IR: Installing Resources

5.1 Introduction

In this module you will learn how to install resources.

Where we are

You have already installed Paratext 8 and registered a user.

Why is this important?

In Paratext 8, the resources are downloaded from the DBL (Digital Bible Library). Each user can download them directly, but if your Internet connection is limited, you can share the downloaded files with other users.


What will you do?

- Download resources from the Internet.
- Install resources from a downloaded file.

5.2 Install resources – Internet (DBL)

• From the File menu, choose Download/Install resources.

A dialogue box is displayed



- · Make sure Internet has been chosen.
- Click the check boxes to the left of the desired resources.
- Click Download/Install

5.3 Installer resources – files

- From the **File** menu, choose **Download/Install resources**. *A dialogue box is displayed*
- Click Folder
- Click Browse.
- Go to the folder which contains the downloaded resource files.
- Select the desired resources.
- Click Download/Install

PP1: Setup Project Plan

6.1 Introduction

"Progress tracking" based on a Project Plan and Assignments and Progress is a new feature in Paratext 8 that will impact the day-to-day work of translation teams.

Where We are

Before you can add the plan the project must have been created/or migrated.

Why is this Important

The Project Plan feature allows the administrator to define a set of translation tasks that your translation project will follow. Paratext comes with sets of pre-defined plans from the various Bible translation organisations that you can use a starting point. However, every project is different and therefore after adding the base plan it will need to be modified for the team.

Typically, organizations want conformity at the "Stage" level in order to facilitate meaningful tracking of the progress of project across the entire organization. However, every plan will need to be customized at the task level.

If a task is important to you and your team and you want to track its progress, then it can be included in the project plan (even if it doesn't require Paratext to do the task).

What are you going to do?


You will use a combination of two features: the Project Plan and the Assignments and Progress (sometimes referred to as "progress tracking") to manage the plan by assigning team members to tasks, and tracking their progress in completing those tasks.

- Add the organizational base plan to the project (remove an old plan if necessary)
- Customize the plan for the team by adding/deleting and moving tasks
- Assign the tasks to the various team members.

6.2 Add the organisational base plan

If you have an existing plan, you need to remove that plan before you can add another plan. (See below for instructions.)

- Project> Project plan settings
- Click Manage plans
- Click below Show Base Plan



- Choose your organisational base plan
- Click the Copy Plan arrow.




• Click **OK**. >

The plan and its tasks are added to the project.

6.3 Remove current plan (if necessary)

If the project has an old plan, you need to delete each of the current stages before adding a new base plan.

- [Project> Project plan settings
- Click Manage plans]
- Click on the last stage




Click the X to remove the stage


- Click Yes (twice) once to confirm you want to modify the plan, and again to confirm you want to delete the tasks in the stage.
- Repeat for remaining stages
- Add the new plan (see above)

6.4 Configure – assigning checks to a stage

• From the **Project** menu, choose **Project plan**



• For the desired check, drop down the list



• Choose the new stage or *none*

6.5 Configure - Reordering tasks / Move tasks to another stage

It is possible to reorder tasks and even move tasks to another stage. However, not all organisations permit this.


- From the Project menu, choose Project Plan
- Click the **Stages** / Tasks tab.
- Select the task you want to move.
- Click the up arrow or the down arrow to move the task to a different point with respect to the other tasks, or to move it to a different stage. *You may get a messages asking to confirm.*
- · Click OK.

6.6 Configure — Add tasks

- Click on the task which is above the new task.
- Click on the Add task
- Type the name for the task and a description.
- · Click OK

6.7 Configure — Delete tasks

- Click on the Stage/Tasks tab
- · Click on the task to delete



- Click the Remove Task button
- · Click OK.

6.8 Rename or edit tasks

- Click on the task (in the list on the left)
- Click on the name box (in the pane on the right)
- Type a new name for the task
- If necessary, edit the description.

6.9 Check the settings

- There are three settings to check
- how do you to mark the task as complete (once for each chapter, book or project)
- when can the task begin (anytime, or wait for another task ...)
- do you need editing permission (if so, which project)
- From the Projet menu, choose Project plan
- Click the Checks tab
- Click the dropdown list for the check
- Choose the new stage or *none*

6.10 Configure - Assign tasks to team members

- From the Project menu, choose Assignments and Progress
- For the task to assign, click to dropdown the menu and choose the team member to assign



- Repeat as necessary
- · Click OK.

6.11 Configure - Books to include

- Project > Project properties and settings
- Click the Books tab
- Choose the books that you want to track progress.
- · Click OK

6.12 Copy a task from one plan to your project

Note: Follow the steps below to copy a task from a defined project plan to the project plan for project.

- 1. From the **File** menu, select **Open Project/Resource**.
- 2. Select the target project and click **OK**.
- 3. From the **Project** menu, select **Project Plan**....
- 4. At the upper right of the dialog, clickManage Plans....
- From the "Show Base Plan" drop-down, select the project plan that contains the desired task.
- 6. On the **Current Plan** side of the dialog, click the row that has the task which should precede the new task.

 If you want the new task to be the first task in the stage, select the stage.
 - If you want the new task to be the first task in the stage, select the stage name instead.
- 7. On the **Base Plan** side of the dialog, hover over the task you want to add and click the solid blue arrow that appears.

The task is copied to your project plan and cannot be copied again into this project.

- Optional: To move the task, click the up arrow or the down arrow that appears when you hover over a task on the Current Plan side of the dialog.
- Click **OK** to close the "Manage Plans" dialog.
- Click **OK** to close the "Project Plan" dialog.


 The copied task has the same name and progress rate as it had in the project plan for project ORIG.

The short name of the project is added to the plan name.

6.13 Updating the project plan (for a migrated project)

For projects that have already completed a number of stages at the time of switching to Paratext 8 the Tasks table view and/or the Stage table view of Assignments and Progress can be helpful in marking multiple books, stages or tasks, as complete.

- Click on your project.
- From the Project menu, choose Assignments and Progress.
- Choose Stages table view.



• Check the box for the stages of each book as appropriate.

The stage will be marked as complete unless errors have been found. The errors must be corrected before the stage can be marked as completed.

Paratext 8 will likely find errors for most older projects since new checks have been added.

Setting up a project for success

Things to consider:

It is a dynamic process

- When a project is brand new there aren't a log of settings that can be fixed in concrete.
- As the project matures some of the inventories begin to make sense.

Who is working on the project?

- Setup the Users, Roles and Permissions
- Would it be helpful to have a "Simplified Menu"?

Do you need to customize the settings?

- custom.sty
 - change settings of the stylesheet
 - names of markers (in other languages)
 - colour to help identify features?
- · custom.vrs
 - identify verses that are different from default versification

What orthography will be used?

- Put the orthography in the language settings.
- (Keep in mind that what you put in the language settings could be going to the "Speech and Language Data Repository"

How will the characters be keyed?

- Keyman/MSKLC
- AutoCorrect.txt

What Quotation system will be used?

- Set up the quotation rules (Dynamic)
- Think about your rules
- Test what you have
- · Adjust the rules
- Make corrections to the rules / or text as necessary

When you have some text data:

- Begin setting up the inventories
- Let's start at the very beginning (Characters)
- Look for options in the inventories!
- Is the item valid all the time? Or just in certain situations?

Scripture Reference Settings

- What book names are you using?
- What is the format for a reference?
- Where will you put the origin of notes?

8.1 Introduction

If you have ever needed to rename your project, reduce the size of your project, change user names, change the encoding or struggled with composed/decomposed diacritics, then the convert project tool will help you solve these problems.

Where We are

You must be the administrator of the project to do these conversions.

Why is this Important

Although, it is possible to make some changes to existing projects through the project and setting dialogs, several major changes require that a new project is created. Using the convert project dialog allows the new project to keep the project history.


What are you going to do?

We will work through the six changes that can be made to your project.

- Changing the short name of the project
- Removing deleted files from the project history
- Clean up Paratext Live history
- Convert encoding to 65001 Unicode (UTF8)
- Normalising composed or decomposed
- Replacing old User names

8.2 The convert project dialog

• From the Tools menu, choose Advanced, then Convert Project



8.2.1 Changing the short name of the project

- Confirm that the old name of the project is correct. (If not, close the dialogue and click in the correct project window, and access the dialog again.)
- Enter the new short name for the project in [1].

8.2.2 Removing deleted files from the project history

• [2] Select this if you have deleted files (such as large illustration files) that you no longer want to be part of project history and no longer want in the project repository.

8.2.3 Clean up Paratext Live history

• [3] Select this if you have edited the project with Paratext Live and want to replace names in the project history.

8.2.4 Convert encoding to 65001 – Unicode (UTF8)

• [4] Select this to convert a standard project encoding to Unicode.



NOTE: This will not work to change the encoding if your project has a "hacked font".

8.2.5 Normalising – composed or decomposed

• [5] Select Composed (NFC) or one of the options in the drop-down list if the data in your project was created using a mix of composed and decomposed characters. (See the Guide for more details).

8.2.6 Replacing old User names

- [6] Select the name of the user you want to replace from the drop-down list.
- [7] Enter the name of a registered Paratext user in this box.
- [8] Add, a summary of the replacement appears, with a "Remove" button.



• (Click Remove if you either made a mistake in typing the name in the "With" field OR decide not to make the replacement.)

8.3 Convert the project

• [9] Click **OK** to convert the project. See the note in the guide regarding shared projects.

CR: Cross-references

9.1 Introduction

Most languages do not have access to concordances and other Bible study materials in their own languages. Adding cross references to your New Testament can greatly help your reader understand the text by helping your reader find passages on similar themes.

Where We are

Before you can insert cross references from a model text your administrator must have created all the books (and chapters and verses) in your project. They can be empty but they must be present.

Why is this Important

Reading the New Testament is not like reading a novel. Having access to cross references allows your reader to find similar passages. Nevertheless, adding cross references one by one is too tedious. The **Insert cross reference** feature allows you to insert all of the cross references at once and also converts the book names and punctuation to match your **Scripture reference settings**. Extracting cross-references from a model text allows you to easily insert the same cross-references.

What are you going to do?

We are going to do three things: export the cross reference from a model text; then make sure all the settings for book names and scripture references have been entered for your project; and finally insert the cross references.

If you don't have a model text with the desired cross-reference, you can create your own list and import it.

46 CR: Cross-references

9.2 Extract the references from the model text

- Open the model text.
- From the Tools menu, choose Cross references then Extract cross references
- Type a file name
- · Click OK.

Note: Resource texts may not allow you to extract cross references.

9.3 Check your scripture reference settings

- From the **Project** menu, select **Scripture Reference Settings**.
- Verify that the following have been correctly defined for your project (edit them if necessary):
- The punctuation on the **Reference Format** tab.
- The book abbreviations on the **Book Names** tab.
- · Click OK.

9.4 Check your Language Settings

- From the Project menu, select Language Settings ...
- Click the Other Characters tab.
- In the Verse segment characters box, enter at least six different characters separated by spaces.
- · Click OK.

9.5 Insert Cross references

- From the **Tools** menu, point to **Cross References**, and then select **Insert Cross References**.
- Click Browse....
- Find the .xrf file of extracted cross references.
- Select the file, and click **Open**.
- If desired, select one or more of the options:

□ o = f
Omit references to verses which are not in the project
Add colon to \xo field 5

(see the guide for more info)

• Click OK

If the Copyright box displays a copyright notice or required statement of acknowledgments, copy the text, and then paste it wherever you keep this kind of information for the project.