

# Index

---

## A

Accuracy  
  difference from convergence rate, 257  
Analog physics, 382  
Arrays  
  NumPy, 54, 55  
    complex numbers, 65  
    iterating, 64  
  slicing, 63  
Assert statement, 99–103  
AssertionError, 99, 102, 104

## B

Back substitution, 112, 114, 116  
Backward Euler, 305–307, 316, 320, 330, 332, 334  
  unconditional stability, 312  
Beefeaters' hat, 28, 30–32, 50  
Bessel, 190, 247, 265, 284, 298, 359  
Big-O notation, 125, 153, 252  
  comparison of algorithms using, 154, 160  
  estimating algorithm scaling, 126  
Bisection method, 216  
  number of iterations, 216, 218  
Boundary value problem, 333  
Branching, 14  
Bugs, 6

## C

Cmath module, 11  
Comma-separated-values (CSV), 76, 397  
Comments, 5  
  docstrings, 42, 43  
Comparison operators, 15  
Complex step derivative approximation, 262  
  accuracy, 263  
Computational cost  
  history of, 259  
Conjugate gradient, 163, 164  
  graphical representation, 166  
  search directions, 165  
  time to solution, 167

Convergence, 158, 238  
  difference from accuracy, 257  
  exponential, 293  
  Gauss quadrature, 293  
  inverse power iteration, 358  
  iterative linear solvers, 151, 158, 162, 166  
  Monte Carlo, 387  
  Newton-Cotes quadrature, 272, 276  
  polynomial, 294  
  rate estimation, 253  
  speed versus robustness, 223, 312  
Crank-Nicolson, 306, 308–311, 314, 321, 322, 324, 329  
  unconditional stability, 312  
Criticality  
  bare cylinder, 359  
  bare slab, 359  
  bare sphere, 218, 357  
  diffusion  $k$ -eigenvalue, 352, 356  
  estimation with Monte Carlo, 426  
   $k$ -eigenvalue meaning, 352  
  parallelepiped, 243  
  reflected reactor, 360  
  two-group bare reactor, 374  
  two-group reflected reactor, 375  
Cubic spline, 182  
  SciPy function, 187  
Curve fitting, 193  
  hidden variables, 194

## D

Decimal module, 278, 284  
Deer stalker, 32  
Dictionaries, 76  
Dirac delta function, 118  
Discrete ordinates ( $S_N$ ), 429, 433

## E

Edmonton Oilers, 302  
Eigenvalue, 320, 351, 352, 365, 371, 425  
  generalized, 352  
  inverse power method, 353, 368

**F**

- False position method (Regula Falsi), 219
  - linear interpolation, 220
  - number of iterations, 221
  - slow convergence, 222
- Fedora, 28, 30–32, 50
- File input, 49
  - reading with `for` loops, 49
- Finite difference derivative, 234, 252
  - backward difference, 255
  - central difference, 255
  - comparison of approximations, 256, 257
  - diffusion operator, 258
  - forward difference, 254
  - higher derivatives, 258
  - second derivatives, 257
- Finnegan's Wake*, 193
- Fission spectrum, 398
- Floating point numbers, 8
  - finite precision errors, 33
- Forward Euler, 302, 303, 305–307, 311, 315–321
  - conditional stability, 311
- Functions, 37, 40
  - default arguments, 41
  - docstrings, 42, 43
  - lambda, 88, 89
  - name as a parameter, 84
  - parameters, 41
  - return values, 41
  - side effects, 86

**G**

- Gauss quadrature, 288
  - accuracy on polynomials, 288
  - convergence on smooth functions, 293
  - derivation of rules, 289
  - Gauss–Legendre Quadrature, 288
  - multi-dimensional integrals, 296
  - table of weights and abscissas, 288
- Gauss-Seidel method, 156, 157
  - fast implementation, 160
  - graphical representation, 159
  - time to solution, 159
- Gaussian elimination, 112, 115
  - pivoting, 119, 120
  - round-off errors, 118
  - time to solution, 124

**H**

- Hello World, 4

**I**

- Indentation, 7
- Initial value problem, 302
  - error, 305, 309
  - explicit methods, 303
  - implicit methods, 306
  - non-oscillatory methods, 311, 312
  - stability, 311, 312
- Initial value problems
  - higher derivatives, 317
  - stability
    - for systems, 320
  - systems of equations, 315
- Integers, 8

**J**

- Jacobi method, 146
  - fast implementation, 154, 156
  - graphical representation, 152
  - time to solution, 152
  - tri-diagonal version, 168, 169
- Jacobian matrix, 242, 243
- Joyce, James, 193

**K**

- Kafka, Franz, 93
- Keyboard input, 14
- Kierkegaard, Søren, 5

**L**

- Lagrange polynomials, 176
  - efficiency, 181
- Lambda Functions, 88, 89
- Linear solvers
  - direct versus iterative, 145, 146
  - iterations versus speed, 169
  - numerical versus algorithmic improvements, 163
- Linspace, 56
- Lists, 29
  - length, 31
- Loops
  - `for`, 24, 26, 28, 49, 64, 78
  - `while`, 16, 17

LU factorization, 132, 354  
   pivoting, 137  
   relation to Gaussian elimination, 134  
 Lyotard, Jean-Fraçois, 5

## M

*Major League II*, 109  
 Math module, 9  
 Matplotlib, 66  
    $\text{\LaTeX}$  annotations, 68  
 Matrix  
   banded, 141  
   block, 367  
   compressed storage, 168  
   conjugate vectors, 164  
   diagonal, 141  
   diagonal dominance, 146  
   positive definite, 163  
   range, 354  
   symmetric, 140  
   tri-diagonal, 141  
   tri-diagonal form, 168  
   triangular, 132  
*Moby Dick*, 210  
 Modules, 47  
 Monte Carlo method  
   collision estimator, 412  
   convergence, 387, 429  
   error, 387  
   estimation of integrals, 27  
   figure of merit (FOM), 411  
   fission cycles, 426, 429  
   fission matrix, 430–435  
   implicit capture, 408  
   isotropic neutrons, 388  
   origin, 382  
   particle weights, 408  
   scattering, 391, 401  
   spherical geometry, 394  
   track-length estimator, 414  
   variance reduction, 407  
 Mutability  
   lists, 32  
   NumPy arrays, 61, 63, 87, 114  
   tuples, 32

## N

Neutron diffusion equation

1-D diffusion operator, 336  
 albedo boundary condition, 339  
 boundary conditions, 334  
 Dirichlet boundary condition, 339  
 discrete boundary conditions, 338  
 discretized equation, 338  
 harmonic-mean diffusion coefficient, 338  
 $k$ -eigenvalue problem, 352  
 Marshak boundary condition, 339  
 quasi-steady form, 335, 347  
 source-driven problems, 343  
 steady-state form, 335  
 time-dependent form, 334  
 two-group model, 365  
 Newton-Cotes quadrature, 268  
   convergence, 272, 276  
   error, 272  
   midpoint rule, 268  
   Simpson's rule, 274  
   trapezoid rule, 269  
 Newton's method, 230  
   inexact version, 234, 236, 306, 308  
   initial guess, 232  
   Raphson's association, 230  
   slow convergence, 238  
   systems of equations, 242  
   use of tangent, 230, 231

## O

Operator overloading, 12  
 NumPy, 58

## P

Pantheism, 230  
 Phase field, 318, 319, 322  
 Phrygian cap, 28, 30–32, 50  
 Point-reactor kinetics equations (PRKEs), 324  
   prompt jump, 326  
   reactivity insertion, 327  
   rod drop, 325  
   stability for RK4, 326  
   steady-state solution, 325  
 Polynomials  
   approximation properties, 175  
   efficient evaluation, 174  
   high-degree oscillations, 181  
   Lagrange construction, 176  
   uniqueness, 176  
 Porkpie, 28, 30–32, 50

- Power law, 210
  - approximation by Gaussian distribution, 212
- Print, 4
- Probability
  - cumulative distribution function (CDF), 382
  - expected probability, 383
  - exponential distribution, 383
  - probability density function (PDF), 383
- Q**
- Quadrature
  - classical definition, 268
  - composite form, 270
  - definition, 268
  - multidimensional integrals, 294
- R**
- Random number generation, 26, 56, 385, 386
  - exponential distribution, 384
  - inverse CDF sampling, 385
  - rejection sampling, 399
  - stratified sampling, 417
- Range, 25
- Recursion, 45
- Reed's problem, 345
  - time-dependent, 347
- Regression
  - coefficient interpretation, 201
  - least-squares formulation, 196
  - logarithmic transformation, 208
  - mean-absolute error, 204
  - NumPy function, 201
  - polynomial fitting, 206
  - $R^2$ , 196
  - variable selection, 203
- Residual, 19, 22, 119, 123, 146, 151, 163
- Richardson extrapolation, 259
  - application to integrals, 277, 282
  - extra order of accuracy, 260
  - higher-precision arithmetic, 278
  - repeated use, 261
  - use by computers, 259
- Ridder's Method, 223, 224, 226
  - extra function evaluation, 223
- Romberg integration, 277, 282
  - efficient implementation, 282
- Root finding methods
  - closed, 216
  - comparison of closed and open, 232
  - cost, 218
  - exhaustive enumeration, 22, 24
  - open, 230
- Roots
  - bracketing, 216
  - complex, 238, 240
  - definition, 215
  - multiple, 215, 216, 238, 239
- Runge phenomenon, 181
- Runge-Kutta method (fourth-order), 313
  - conditional stability, 314
  - systems of equations, 323
- S**
- Scope, 44
- Secant method, 236
  - starting, 236
- Side effects, 114
- Singular eigenfunction expansion, 393
- Sombrero, 28, 30–32, 50
- Spatial cells, 335, 352
- Steak au poivre, 98
- Strings, 11
  - subsetting, 12
- Successive Over-Relaxation, 160
  - choice of relaxation parameter, 162, 163
  - graphical representation, 162
  - modification to Gauss-Seidel, 160
  - time to solution, 162
- T**
- Tam o'shanter, 28, 30–32, 50
- Toque, 30, 31
- Trilby, 28, 30–32, 50
- Try block, 102, 103
- Tuple, 31, 32
- U**
- Unicode characters, 5
- W**
- Weierstrass approximation theorem, 175