

Feasibility and Acceptance of chatbots embedded in healthcare curricula:



Matthew Pears- with CEPEH Team James Henderson,
Natalia Stathakarou, Klas Karlgren, Panagiotis D Bamidis,
Iraklis Tsoupouroglou, Eirini Schiza, Constantinos S
Pattichis, and Stathis Th Konstantinidis

CEPEH report 2023

December

2023

see cepeh.eu for more information

Acknowledgements

This work is supported by the ERASMUS+ Strategic Partnership in Higher Education “Chatbot Enhance Personalise European Healthcare Curricula (CEPEH)” (www.cepeh.eu) (2019-1-UK01- KA203-062091) project of the European Union.

CEPEH Team

Abstract

This document details the evaluation of each resource in terms of the feasibility and acceptance from the end-users. There was evidence of identifying the feasibility of such resources into formal training and studies exist on the acceptance of such resources, with promising results. However, all these studies defined the need for further research in the area until the use of chatbots in healthcare education became common. Furthermore, the creation process of CEPEH resources was significantly different and had improvements to current methods, due to the co-creation process, and use of low cost but effective technology.

Contents

List of Figures	vi
List of Tables	vii
List of Abbreviations	viii
Introduction	1
Background	2
1 Method	4
1.1 Participants	4
1.2 Procedure	5
1.3 Design	6
1.4 Materials and Measures	6
2 Results	11
2.1 Learner Characteristics	11
2.2 Chatbot Usability Questionnaire (CUQ)	17
2.3 Inferential Statistics	22
2.4 CEPEH Qualitative Feedback	22
2.5 Tokenising	22
2.6 Plotting word frequencies - bar graphs	23
2.7 Word clouds	26
2.8 Sentiment analysis	28
3 Discussion	29
4 Training Event Results	30
4.1 CEPEH Training Event C1	30

Contents

5 Overall Training Events Evalaution	31
5.1 CEPEH Training Event 2	31
5.2 Cross-referencing	36
5.3 Warning: package ‘kableExtra’ was built under R version 4.2.2 . . .	39
5.4 Cross-referencing	61
5.5 Collaborative writing	63
5.6 Additional resources	64
Appendix	65
Appendices	
A The First Appendix	67
B The Second Appendix, for Fun	68
References	69

List of Figures

1.1	Location and Profession	5
2.1	Usage Frequency-Pre	13
2.2	Useful Opinion-Pre	14
2.3	Intend to Reuse-Post	15
2.4	A marvel-lous meme	17

List of Tables

5.1	Stopping cars	62
-----	-------------------------	----

List of Abbreviations

CEPEH	Chatbot Enhance Personalised European Healthcare curricula
RLO	Reusable Learning Object
NLP	Natural Language Processing
NLU	Natural Language Understanding
A.I	Artificial Intelligence

Introduction

Personalised Healthcare Education is needed to meet growing demand and quality maintenance. There is a growing evidence around chatbots, namely machine conversation systems- these programs have the potential to change the way students learn and search for information.

Chatbots can quiz existing knowledge, enable higher student engagement with a learning task, or support higher-order cognitive activities. In large-scale learning scenarios with a high student-to-lecturer ratio, chatbots can help tackle the issue of individualized student support and facilitate personalised learning. However, limited examples of chatbots in European Healthcare Curricula have been utilised to combine both the continuum of cognitive processes presented in Bloom's taxonomy, with the idea that some repetitive tasks can be done with a chatbot- to provide greater access or to scale faculty time.

Thus, CEPEH strategic partnership has co-created open access chatbots utilising artificial intelligence, promoting innovative practices in digital era, by supporting current curricula and fostering open education.

CEPEH Erasmus+ strategic partnership aimed to co-design and implement new pedagogical approaches and, in particular, chatbots for European medical and nursing schools. CEPEH used participatory design to engage stakeholders (students, healthcare workforce staff, lecturers, clinicians, etc.) in order to co-design effective chatbots and release them as open access resources. Through CEPEH, effective use of digital technologies and open education were incorporated into healthcare curricula. This enabled students to increase their health and medical related skills through flexible learning.

Introduction

CEPEH expected that students adopted this new digital pedagogy and improve their skills and competences through flexible personalised learning, while the teaching staff enhanced their e-learning tool co-creation competences and make use of co-design best practices and recommendations for use. It is also expected increased cooperation between the partners. Thus, in the long term, CEPEH expects to influence the development of medical and nursing curricula with this digital innovation, foster the quality of the future healthcare workforce and further improve international competitiveness of the partners' healthcare curricula. This document details the evaluation of the resources created by the CEPEH team.

The evaluation specifically explored the feasibility and acceptance from the end-users. These end-users are learners in European healthcare higher education institutions.

There was firstly evidence for the need to identify the feasibility of chatbots and similar resources into formal education and training, with a further need to improve access to these types of learning resources. Of course, studies exist on the acceptance of chatbots, virtual patients, and many other healthcare applications, with promising results. However, through various limitations, we believed there was further research to be completed to accelerate the design, development, implementation, and evaluation processes. These have financial, stakeholder, time, and efficacy benefits. The creation process of CEPEH resources was significantly different to most in the literature, and this report highlights the approach of the CEPEH team towards enhancing personalised healthcare education can be achieved.

Background

The working practices of CEPEH are aimed at maximizing efficacy of these chatbots as learning resources, and provided a sense of shared development and ownership from all stakeholders. The process normally begins with workshops in which the project is scoped and team building occurs. The CEPEH workshops involve the widest possible team of stakeholders including tutors, students, healthcare

Introduction

workers, learning technologists, health service users and carers- depending on the materials being created.

For readers who are interested in using these high quality digital resources please access them for free at CEPEH.EU

The next section will now present the evaluation of all CEPEH chatbot resources.

1

Method

Contents

1.1	Participants	4
1.2	Procedure	5
1.3	Design	6
1.4	Materials and Measures	6
1.4.1	Chatbot Usability Questionnaire (CUQ)	7
1.4.2	UTAUT2 (Unified Theory of Acceptance and Use of Technology)	7
1.4.3	System Usability Scale	7
1.4.4	Computer Self-Efficacy Scale Tool	8
1.4.5	Technology Acceptance Model (TAM)	8
1.4.6	Qualitative Measure- Focus Group Discussions	9

1.1 Participants

This dataset had 14 males and 28 females therefore a total of 42 participants. It was a repeated measure design whereby each participant used the 4 chatbots developed by the CEPEH team. Therefore, there are 42 points of data in the condition before testing, and 126 data points after testing the chatbots- for a total of 168 row of data, 5 per participant. There were 78 questions asked in total, therefore the full dataset has over 4000 cells recorded.

1. Method



Figure 1.1: Location and Profession

There were 22 females and 7 males from Greece. There were 3 females and 4 males from Cyprus. There were 2 females and 2 males from Sweden, and there were 2 participants from the United Kingdom (see(1.1)).

The majority 36 participants, were student, with 3 being learning technologists, 2 were lecturers, and 1 was a doctor. Although there could be a difference in these groups, the design was within- groups therefore each participants pre-usage metrics were the comparative control data, and participant differences did not affect the evaluation.

1.2 Procedure

For each resource created by the Partners, the same experimental methodology was followed. For each resource created by partners, students performed a study within an online or face to face workshop or course. Student participants joined

1. Method

from Greece, Cyprus, Sweden, and the United Kingdom. A repeated measures design was used as the same group measures were taken before and after usage of the chatbots. They were recruited via staff members in the CEPEH group.

Participants were asked prior to the study if they agree to participate, providing them with a PIS form. Participants had the opportunity to discuss with the research team prior to the study and before consent is given. Then, participants used the chatbot resources independently and technical support was provided. Finally, post-intervention measures were recorded.

Some of the participants were invited to participate in Focus Group Discussions (FGD), and each FGD lasted between 15 to 25 minutes, with 5-10 participants. Participants were asked if they would like to be informed of the findings of the study.

1.3 Design

The data captured from the participants were their initials and numerical day of birth, used as anonymous identifier for pre-post analysis. Their institution was captured (Aristotle University of Thessaloniki, CYENS Centre of Excellence, Karolinska Institute, and The University of Nottingham), and Sex (Male/Female/Other).

Before any interaction with the learning resources, various perceptions of chatbot such as confidence and easy of use, usefulness, Influence from others, and current learning resources (videos, textbooks, Google, friends etc), were captured. Descriptive data was produced alongside repeated measures t-tests. Repeated measures t-tests were the appropriate test to use as this explores differences between groups, there were no covariates and we did not have several dependant variables. There was one Independent factor being Chatbot use having 2 levels (pre/post). There were 3 chatbots therefore there was option for ANOVA to determine where differences lie if statistical differences were found however this was not wholly appropriate for the data type and not necessary for pre-post comparison.

1.4 Materials and Measures

The measures used fit within a newly developed Chatbot Evaluation Framework which takes the best measures of 5 previous frameworks. Denecke and Warren [2] derived several quality dimensions and attributes from previous chatbot literature. They formed six perspectives from their review of articles and mobile health applications.

These six perspectives were: 1) Task-oriented, 2) Artificial intelligence, 3) System quality perspective, 4) Linguistic perspective, 5) UX Perspective, 6) Healthcare quality perspective.

To capture these perspectives, we used several validated materials that can distinguish these elements of the CEPEH chatbots.

1.4.1 Chatbot Usability Questionnaire (CUQ)

The Chatbot Usability Questionnaire (CUQ) [4] is a new questionnaire specifically designed for measuring the usability of chatbots by an interdisciplinary team from the Ulster University. CUQ can be used alongside the prevalent System Usability Scale Score (SUS) [5]. Multiple metrics are more appropriate when measuring usability of chatbots [6] therefore a combination of two scores can provide an all-inclusive overview.

1.4.2 UTAUT2 (Unified Theory of Acceptance and Use of Technology)

The underpinning theory of the UTAUT2 is that there are four key constructs to the intentions of using technology based resources: 1) performance expectancy, 2) effort expectancy, 3) social influence, and 4) enabling conditions.

The TAM and the UTAUT2 have cross over in measuring technology acceptance, however the UTAUT2 has more applied probing questions. Few studies exist that use technology acceptance theories for the intention to use products that explicitly incorporate AI. A recent extension of the UTAUT2 model added five (health,

1. Method

convenience comfort, sustainability, safety, security, and personal innovativeness) additional influencing factors to accommodate for AI [7]. This can be used for products in either health, household use, or mobility and can help to explain behavioural intention and use behaviour of chatbots.

1.4.3 System Usability Scale

The System Usability Scale (SUS) was used [10] and is a widely used and adopted usability questionnaire. It is popular due to its unbiased and agnostic properties, a non proprietary, and a quick scale of 10 questions. However, as there are the CUQ and parts of the UTAUT2 we have selected only 2 questions which do not cross-over with the other measures. These are important statements however and good indicators of usability when assessed with the other results.

1.4.4 Computer Self-Efficacy Scale Tool

The 10 question CSEST is based on the 32-item questionnaire by Murphy, Coover, and Owen (1989). It can be adapted for any technology and we have selected only a few pertinent questions. Participants are asked to think about using the CEPEH chatbots and answer that they would use the chatbots if I had never used a product like it before; If they could call someone for help if I got stuck, or if someone showed them how to do it first, and other similar usage questions.

1.4.5 Technology Acceptance Model (TAM)

The Technology Acceptance Model (TAM) [1] was specifically developed with the primary aim of identifying the determinants involved in computer acceptance in general; secondly, to examine a variety of information technology usage behaviours; and thirdly, to provide a parsimonious theoretical explanatory model. TAM suggests that attitude would be a direct predictor of the intention to use technology, which in turn would predict the actual usage of the technology. The only modification to the nine sub-scales of the questionnaire consists of applying the items to the context of chatbots. All the items, except those measuring attitudes, utilize a

1. Method

seven-point Likert scale ranging from “strongly agree” to “strongly disagree” with a middle neutral point [2].

The nine sub-scales of the questionnaire:

Ease of use of chatbots Perceived usefulness of chatbots Intention of use.
Attitude toward usage of chatbots. Perception of personal efficacy to use a chatbot resource. Perception of external control toward chatbots. Anxiety toward chatbot use. Intrinsic motivation to use chatbot resources. Perceived costs of chatbots.

1.4.6 Qualitative Measure- Focus Group Discussions

Focus groups are a pervasive means of market research and provides credible acceptance evaluators regarding the penetration that a product or service will have on a target demographic. Focus groups are a form of qualitative research consisting of interviews or structured discussions, in which a group of people are asked about their perceptions, opinions, beliefs, and attitudes towards a product, service, concept, advertisement, idea, or packaging.

Questions are asked in an interactive group setting where participants are free to talk with other group members. During this process, the researcher either takes notes or records the vital points he or she is getting from the group. Researchers select members of the focus group carefully for effective and authoritative responses. Relevant stakeholders, then, can use the information collected through focus groups to receive insights on a specific product, issue, or topic focus [7].

A series of short focus group sessions identified the feasibility of CEPEH resources for formal curricular integration. These sessions, spanning no more than 1-1.5 hours and consisting of no more than 5-7 persons each explored all axes of curricular integration such as accessibility in the classroom, use case scenarios, technology requirements for curricular integration etc. These axes were formalized by the research team, in each evaluation site, to consider the curricular details of each institution.

1. Method



Figure 1: Flow diagram of the recruitment process

2

Results

Contents

2.1	Learner Characteristics	11
2.1.1	Other Findings	13
2.1.2	System Usability Scale (SUS) Scores	15
2.1.3	Technology Acceptance Model	16
2.2	Chatbot Usability Questionnaire (CUQ)	17
2.2.1	CUQ Calculation tool	17
2.3	Inferential Statistics	22
2.4	CEPEH Qualitative Feedback	22
2.5	Tokenising	22
2.5.1	Stop words	23
2.6	Plotting word frequencies - bar graphs	23
2.6.1	Normalised frequency	25
2.7	Word clouds	26
2.7.1	The vocabulary of Texts	27
2.8	Sentiment analysis	28

2.1 Learner Characteristics

When asked the amount of time participants have used a chatbot- in any form or subject: 23 stated they had never used a chatbot, educational or not. Further, 18/42 having used a chatbot at least once for between 0-4 hours of use in total. Two individuals had spent much longer time with usage- these were a learning

2. Results




Figure 2.1: Usage Frequency-Pre

technologist associated with the CEPEH team, and a mature student. In short, this sample of participants did not regularly use chatbots for their course learning, but 1/3 had used one in some form previously.

Most learners use books or online books as resources. They may use multiple sources however they were asked to note the primary source. Only 6 stated their primary sources were *Online videos/interactive materials* which includes such tools as chatbots.

The first boxplot (2.1) shows learners perceptions of easy of use of mobile app and other educational mobile resources

Previous_Chatbot_Usage	n
1-4 hours	15
10-19 hours	1
20+ hours	1
5-9 hours	2


2. Results

Previous_Chatbot_Usage	n
Never	23

##Post-Intervention Results and Comparision

After using the CEPEH chatbots, majority of participants stated they would reuse the chatbots. However, there was 6 counts of *disagree* or *strongly disagree* for all 4 chatbots. Further, there were 17 counts of neutral in reuse, which was approximately 4 participants per chatbot (see (2.3)).

For CYENS, even though the knowledge of the topic was not perceived to improve by some participants, this box plot shows how 34/42 stated they would reuse the chatbot developed by CYENS.



There was only 1 ‘Strongly Disagree’ response. The agreement options counted for the majority of the data.

2. Results




Figure 2.2: Useful Opinion-Pre

2.1.1 Other Findings

Other questions

I intend to continue using chatbots in the future (BI1)

The chatbot provided the information I needed with minimal commands

My knowledge of the topic improved after i had used the Chatbot

My confidence in understanding the topic improved after I had used the Chatbot

The chatbot provided me with the type of response i expected from asking a tutor/lecturer

The information provided was reliable

The chatbot has a high level of trustworthiness

The duration of conversations to find my answer was too long

The videos/images provided were useful to my questions

2. Results




Figure 2.3: Intend to Reuse-Post

The chatbot exceeded my expectation of how it could help me

The chatbot exceeded my expectation of how it could engage with me

I think this learning method could help me to acquire knowledge

I would use this tool again as it has some value to me

I think i will actively use this learning method

I believe I had some choice about learning during chatbot use

I would trust the chatbot to provide me with information for my course

One piece of knowledge i learned from the chatbot was..

Repeated Measures t-test, aka paired t-test (before and after measurements)

This t-test compares confident using mobile chatbots before and after CEPEH chatbot usage.

2. Results

2.1.2 System Usability Scale (SUS) Scores

Note= The amount of ‘agreement’ is defined as the addition of ‘Agree’ and ‘Strongly agree’ responses.

The SUS score should consist of 10 items. However, some SUS questions were improved upon by 1 or more CUQ questions, specifically to this Chatbot study. The SUS results would be overshadowed by the CUQ scores, except 2 that did not have cross-over. The two questions were:

- I would like to use the CEPEH chatbot I tested, more frequently (SUS1)(post)
- I felt confident using the CEPEH chatbot (SUS2)(post)

This meant the score of the SUS was not created, however the CUQ score better represented the Learners’ perceptions of the CEPEH chatbot in terms of feasibility of reuse and acceptability in healthcare curricula.

Keep_Using_Chatbots	Confident	Count
Agree	Agree	44
Agree	Disagree	5
Agree	Neutral	11
Agree	Strongly Agree	6
Disagree	Agree	6
Disagree	Disagree	5
Disagree	Neutral	4
Neutral	Agree	10
Neutral	Disagree	1
Neutral	Neutral	6
Not Applicable	Not Applicable	3
Strongly Agree	Agree	10
Strongly Agree	Not Applicable	1
Strongly Agree	Strongly Agree	12
Strongly Disagree	Agree	1
Strongly Disagree	Strongly Agree	1

2.1.3 Technology Acceptance Model

The TAM had 3 sections (Ease of Use, Perceived Usefulness, and Intention of Use). Ease of Use results showed significant increases in Users’ usage with each Chatbot.

2. Results

Perceived Usefulness: There were not significant findings for the Perceived usefulness. The justification for this may be due to being early versions of applications with limited functionality and functions which can be difficult for user to experience the intended further range of features and learning exercises.

Intention of Use: For users' intentions to use within their course, the result of the Mann-Whitney U test was not significant, $U =$, $z =$, $p =$. in their intentions before use (m=xx, mode=xx) compared to after (m=xx, mode=x), however there was improvement therefore the chatbots may have more benefit than expected by students.

2.2 Chatbot Usability Questionnaire (CUQ)

2.2.1 CUQ Calculation tool

The CUQ was developed by researchers at Ulster University,[Link](#) and as the calculation can be complex a dedicated calculation tool has been created. Please download the CEPEH CUQ calculation tool which has all of the data entered, so you can see the CEPEH CUQ scoring.

[click here to download CUQ calc tool](#)

[click here to download CUQ score image](#) *mobile download disabled

The score for all 3 chatbots grouped was 65.2/100, This scoring system was designed to be comparable to SUS and may be freely used alongside it, or in combination with other usability metrics. There has been evidence of correlation of 76% between the CUQ and SUS therefore we expect the SUS scored to be between 48.75 and 81%. We believe the CUQ has more validity towards measuring the concepts of interest on this study.

[Read the CUQ development paper, see page 3 for correlation](#)

Figure shows the CUQ scores as a box plot to highlight the range of Usability of the resources. Further exploration is required to understand which elements are causing this spread.

2. Results






Figure 2.4: A marvel-lous meme
(#fig:cuq image)




2. Results

CYENS chatbot had around 10 more participants stating that they were neutral

on gaining knowledge of the topic





2. Results




There was mixed results for the chatbot used being realistic and engaging. This question has two descriptive terms however based on the other results we understand that the chatbots' NLP logic, or ability to respond required improvement to be more 'smooth' in replying. The primary limitation was found in the 'robotic' interactions(See Figure 10). This was investigated further in the 'Text Mining' and 'Sentiment Analysis' sections.

2. Results



2. Results



Those who disagreed or were neutral in the pre usage measure, improved their understanding that help was available with the CEPEH chatbots. After usage, 40 participants agreed they could get help if they had difficulty using the resources.

2.3 Inferential Statistics

2.4 CEPEH Qualatative Feedback

The focus group discussions provided a lot of feedback for how the participants experienced their interactions with the chatbots, and how the CEPEH team can improve them, improve the design and development processes, and improve up-take and sharing.

One method of analysing this data is with use of text mining and data manipulation, creating word clouds, sentiment analysis, and using a model which can

2. Results

distinguish the unique themes in text, and highlights for us what text is used to create these themes.

Therefore, we have created a model to allow efficient and intelligent analysis of this open/free focus group data.

2.5 Tokenising

Firstly, we tokenised the words from the FGDs. A Token is “a meaningful unit of text, most often a word, that we are interested in using for further analysis”. For each word we give it a property that we can call upon later.

The data manipulation for this included removing punctuation, converting to lower-case, and setting word type to word (and not such types as “characters”, “ngrams”, “sentences”, “lines” etc)

2.5.1 Stop words

The model then removed words with meaningless function. These are called stop words. Words like “the”, “of” and “to” are the most frequent words found, technically, but are of little interest to us.

We also created a custom list of stop words for CEPEH. We know participants may mention other objects, and the list was as followed: found; chatbot; chatbots; presentation.

The data was ready for analysis by the model. We ordered it to find the most frequent words.


```
## # A tibble: 384 x 3
## # Groups:   doc_id [1]
##   doc_id word          n
##   <fct> <chr>        <int>
## 1 1      information    11
## 2 1      helpful       8
## 3 1      understand     8
```


2. Results

```
## 4 1    idea      7
## 5 1   ideas     7
## 6 1  workshop   7
## 7 1  beginning  6
## 8 1   dont     6
## 9 1   medical   6
## 10 1  technology 6
## # ... with 374 more rows
```


2.6 Plotting word frequencies - bar graphs

With this information a Bar graph of top words from the participants in the FGD can be rendered.



and after some modifications, a graph of the top 35 words is produced, with better aesthetics. The most frequent words present in focus group discussions after using the 4 chatbots, are in the Figure below.

2. Results



Although the frequency is not high for each word, we are able to get a general picture of the sentiments, intensities, and concerns which would be immediately occurring when plotted.


2.6.1 Normalised frequency

A better way to understand this data is to normalise the frequency of occurrences in accordance with the source text. The raw text had 2827 words in total. Therefore we can mutate the ratios to reflect this.

Plotting normalised frequency

Now we can plot, for example, the 20 most frequent words when normalised by the source text.

2. Results



In summary, this understanding of frequent words can help to understand common concurrences and extrapolate to a larger audience. If scope and impact of CEPEH chatbots increased we can understand the type of themes and trends may occur, based on such FGD analysis.

2.7 Word clouds

To visualise the most frequent words in another format, below is a word cloud which presents the word size to indicate the frequency- words that occur more often being displayed in a larger font size. This has a normalised data frequency in accordance to the FGD source document analysed.

2. Results




We understand the context has been reduced for each word. However, in general there can be categorised positive/negative words from the word cloud: Positive words are- benefit, practical, nice, helpful, learn, ideas, and enjoyed Negative words are- difficult, test (who likes a test?), don't, and 'lot' may be negative if there is a 'lot' of information.

2.7.1 The vocabulary of Texts

Here is a graph that has plotted the words in places depending on the word frequencies. Additionally, colour hotspots shows how different the frequencies are - darker items are more similar in terms of their frequencies, lighter-coloured ones more fre-

2. Results



quent in one text compared to the other.

2.8 Sentiment analysis

What is the sentiment of all participants? What is types of emotional words are being used? The preparation of these words has some use in understanding the frequencies, but their emotional valence are not compared. The table above has the word ‘helpful’ which has a positive connotation, however there are 386 words, with many having several occurrences.

```
##      max(total_score) min(total_score)
```

```
## 1                38                38
```

negative	positive	total_score
24	62	38

3

Discussion

The Chatbots were beneficial.

Learners have lots of other choices such as YouTube, but there is a certain need for personalised information gathering , this can save time and prevent learning incorrect information.

This was one reason why they were rated positive as they are able to streamline data finding for learners in a format that is understandable and easy to them.

sex	time	Code	Location	Profession	CurrentMaterials
Female	Pre	666	Cyprus	Student on a Healthcare course	Books
NA	Post	666	NA	NA	NA
Male	Pre	A.S.1507	Greece	Student on a Healthcare course	Online journals_
NA	Post	A.N. 31082003	NA	NA	NA
NA	Post	A.N. 31082003	NA	NA	NA
Female	Pre	AG 26062002	Greece	Student on a Healthcare course	Books

4

Training Event Results

Contents

4.1 CEPEH Training Event C1	30
---------------------------------------	----

4.1 CEPEH Training Event C1

The CEPEH training event C1 held at the premises of University of Nottingham aiming to prepare participants for the practical elements of co-creation and implementation of chatbots as an educational resource. It combined both theoretical and hands-on training. 15 participants were from RISE, AUTH, UoN.

Project managers of partners signposted the person involved, and relevant announcements were made through social media channels to the wider public. External to the project speakers were from University of Leeds, and Computer Science Department of University of Nottingham. It included academics, medical doctors, and researchers with focus both on clinical research and digital innovations in healthcare education and IT specialist/learning technologists 11.18 years of experience (SD=7.2). A balance between male and female participants achieved.

5

Overall Training Events Evaluation

Participants were asked to highlight what they liked for each day and how each day can be improved. Findings are described below per day of the training event

Day 1

The participants comment that they liked the design method for educational resources presented using a co-creation approach, they liked the interactions with other groups, and they liked the overview of existing chatbot resources of the partners. On the areas that can be improved, more media material were requested.

Day 2 Participants enjoyed the presentation from the invited speaker from another faculty of the University of Nottingham, the CEPEH resources presented and the storyboarding process. Participants highlighted that the participation of more clinicians in the event would be an added value in regards with the storyboarding process.

Day3 Participants liked the hands-on activities of the day also enjoyed the creativity of the groups on the online chatbot development tool. As an area of improvement, participants wanted more time on hands on sections.

5.1 CEPEH Training Event 2

Pre-Training Event survey May 9th-13th 2022 Thessaloniki, Greece

5. Overall Training Events Evaluation

Twenty-six participants attended the Training Event, along with approximately 10 staff members. There were 21 undergraduate students and 5 postgraduate students, who completed the survey for a total of 26 responses. There were 86% of participants who stated they had not been to a similar event like the training event CEPEH facilitated. There were 90% of students who found the event schedule very organised, and 70% agreed most of the planned sessions were relevant to that interest with the remaining 30% not having enough experience to understand the context to determine if they are interested in the training event. There were 95% of students agreeing or strongly agreeing the training event location is great, the remaining person did not leave additional comments.

Table 1 suggested attendees had minimal intention to share their own ideas due to lack of previous experience of attending such events, or due to lack of knowledge on the area. However, most were interested in listening to other groups and hearing contextual cases in healthcare.

There were 77% of participants stated they were novices in experience with chatbots in healthcare and were attending to learn more. The remaining 23% (7 students) stated they were competent and had limited experience with chatbots in healthcare.

One day had several events regarding cybersecurity in healthcare. When asked before these events, 83% stated they were neutral or disagreed that they felt confident about their cybersecurity knowledge in healthcare. In addition, 80% stated they were neutral or disagreed that they felt they had strong cybersecurity safety in healthcare. Table 2 shows the main pre and post results suggesting a positive experience for more than 75% of attendees on all measures.

There were 90% (23) of students who heard about the event through a lecturer or a professor, the CEPEH newsletter (2), and 1 person was informed through the anatomy tutoring system at Karolinska Institute. Additionally, 60% suggested the training event to somebody else before the course started.

There were six individuals who stated neutral or disagree when asked if having issues on registration or finding the information for the event. This may have

5. Overall Training Events Evaluation

been due to being dependent on emails to receive the information, instead of a dedicated website where the information is available anytime.

As this was face-to-face, participants were asked about sufficient Covid-19 precautions in place at the facility, 94% agreed with sufficient precautions, two individuals stated no but did not give further information in the additional input box provided. In summary, most participants were undergraduate students with novice experience, happy with the training event location, felt the sessions were relevant to them, and most shared the event with their colleagues. The values of co-creation, chatbots in healthcare, and taking patient history were bestowed to students in an engaging and well-received manner. Notably, the highest ratings were for staff friendliness which is key to engagement and consistent interaction throughout the intense and long 5-day duration. The sessions were recorded there for the online recordings may be viewed with higher numbers over the subsequent weeks.

The usual way to include citations in an *R Markdown* document is to put references in a plain text file with the extension **.bib**, in **BibTeX** format.¹ Then reference the path to this file in **index.Rmd**'s YAML header with **bibliography: example.bib**.

Most reference managers can create a .bib file with your references automatically. However, the **by far** best reference manager to use with *R Markdown* is [Zotero](#) with the [Better BibTeX plug-in](#), because the **citr** plugin for RStudio (see below) can read references directly from your Zotero library!

Here is an example of an entry in a **.bib** file:

```
@article{Shea2014,  
  author =      {Shea, Nicholas and Boldt, Annika},  
  journal =      {Trends in Cognitive Sciences},  
  pages =        {186--193},  
  title =        {{Supra-personal cognitive control}},  
  volume =       {18},  
  year =         {2014},
```

¹The bibliography can be in other formats as well, including EndNote (**.enl**) and RIS (**.ris**), see rmarkdown.rstudio.com/authoring_bibliographies_and_citations.

5. Overall Training Events Evaluation

```
doi = {10.1016/j.tics.2014.01.006},  
}
```

In this entry highlighted section, ‘Shea2014’ is the **citation identifier**. To default way to cite an entry in your text is with this syntax: `[@citation-identifier]`.

So I might cite some things (Lottridge et al., 2012; Mill, 1965 [1843]; Shea et al., 2014).

5.1.1 Appearance of citations and references section (pandoc)

By default, `oxforddown` lets `Pandoc` handle how citations are inserted in your text and the references section. You can change the appearance of citations and references by specifying a CSL (Citation Style Language) file in the `cs1` metadata field of `index.Rmd`. By default, `oxforddown` by the American Psychological Association (7th Edition), which is an author-year format.

With this style, a number of variations on the citation syntax are useful to know:

- Put author names outside the parenthesis
 - This: `@Shea2014 says blah.`
 - Becomes: Shea et al. (2014) says blah.
- Include only the citation-year (in parenthesis)
 - This: `Shea et al. says blah [-@Shea2014]`
 - Becomes: Shea et al. says blah (2014)
- Add text and page or chapter references to the citation
 - This: `[see @Shea2014, pp. 33–35; also @Wu2016, ch. 1]`
 - Becomes: Blah blah (see Shea et al., 2014, pp. 33–35; also Wu, 2016, ch. 1).

5. Overall Training Events Evalaution

If you want a numerical citation style instead, try `csl: bibliography/transactions-on-comput` or just have a browse through the [Zotero Style Repository](#) and look for one you like. For convenience, you can set the line spacing and the space between the bibliographic entries in the reference section directly from the YAML header in **index.Rmd**.

If you prefer to use `biblatex` or `natbib` to handle references, see [this chapter](#).

5. Overall Training Events Evaluation

5.1.2 Insert references easily with RStudio's Visual Editor

For an easy way to insert citations, use RStudio's [Visual Editor](#). Make sure you have the latest version of RStudio – the visual editor was originally really buggy, especially in relation to references, but as per v2022.02.0, it's great!

5.2 Cross-referencing

We can make cross-references to **sections** within our document, as well as to **figures** (images and plots) and **tables**.

The general cross-referencing syntax is `\@ref(label)`

5.2.1 Section references

Headers are automatically assigned a reference label, which is the text in lower caps separated by dashes. For example, `# My header` is automatically given the label `my-header`. So `# My header` can be referenced with `\@ref(my-section)`

Remember what we wrote in section ???

We can also use **hyperlink syntax** and add `#` before the label, though this is only guaranteed to work properly in HTML output:

- So if we write `Remember what we wrote up in [the previous section](#citations)?`
- It becomes `Remember what we wrote up in the previous section?`

Creating custom labels

It is a very good idea to create **custom labels** for our sections. This is because the automatically assigned labels will change when we change the titles of the sections - to avoid this, we can create the labels ourselves and leave them untouched if we change the section titles.

We create custom labels by adding `{#label}` after a header, e.g. `# My section {#my-label}`. See [our chapter title](#) for an example. That was section 4.

5. Overall Training Events Evalaution

5.2.2 Figure (image and plot) references

- To refer to figures (i.e. images and plots) use the syntax `\@ref(fig:label)`
- **GOTCHA:** Figures and tables must have captions if you wish to cross-reference them.

We refer to this image with `\@ref(fig:captain)`. So Figure ?? is [this image](#).

And in Figure ?? we saw a [cars plot](#).

5.2.3 Table references

- To refer to tables use the syntax `\@ref(tab:label)`

Those results can be interpreted that the learning objectives of the training event

Reach, Impact, and Qualatative analysis

Dealing with tables in LaTeX can be painful.

This section explains the main tricks you need to make the pain go away.

(Note: if you are looking at the eBook version, you will not see much difference in

Making your table pretty

When you use ``kable`` to create tables, you will almost certainly want to set the op

This makes your table look a million times better:

Compare this to the default style, which looks terrible:

5. Overall Training Events Evalaution

```
\begin{tabular}{l|r|r|r|r|r|r|r|r|r|r|r|r|r|r}

\hline

    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\

\hline

Mazda RX4 & 21.0 & 6 & 160 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\

\hline

Mazda RX4 Wag & 21.0 & 6 & 160 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\

\hline

Datsun 710 & 22.8 & 4 & 108 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\

\hline

Hornet 4 Drive & 21.4 & 6 & 258 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\

\hline

Hornet Sportabout & 18.7 & 8 & 360 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\

\hline

Valiant & 18.1 & 6 & 225 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\

\hline

\end{tabular}
```

If your table is too wide

You might find that your table expands into the margins of the page, like the table

Fix this with the ``kable_styling`` function from the `[`kableExtra`]` (<https://haozhu23.com/kableExtra/>)

5. Overall Training Events Evalaution

5.3 Warning: package ‘kableExtra’ was built under R version 4.2.2

```
\begin{table}
\centering
\resizebox{\linewidth}{!}{
\begin{tabular}{lrrrrrrrrrr}
\toprule
& mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
Mazda RX4 & 21.0 & 6 & 160 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag & 21.0 & 6 & 160 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 710 & 22.8 & 4 & 108 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
Hornet 4 Drive & 21.4 & 6 & 258 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout & 18.7 & 8 & 360 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
\addlinespace
Valiant & 18.1 & 6 & 225 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
\bottomrule
\end{tabular}}
\end{table}
```

This scales down the table to fit the page width.

If your table is too long

If your table is too long to fit on a single page, set ``longtable = TRUE`` in the ``k`

```
\begin{longtable}{lrrrrrrrr}
```


5. Overall Training Events Evalaution

\toprule

& mpg & cyl & disp & hp & drat & wt & qsec & vs\\

\midrule

Mazda RX4 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0\\

Mazda RX4 Wag & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0\\

Datsun 710 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1\\

Hornet 4 Drive & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1\\

Hornet Sportabout & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0\\

\addlinespace

Valiant & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1\\

Duster 360 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0\\

Merc 240D & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1\\

Merc 230 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1\\

Merc 280 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1\\

\addlinespace

Merc 280C & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1\\

Merc 450SE & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0\\

Merc 450SL & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0\\

Merc 450SLC & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0\\

Cadillac Fleetwood & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0\\

\addlinespace

Lincoln Continental & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0\\

Chrysler Imperial & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0\\

Fiat 128 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1\\

Honda Civic & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1\\

Toyota Corolla & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1\\

\addlinespace

Toyota Corona & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1\\

Dodge Challenger & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0\\

AMC Javelin & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0\\

5. Overall Training Events Evalaution

Camaro Z28 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0\\
Pontiac Firebird & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0\\
\addlinespace
Fiat X1-9 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1\\
Porsche 914-2 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0\\
Lotus Europa & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1\\
Ford Pantera L & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0\\
Ferrari Dino & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0\\
\addlinespace
Maserati Bora & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0\\
Volvo 142E & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1\\
Mazda RX41 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0\\
Mazda RX4 Wag1 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0\\
Datsun 7101 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1\\
\addlinespace
Hornet 4 Drive1 & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1\\
Hornet Sportabout1 & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0\\
Valiant1 & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1\\
Duster 3601 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0\\
Merc 240D1 & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1\\
\addlinespace
Merc 2301 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1\\
Merc 2801 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1\\
Merc 280C1 & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1\\
Merc 450SE1 & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0\\
Merc 450SL1 & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0\\
\addlinespace
Merc 450SLC1 & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0\\
Cadillac Fleetwood1 & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0\\
Lincoln Continental1 & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0\\

5. Overall Training Events Evalaution

```

Chrysler Imperial1 & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0\\
Fiat 1281 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1\\
\\addlinespace
Honda Civic1 & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1\\
Toyota Corolla1 & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1\\
Toyota Corona1 & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1\\
Dodge Challenger1 & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0\\
AMC Javelin1 & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0\\
\\addlinespace
Camaro Z281 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0\\
Pontiac Firebird1 & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0\\
Fiat X1-91 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1\\
Porsche 914-21 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0\\
Lotus Europa1 & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1\\
\\addlinespace
Ford Pantera L1 & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0\\
Ferrari Dino1 & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0\\
Maserati Bora1 & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0\\
Volvo 142E1 & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1\\
\\bottomrule
\\end{longtable}

```

When you do this, you'll probably want to make the header repeat on new pages. Do this with the ``kable_styling`` function from ``kableExtra``:

```

\\begin{longtable}{lrrrrrrrrrrrr}
\\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\\midrule

```

5. Overall Training Events Evalaution

```

\endfirsthead
\multicolumn{12}{@{}l}{\textit{(continued)}}\\
\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
\endhead

\endfoot
\bottomrule
\endlastfoot
Mazda RX4 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 710 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
Hornet 4 Drive & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
\addlinespace
Valiant & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 360 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
Merc 230 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 280 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
\addlinespace
Merc 280C & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\
Merc 450SLC & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
\addlinespace
Lincoln Continental & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\

```

5. Overall Training Events Evalaution

```

Fiat 128 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\
Honda Civic & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
\\addlinespace
Toyota Corona & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\
Camaro Z28 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\
\\addlinespace
Fiat X1-9 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-2 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\
Ford Pantera L & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\
\\addlinespace
Maserati Bora & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\
Mazda RX41 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag1 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 7101 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
\\addlinespace
Hornet 4 Drive1 & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout1 & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
Valiant1 & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 3601 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D1 & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
\\addlinespace
Merc 2301 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 2801 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\

```

5. Overall Training Events Evalaution

```

Merc 280C1 & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE1 & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL1 & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\
\addlinespace
Merc 450SLC1 & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood1 & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
Lincoln Continental1 & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial1 & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 1281 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\
\addlinespace
Honda Civic1 & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla1 & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
Toyota Corona1 & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger1 & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin1 & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\
\addlinespace
Camaro Z281 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird1 & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\
Fiat X1-91 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-21 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa1 & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\
\addlinespace
Ford Pantera L1 & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino1 & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\
Maserati Bora1 & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E1 & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\*
\end{longtable}

```

Unfortunately, we cannot use the ``scale_down`` option with a ``longtable``.

So if a ``longtable`` is too wide, you can either manually adjust the font size, or s

5. Overall Training Events Evalaution

To adjust the font size, use kableExtra's ``font_size`` option:

```
\begin{group}\fontsize{9}{11}\selectfont
```

```
\begin{longtable}{lrrrrrrrrrrrr}
```

```
\toprule
```

```
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
```

```
\midrule
```

```
\endfirsthead
```

```
\multicolumn{12}{@{}l}{\textit{(continued)}}\\
```

```
\toprule
```

```
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
```

```
\midrule
```

```
\endhead
```

```
\endfoot
```

```
\bottomrule
```

```
\endlastfoot
```

```
Mazda RX4 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
```

```
Mazda RX4 Wag & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
```

```
Datsun 710 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
```

```
Hornet 4 Drive & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
```

```
Hornet Sportabout & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
```

```
\addlinespace
```

```
Valiant & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
```

```
Duster 360 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
```

```
Merc 240D & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
```

```
Merc 230 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
```

```
Merc 280 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
```

```
\addlinespace
```

5. Overall Training Events Evalaution

Merc 280C & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\
Merc 450SLC & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
\addlinespace
Lincoln Continental & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 128 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\
Honda Civic & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
\addlinespace
Toyota Corona & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\
Camaro Z28 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\
\addlinespace
Fiat X1-9 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-2 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\
Ford Pantera L & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\
\addlinespace
Maserati Bora & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\
Mazda RX41 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag1 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 7101 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
\addlinespace

5. Overall Training Events Evalaution

```

Hornet 4 Drive1 & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout1 & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
Valiant1 & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 3601 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D1 & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
\addlinespace
Merc 2301 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 2801 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
Merc 280C1 & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE1 & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL1 & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\
\addlinespace
Merc 450SLC1 & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood1 & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
Lincoln Continental1 & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 3\\
Chrysler Imperial1 & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 1281 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\
\addlinespace
Honda Civic1 & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla1 & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
Toyota Corona1 & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger1 & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin1 & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\
\addlinespace
Camaro Z281 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird1 & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\
Fiat X1-91 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-21 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa1 & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\
\addlinespace

```

5. Overall Training Events Evalaution

```
Ford Pantera L1 & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino1 & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\
Maserati Bora1 & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E1 & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\*
\end{longtable}
\endgroup{}
```

To put the table in landscape mode, use kableExtra's ``landscape`` function:

```
\begin{landscape}
\begin{longtable}{lrrrrrrrrrrrr}
\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
\endfirsthead
\multicolumn{12}{@{}l}{\textit{(continued)}}\\
\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
\endhead

\endfoot
\bottomrule
\endlastfoot
Mazda RX4 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 710 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
Hornet 4 Drive & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
```

5. Overall Training Events Evalaution

\addlinespace

Valiant & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 360 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
Merc 230 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 280 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\

\addlinespace

Merc 280C & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\
Merc 450SLC & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\

\addlinespace

Lincoln Continental & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 128 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\
Honda Civic & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\

\addlinespace

Toyota Corona & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\
Camaro Z28 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\

\addlinespace

Fiat X1-9 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-2 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\
Ford Pantera L & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\

5. Overall Training Events Evalaution

\addlinespace

Maserati Bora & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\
Mazda RX41 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag1 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 7101 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\

\addlinespace

Hornet 4 Drive1 & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout1 & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
Valiant1 & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 3601 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D1 & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\

\addlinespace

Merc 2301 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 2801 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
Merc 280C1 & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE1 & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL1 & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\

\addlinespace

Merc 450SLC1 & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood1 & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
Lincoln Continental1 & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial1 & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 1281 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\

\addlinespace

Honda Civic1 & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla1 & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
Toyota Corona1 & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger1 & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin1 & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\

5. Overall Training Events Evalaution

\addlinespace

Camaro Z281	& 13.3	& 8	& 350.0	& 245	& 3.73	& 3.840	& 15.41	& 0	& 0	& 3	& 4\\
Pontiac Firebird1	& 19.2	& 8	& 400.0	& 175	& 3.08	& 3.845	& 17.05	& 0	& 0	& 3	& 2\\
Fiat X1-91	& 27.3	& 4	& 79.0	& 66	& 4.08	& 1.935	& 18.90	& 1	& 1	& 4	& 1\\
Porsche 914-21	& 26.0	& 4	& 120.3	& 91	& 4.43	& 2.140	& 16.70	& 0	& 1	& 5	& 2\\
Lotus Europa1	& 30.4	& 4	& 95.1	& 113	& 3.77	& 1.513	& 16.90	& 1	& 1	& 5	& 2\\

\addlinespace

Ford Pantera L1	& 15.8	& 8	& 351.0	& 264	& 4.22	& 3.170	& 14.50	& 0	& 1	& 5	& 4\\
Ferrari Dino1	& 19.7	& 6	& 145.0	& 175	& 3.62	& 2.770	& 15.50	& 0	& 1	& 5	& 6\\
Maserati Bora1	& 15.0	& 8	& 301.0	& 335	& 3.54	& 3.570	& 14.60	& 0	& 1	& 5	& 8\\
Volvo 142E1	& 21.4	& 4	& 121.0	& 109	& 4.11	& 2.780	& 18.60	& 1	& 1	& 4	& 2*

\end{longtable}

\end{landscape}

Max power: manually adjust the raw LaTeX output {#max-power}

For total flexibility, you can adjust the raw LaTeX output from `\kable`/`\kableExtra`

Let us consider how we would do this for the example of adjusting the font size if

Latex has a bunch of standard commands that set an approximate font size, as shown

\begin{figure}[H]

{\centering \includegraphics[width=0.5\linewidth]{figures/sample-content/latex_font_sizing}}\end{figure}

\caption{Font sizes in LaTeX}\label{fig:latex-font-sizing}

\end{figure}

You could use these to manually adjust the font size in your longtable in two steps

5. Overall Training Events Evalaution

1. Wrap the longtable environment in, e.g., a ``scriptsize`` environment, by doing a
2. Add the attributes that make R Markdown understand that the table is a table (it

```
\begin{scriptsize}
\begin{longtable}{lrrrrrrrrrrrr}
\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
\endfirsthead
\multicolumn{12}{@{}l}{\textit{(continued)}}\\
\toprule
    & mpg & cyl & disp & hp & drat & wt & qsec & vs & am & gear & carb\\
\midrule
\endhead

\endfoot
\bottomrule
\endlastfoot
Mazda RX4 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\
Mazda RX4 Wag & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\
Datsun 710 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\
Hornet 4 Drive & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
\addlinespace
Valiant & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 360 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\
Merc 230 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 280 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
```

5. Overall Training Events Evalaution

\addlinespace

Merc 280C & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\

Merc 450SE & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\

Merc 450SL & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\

Merc 450SLC & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\

Cadillac Fleetwood & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\

\addlinespace

Lincoln Continental & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\

Chrysler Imperial & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\

Fiat 128 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\

Honda Civic & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\

Toyota Corolla & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\

\addlinespace

Toyota Corona & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\

Dodge Challenger & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\

AMC Javelin & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\

Camaro Z28 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\

Pontiac Firebird & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\

\addlinespace

Fiat X1-9 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\

Porsche 914-2 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\

Lotus Europa & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\

Ford Pantera L & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\

Ferrari Dino & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\

\addlinespace

Maserati Bora & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\

Volvo 142E & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\

Mazda RX41 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.620 & 16.46 & 0 & 1 & 4 & 4\\

Mazda RX4 Wag1 & 21.0 & 6 & 160.0 & 110 & 3.90 & 2.875 & 17.02 & 0 & 1 & 4 & 4\\

Datsun 7101 & 22.8 & 4 & 108.0 & 93 & 3.85 & 2.320 & 18.61 & 1 & 1 & 4 & 1\\

5. Overall Training Events Evalaution

\addlinespace

Hornet 4 Drive1 & 21.4 & 6 & 258.0 & 110 & 3.08 & 3.215 & 19.44 & 1 & 0 & 3 & 1\\
Hornet Sportabout1 & 18.7 & 8 & 360.0 & 175 & 3.15 & 3.440 & 17.02 & 0 & 0 & 3 & 2\\
Valiant1 & 18.1 & 6 & 225.0 & 105 & 2.76 & 3.460 & 20.22 & 1 & 0 & 3 & 1\\
Duster 3601 & 14.3 & 8 & 360.0 & 245 & 3.21 & 3.570 & 15.84 & 0 & 0 & 3 & 4\\
Merc 240D1 & 24.4 & 4 & 146.7 & 62 & 3.69 & 3.190 & 20.00 & 1 & 0 & 4 & 2\\

\addlinespace

Merc 2301 & 22.8 & 4 & 140.8 & 95 & 3.92 & 3.150 & 22.90 & 1 & 0 & 4 & 2\\
Merc 2801 & 19.2 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.30 & 1 & 0 & 4 & 4\\
Merc 280C1 & 17.8 & 6 & 167.6 & 123 & 3.92 & 3.440 & 18.90 & 1 & 0 & 4 & 4\\
Merc 450SE1 & 16.4 & 8 & 275.8 & 180 & 3.07 & 4.070 & 17.40 & 0 & 0 & 3 & 3\\
Merc 450SL1 & 17.3 & 8 & 275.8 & 180 & 3.07 & 3.730 & 17.60 & 0 & 0 & 3 & 3\\

\addlinespace

Merc 450SLC1 & 15.2 & 8 & 275.8 & 180 & 3.07 & 3.780 & 18.00 & 0 & 0 & 3 & 3\\
Cadillac Fleetwood1 & 10.4 & 8 & 472.0 & 205 & 2.93 & 5.250 & 17.98 & 0 & 0 & 3 & 4\\
Lincoln Continental1 & 10.4 & 8 & 460.0 & 215 & 3.00 & 5.424 & 17.82 & 0 & 0 & 3 & 4\\
Chrysler Imperial1 & 14.7 & 8 & 440.0 & 230 & 3.23 & 5.345 & 17.42 & 0 & 0 & 3 & 4\\
Fiat 1281 & 32.4 & 4 & 78.7 & 66 & 4.08 & 2.200 & 19.47 & 1 & 1 & 4 & 1\\

\addlinespace

Honda Civic1 & 30.4 & 4 & 75.7 & 52 & 4.93 & 1.615 & 18.52 & 1 & 1 & 4 & 2\\
Toyota Corolla1 & 33.9 & 4 & 71.1 & 65 & 4.22 & 1.835 & 19.90 & 1 & 1 & 4 & 1\\
Toyota Corona1 & 21.5 & 4 & 120.1 & 97 & 3.70 & 2.465 & 20.01 & 1 & 0 & 3 & 1\\
Dodge Challenger1 & 15.5 & 8 & 318.0 & 150 & 2.76 & 3.520 & 16.87 & 0 & 0 & 3 & 2\\
AMC Javelin1 & 15.2 & 8 & 304.0 & 150 & 3.15 & 3.435 & 17.30 & 0 & 0 & 3 & 2\\

\addlinespace

Camaro Z281 & 13.3 & 8 & 350.0 & 245 & 3.73 & 3.840 & 15.41 & 0 & 0 & 3 & 4\\
Pontiac Firebird1 & 19.2 & 8 & 400.0 & 175 & 3.08 & 3.845 & 17.05 & 0 & 0 & 3 & 2\\
Fiat X1-91 & 27.3 & 4 & 79.0 & 66 & 4.08 & 1.935 & 18.90 & 1 & 1 & 4 & 1\\
Porsche 914-21 & 26.0 & 4 & 120.3 & 91 & 4.43 & 2.140 & 16.70 & 0 & 1 & 5 & 2\\
Lotus Europa1 & 30.4 & 4 & 95.1 & 113 & 3.77 & 1.513 & 16.90 & 1 & 1 & 5 & 2\\

5. Overall Training Events Evalaution

```
\addlinespace
Ford Pantera L1 & 15.8 & 8 & 351.0 & 264 & 4.22 & 3.170 & 14.50 & 0 & 1 & 5 & 4\\
Ferrari Dino1 & 19.7 & 6 & 145.0 & 175 & 3.62 & 2.770 & 15.50 & 0 & 1 & 5 & 6\\
Maserati Bora1 & 15.0 & 8 & 301.0 & 335 & 3.54 & 3.570 & 14.60 & 0 & 1 & 5 & 8\\
Volvo 142E1 & 21.4 & 4 & 121.0 & 109 & 4.11 & 2.780 & 18.60 & 1 & 1 & 4 & 2\\*
\end{longtable}
\end{scriptsize}
```

```
<!--chapter:end:04-Discussion.Rmd-->
```

output:

```
#bookdown::html_document2: default
```

```
#bookdown::word_document2: default
```

```
bookdown::pdf_document2:
```

```
  template: templates/template.tex
```

```
documentclass: book
```

```
#bibliography: [bibliography/references.bib, bibliography/additional-references.bib]
```

```
---
```

```
# Training Event Results {#cites-and-refs}
```

```
\chaptermark{Citations and cross-refs}
```

```
\minitoc <!-- this will include a mini table of contents-->
```

5. Overall Training Events Evalaution

CEPEH Training Event C1

The CEPEH training event C1 held at the premises of University of Nottingham aiming 15 participants were from RISE, AUTH, UoN.

Project managers of partners signposted the person involved, and relevant announcements

Overall Training Events Evalaution

Participants were asked to highlight what they liked for each day and how each day

Day 1

The participants comment that they liked the design method for educational resources

Day 2

Participants enjoyed the presentation from the invited speaker from another faculty

Day3

Participants liked the hands-on activities of the day also enjoyed the creativity of

5. Overall Training Events Evalaution

`## CEPEH Training Event 2`

`**Pre-Training Event survey May 9th-13th 2022 Thessaloniki, Greece**`

Twenty-six participants attended the Training Event, along with approximately 10 st

Table 1 suggested attendees had minimal intention to share their own ideas due to l

There were 77% of participants stated they were novices in experience with chatbots

One day had several events regarding cybersecurity in healthcare. When asked before

There were 90% (23) of students who heard about the event through a lecturer or a p

There were six individuals who stated neutral or disagree when asked if having issu

5. Overall Training Events Evaluation

As this was face-to-face, participants were asked about sufficient Covid-19 precautions. In summary, most participants were undergraduate students with novice experience, h

The usual way to include citations in an **R Markdown** document is to put references. Then reference the path to this file in ***index.Rmd***'s YAML header with ``bibliography``

`[^bib-formats]`: The bibliography can be in other formats as well, including EndNote

Most reference managers can create a .bib file with your references automatically. However, the ***by far*** best reference manager to use with **R Markdown** is [Zotero]

Here is an example of an entry in a ***bib*** file:

```
```bibtex
@article{Shea2014,
 author = {Shea, Nicholas and Boldt, Annika},
 journal = {Trends in Cognitive Sciences},
 pages = {186--193},
 title = {{Supra-personal cognitive control}},
 volume = {18},
 year = {2014},
 doi = {10.1016/j.tics.2014.01.006},
}
```

In this entry highlighted section, ‘Shea2014’ is the **citation identifier**. To default way to cite an entry in your text is with this syntax: `[@citation-identifier]`.

So I might cite some things (Lottridge et al., 2012; Mill, 1965 [1843]; Shea et al., 2014).

## 5. Overall Training Events Evaluation

### 5.3.1 Appearance of citations and references section (pandoc)

By default, `oxforddown` lets [Pandoc](#) handle how citations are inserted in your text and the references section. You can change the appearance of citations and references by specifying a CSL (Citation Style Language) file in the `cs1` metadata field of `index.Rmd`. By default, `oxforddown` by the American Psychological Association (7th Edition), which is an author-year format.

With this style, a number of variations on the citation syntax are useful to know:

- Put author names outside the parenthesis
  - This: `@Shea2014 says blah.`
  - Becomes: Shea et al. (2014) says blah.
- Include only the citation-year (in parenthesis)
  - This: `Shea et al. says blah [-@Shea2014]`
  - Becomes: Shea et al. says blah (2014)
- Add text and page or chapter references to the citation
  - This: `[see @Shea2014, pp. 33–35; also @Wu2016, ch. 1]`
  - Becomes: Blah blah (see [Shea et al., 2014](#), pp. 33–35; also [Wu, 2016](#), ch. 1).

If you want a numerical citation style instead, try `cs1: bibliography/transactions-on-comput` or just have a browse through the [Zotero Style Repository](#) and look for one you like. For convenience, you can set the line spacing and the space between the bibliographic entries in the reference section directly from the YAML header in `index.Rmd`.

If you prefer to use `biblatex` or `natbib` to handle references, see [this chapter](#).

## 5. Overall Training Events Evaluation

### 5.3.2 Insert references easily with RStudio's Visual Editor

For an easy way to insert citations, use RStudio's [Visual Editor](#). Make sure you have the latest version of RStudio – the visual editor was originally really buggy, especially in relation to references, but as per v2022.02.0, it's great!

## 5.4 Cross-referencing

We can make cross-references to **sections** within our document, as well as to **figures** (images and plots) and **tables**.

The general cross-referencing syntax is `\@ref(label)`

### 5.4.1 Section references

Headers are automatically assigned a reference label, which is the text in lower caps separated by dashes. For example, `# My header` is automatically given the label `my-header`. So `# My header` can be referenced with `\@ref(my-section)`

Remember what we wrote in section ???

We can also use **hyperlink syntax** and add `#` before the label, though this is only guaranteed to work properly in HTML output:

- So if we write `Remember what we wrote up in [the previous section](#citations)?`
- It becomes `Remember what we wrote up in the previous section?`

### Creating custom labels

It is a very good idea to create **custom labels** for our sections. This is because the automatically assigned labels will change when we change the titles of the sections - to avoid this, we can create the labels ourselves and leave them untouched if we change the section titles.

We create custom labels by adding `{#label}` after a header, e.g. `# My section {#my-label}`. See [our chapter title](#) for an example. That was section 4.

## 5. Overall Training Events Evalaution

**Table 5.1:** Stopping cars

speed	dist
4	2
4	10
7	4
7	22
8	16

### 5.4.2 Figure (image and plot) references

- To refer to figures (i.e. images and plots) use the syntax `\@ref(fig:label)`
- **GOTCHA:** Figures and tables must have captions if you wish to cross-reference them.

Let's add an image:

We refer to this image with `\@ref(fig:captain)`. So Figure ?? is [this image](#).

And in Figure ?? we saw a [cars plot](#).

### 5.4.3 Table references

- To refer to tables use the syntax `\@ref(tab:label)`

Let's include a table:

We refer to this table with `\@ref(tab:cars-table2)`. So Table 5.1 is [this table](#).

And in Table ?? we saw more or less [the same cars table](#).

### 5.4.4 Including page numbers

Finally, in the PDF output we might also want to include the page number of a reference, so that it's easy to find in physical printed output. LaTeX has a command for this, which looks like this: `\pageref{fig/tab:label}` (note: curly braces, not parentheses)

When we output to PDF, we can use raw LaTeX directly in our .Rmd files. So if we wanted to include the page of the cars plot we could write:

## 5. Overall Training Events Evalaution

- This: `Figure \@ref(fig:cars-plot)` on page `\pageref(fig:cars-plot)`
- Becomes: Figure ?? on page ??

### Include page numbers only in PDF output

A problem here is that LaTeX commands don't display in HTML output, so in the gitbook output we'd see simply "Figure ?? on page".

One way to get around this is to use inline R code to insert the text, and use an `ifelse` statement to check the output format and then insert the appropriate text.

- So this: ``r ifelse(knitr::is_latex_output(), "Figure \@ref(fig:cars-plot) on page \pageref{fig:cars-plot}", "")``
- Inserts this (check this on both PDF and gitbook): Figure ?? on page ??

Note that we need to escape the backslash with another backslash here to get the correct output.

## 5.5 Collaborative writing

Best practices for collaboration and change tracking when using R Markdown are still an open question. In the blog post [One year to dissertate](#) by Lucy D'Agostino, which I highly recommend, the author notes that she knits `.Rmd` files to a word document, then uses the `googledrive` R package to send this to Google Drive for comments / revisions from co-authors, then incorporates Google Drive suggestions *by hand* into the `.Rmd` source files. This is a bit clunky, and there are ongoing discussions among the *R Markdown* developers about what the best way is to handle collaborative writing (see [issue #1463](#) on GitHub, where [CriticMarkup](#) is among the suggestions).

For now, this is an open question in the community of R Markdown users. I often knit to a format that can easily be imported to Google Docs for comments, then go over suggested revisions and manually incorporate them back in to the `.Rmd` source files. For articles, I sometimes upload a near-final draft to [Overleaf](#),



## 5. Overall Training Events Evalaution

then collaboratively make final edits to the LaTeX file there. I suspect some great solution will be developed in the not-to-distant future, probably by the RStudio team.

## 5.6 Additional resources

- *R Markdown: The Definitive Guide* - <https://bookdown.org/yihui/rmarkdown/>
- *R for Data Science* - <https://r4ds.had.co.nz>

# Appendix

# Appendices



## The First Appendix

This first appendix includes an R chunk that was hidden in the document (using `echo = FALSE`) to help with readability:

**In `02-rmd-basics-code.Rmd`**

**And here's another one from the same chapter, i.e. Chapter ??:**

B

The Second Appendix, for Fun

## References

- Goethe, J. W. von. (1829). *Wilhelm Meisters Wanderjahre oder die Entsagen-*  
*den*. Cotta.
- Lottridge, D., Marschner, E., Wang, E., Romanovsky, M., & Nass, C. (2012).  
Browser design impacts multitasking. *Proceedings of the Human Factors and*  
*Ergonomics Society 56th Annual Meeting*. [https://doi.org/10.1177/10](https://doi.org/10.1177/1071181312561289)  
[71181312561289](https://doi.org/10.1177/1071181312561289)
- Mill, J. S. (1965 [1843]). *A system of logic, ratiocinative and inductive: Being*  
*a connected view of the principles of evidence and the methods of scientific*  
*investigation*. Longmans.
- Shea, N., Boldt, A., Bang, D., Yeung, N., Heyes, C., & Frith, C. D. (2014). Supra-  
personal cognitive control and metacognition. *Trends in Cognitive Sciences*,  
*18*(4), 186–193. <https://doi.org/10.1016/j.tics.2014.01.006>
- Wu, T. (2016). *The Attention Merchants: The Epic Scramble to Get Inside Our*  
*Heads*. Knopf Publishing Group.