Research Report: A Material and Component Analysis of Humanoid Robots in a Global and European Context

Report Date: 2026-04-20

Abstract

This report provides a comprehensive scientific analysis of humanoid robots from a material and component perspective. It details the core technologies that constitute modern humanoid systems, including structural materials, advanced actuation, multi-modal sensing, and power management. A comparative analysis situates humanoids relative to other key robotic classes—conventional industrial robots, single/dual-arm manipulators, mobile manipulators, and quadrupeds—to evaluate the technological lineage and component interdependencies. The report places a particular focus on the European landscape, examining market trends, investment relevance, and the region's distinct human-centric policy approach to robotics. The analysis concludes that humanoids are not a revolutionary leap but an evolutionary integration of mature technologies developed across other robotic domains. Consequently, deep research into non-humanoid robot classes is deemed essential for any substantive technology and materials study focused on humanoid robotics, as these classes provide the fundamental building blocks and solutions to shared engineering challenges.

---

1. Introduction

Humanoid robots, machines designed to mimic human form and function, represent a significant frontier in robotics and artificial intelligence. Their bipedal, bi-manual structure is engineered to operate within environments built for people, promising a new level of versatility in applications ranging from manufacturing and logistics to healthcare and domestic assistance [2, 8]. The recent acceleration in humanoid development, spurred by advancements in AI and mechatronics, necessitates a deeper understanding of their underlying technology.

This report aims to deliver a detailed analysis of humanoid robots from a material and component standpoint. It will deconstruct the anatomy of a typical humanoid, examining its structural composition, actuation mechanisms, sensing capabilities, and power systems. To provide a clear technological context, the report will compare humanoids with other major classes of robots: conventional industrial robots, single- and dual-arm manipulators, mobile manipulators, and quadruped robots.

Furthermore, this analysis will incorporate a worldwide perspective with a specific focus on the European Union, assessing regional usage trends, investment relevance, and the evolving policy landscape. The report will culminate in a direct assessment of how essential research into non-humanoid classes is for a comprehensive study of humanoid technology and materials.

2. Anatomy of a Humanoid Robot: A Material and Component Perspective

The complexity of a humanoid robot lies in the seamless integration of its mechanical structure, power systems, sensory apparatus, and intelligent control. These systems are designed to replicate human biomechanics, enabling tasks that require mobility, dexterity, and cognitive understanding [2].

2.1. Structural Design and Materials

A humanoid robot's frame is its skeleton, providing physical form and housing all other components. The structure typically includes a head, torso, two arms with end-effectors (hands), and two legs, engineered to achieve between 20 and 50+ Degrees of Freedom (DOF) for fluid, naturalistic motion [2, 5].

The choice of materials is critical for balancing strength, weight, and durability. Key materials include:
* **Aluminum Alloys:** Widely used for their excellent strength-to-weight ratio and cost-effectiveness [5, 8].
* **Carbon Fiber Composites:** Preferred for high-performance robots where minimizing weight is paramount to enhancing speed and energy efficiency [5, 8].
* **Engineering Plastics:** Employed for body panels and non-structural components to reduce weight and cost [5].

This lightweight construction is essential to support the robot's own mass while accommodating the significant payload of motors, batteries, and electronics [8].

2.2. Actuation Systems

Actuation systems function as the robot's muscles, converting electrical energy into precise mechanical motion [4]. The trend is moving away from heavier, leak-prone hydraulic systems (once used in early dynamic robots like Boston Dynamics' Atlas) towards all-electric solutions [5].

- **Electric Actuators:** These are the standard, valued for their efficiency and controllability [5].
  - **Brushless DC (BLDC) Motors:** Common in smaller joints such as wrists and hands [4].
  - **Frameless Torque Motors:** Increasingly used in major joints like hips, knees, and shoulders. Their direct integration into the robot's structure eliminates backlash and reduces weight, enabling smoother, more "biological" motion [4].
- **Gearboxes:** Essential for amplifying motor torque and regulating speed [4].
  - **Harmonic Drive Gearboxes:** Used in joints requiring extreme precision and zero backlash, like ankles and wrists, which are critical for balance and fine manipulation [4].
  - **Planetary Gear Systems:** Valued for their high torque density and durability, often used in leg joints and waist rotation [4].

2.3. Sensing and Perception

A dense array of sensors provides the robot with awareness of its internal state (proprioception) and its external environment (exteroception) [2].

- **Internal Sensors:**
  - **Inertial Measurement Units (IMUs):** Comprising gyroscopes and accelerometers, IMUs are crucial for balance, providing data on the robot's orientation and angular velocity [2, 8].
  - **Joint Encoders and Torque Sensors:** These measure the position, speed, and force at each joint, enabling precise motion control and force feedback [2, 8].

- **External Sensors:**
  - **Vision Systems:** The primary sense for environmental perception. Humanoids are typically equipped with multiple cameras in their heads, including RGB cameras for object recognition and depth cameras (such as LiDAR or RGB-D) for 3D mapping and navigation [2, 5, 6]. Some models, like Figure 02, use as many as six cameras [5].
  - **LiDAR (Light Detection and Ranging):** Maps the environment with laser pulses, useful for long-range navigation and obstacle avoidance [2, 5].
  - **Tactile Sensors:** Located in the hands and sometimes on the body, these sensors detect pressure and texture, enabling delicate gripping and collision detection [2, 6, 8]. For example, some robots feature fingertip sensors capable of detecting forces as low as three grams [3].
  - **Microphones:** Allow for sound detection and speech recognition, facilitating human-robot interaction [2, 6, 8].

2.4. Power and Energy Management

Powering a bipedal robot is a significant engineering challenge due to the high energy consumption of dynamic balancing and locomotion [2, 8].

- **Batteries:** High-density lithium-ion battery packs are the standard power source, typically housed in the torso [2, 5, 8]. Capacities generally range from 2 to 4 kWh [5]. While some advanced models like Tesla's Optimus (2.3 kWh) aim for a full workday, current operational runtimes are often limited to a few hours [5]. Agility Robotics' Digit features a 4:1 work-to-charge ratio [5, 8].
- **Energy Efficiency:** Efficient power management is critical. This involves using energy-efficient electric actuators (which can be over 80% efficient before gearbox losses) and lightweight materials [8]. **Regenerative braking**, which recovers energy during deceleration, can reclaim up to 30% of expended energy [5, 8].
- **Operational Continuity:** To extend runtime, strategies like automated battery swapping and fast-charging docks are being implemented [1]. Wireless inductive charging is also in development to allow robots to recharge autonomously [4, 5].

2.5. Control Systems and Artificial Intelligence

The "brain" of a humanoid robot is a powerful onboard computer, often equipped with GPUs or other AI accelerators, that runs a complex software stack [2].

- **Software and Control:** A layered approach is common. A high-level cognitive layer, driven by AI, handles perception, task planning, and decision-making. A low-level motion control layer operates at high frequency to execute movements and maintain balance, akin to subconscious reflexes [2]. Robot Operating System (ROS) is a common framework for integrating these functions [8].
- **Artificial Intelligence (AI):** AI is the key to autonomy and adaptability.
  - **Perception:** Computer vision models (e.g., Vision Transformers) interpret data from cameras and LiDAR for object recognition and scene understanding [2].
  - **Interaction:** Vision-Language Models (VLMs) and Large Language Models (LLMs) enable robots to understand and respond to spoken commands in context ("pick up the red apple from the bowl") [2, 5].
  - **Motion and Learning:** Machine learning, particularly **reinforcement learning** and **imitation learning**, is used to train robots in complex skills like walking, grasping, and manipulation [2]. This training is often performed extensively in physics-based simulators before real-world deployment [2].

3. Comparative Analysis of Robotic Architectures

Humanoid robots did not emerge from a technological vacuum. They are an amalgamation of technologies and design principles refined over decades in other classes of robots. Understanding these predecessors is crucial to appreciating the specific challenges and innovations of the humanoid form.

3.1. Conventional Industrial Robots

Conventional industrial robots, typically single-armed manipulators fixed to a base, are the workhorses of modern manufacturing.
* **Structure and Materials:** They are built for rigidity and payload capacity, often using heavy materials like steel for their base and links [41, 42, 45]. Their kinematic structures (e.g., Articulated, SCARA, Cartesian) are optimized for specific, repetitive tasks within a well-defined workspace [43, 46].
* **Technology Comparison:** They represent the baseline for manipulation. Their actuators (high-precision servo motors), gearboxes, and end-effectors (grippers, welders) are foundational technologies shared with humanoids [41, 47]. However, their sensing and control systems are simpler, as they operate in highly structured, predictable environments and have no need for dynamic balancing or navigation.

3.2. Single and Dual-Arm Manipulators

These arms are the fundamental building blocks of almost all manipulation-focused robots.
* **Single-Arm:** The classic industrial robot, perfected for a single task sequence.
* **Dual-Arm:** The introduction of a second arm marks a key evolutionary step. It enables complex, coordinated tasks that a single arm cannot perform, such as stabilizing a part with one arm while assembling it with the other [12, 14]. This demands a far more complex control system to manage bimanual coordination and avoid self-collision [14].
* **Technology Comparison:** Dual-arm robots are a direct precursor to the manipulation capabilities of humanoids. They share the same core components—actuators, joints, sensors, and materials like aluminum and carbon fiber [13]. The challenges of controlling two coordinated arms provide a crucial foundation for humanoid whole-body control.

3.3. Mobile Manipulators

Mobile manipulators, or “mobots,” consist of a robotic arm mounted on a mobile base (typically wheeled or tracked).
* **Structure and Function:** They bridge the gap between fixed industrial robots and fully mobile humanoids by combining manipulation with locomotion [23]. They can move between workstations, tend to multiple machines, or perform tasks in logistics and healthcare.
* **Technology Comparison:** Mobots introduce the challenge of navigating unstructured environments. They rely heavily on sensors like LiDAR and 3D cameras for mapping and obstacle avoidance—the same sensory suites used in humanoids [23, 27]. Their control systems must integrate mobile base navigation with manipulator control, a critical prerequisite for humanoid task execution while in motion [23, 27]. Soft and lightweight materials are also prioritized for safe human-robot interaction [24].

3.4. Quadruped Robots

Four-legged robots like those from Boston Dynamics and Unitree are masters of dynamic mobility on complex terrain.
* **Structure and Actuation:** While not human-like in form, they tackle the same core problem of legged locomotion. To manage impacts and store energy, they often employ specialized actuators like **Series Elastic Actuators (SEAs)**, which incorporate a spring into the joint [32, 33]. Materials must

be both lightweight (carbon fiber) and robust [32, 36].
* **Technology Comparison:** Quadruped research provides invaluable insights into dynamic balance control, energy-efficient gaits, and robust actuation for impact-prone limbs. Their heavy reliance on IMUs for balance and foot-contact sensors for terrain adaptation directly informs the development of bipedal walking algorithms [32, 33]. Innovations in their power systems, such as structural batteries that serve as both a power source and a load-bearing component, are highly relevant to humanoids [31].

4. European Context: Usage, Investment, and Policy

Europe is emerging as a critical region in the development and adoption of humanoid robots, characterized by strong research foundations, increasing investment, and a distinct policy focus on ethical and human-centric automation.

4.1. Market Landscape and Investment Trends

The European humanoid robot market is projected to experience significant growth, from an estimated USD 0.77 billion in 2025 to USD 1.03 billion in 2026 [62]. Europe is expected to have the fastest growth rate among global regions, with a projected CAGR of 52.5% between 2024 and 2030 [72].

- **Investment Drivers:** This growth is fueled by structural labor shortages, with 63% of EU SMEs struggling to find skilled talent [62, 63]. Government initiatives like the **Horizon Europe** program and France's €800 million investment in robotics are actively funding R&D [63].
- **Key Players:** While lagging behind the US and China in overall private investment, Europe is home to key innovators like **PAL Robotics** (Spain), which developed Europe's first fully autonomous humanoid [70], and **Neura Robotics** (Germany), which became Europe's best-funded humanoid company following a major investment in early 2025 [64].
- **Challenges:** A significant challenge remains in bridging the gap between fundamental research and industrial-scale commercialization, which requires higher levels of private investment to compete with multi-hundred-million-dollar funding rounds seen in the US [63].

4.2. Adoption and Application Focus

Adoption in Europe is driven by applications in sectors where human-like capabilities offer distinct advantages.
* **Healthcare and Elder Care:** With an aging population, there is strong demand for robots to assist in caregiving, rehabilitation, and daily tasks [60, 61, 65]. EU-funded projects are already exploring the integration of robots into nursing homes and hospitals [72].
* **Manufacturing and Logistics:** Companies like BMW and Mercedes-Benz are piloting humanoid robots in production plants to handle physically demanding tasks and enhance flexibility on assembly lines [62, 63]. The ability of humanoids to work in existing human-centric facilities without major infrastructure changes is a key value proposition [63].
* **Bipedal vs. Wheeled:** Bipedal humanoids are gaining significant traction in Europe due to their ability to navigate complex human environments, such as stairs and cluttered shop floors, giving them an advantage over their wheeled counterparts in certain applications [72].

4.3. Regulatory and Policy Framework

The European Union has adopted a proactive and distinct approach to governing AI and robotics, prioritizing ethics, safety, and human oversight [50, 53, 58].
* **Human-Centric Policy:** The EU's strategy is built on ensuring technology serves human well-being. Legislation like the **AI Act** and the updated **Machinery Regulation** establishes stringent requirements for high-risk AI systems, including those in robots [56, 58]. The Machinery Regulation specific-

ally mandates cybersecurity protections for safety-critical functions [55, 56].
* **Industrial vs. Humanoid Robots:** EU policy implicitly distinguishes between established industrial robots and emerging humanoids. Decades of data on industrial robot deployment in Europe show little to no negative aggregate impact on employment [52]. However, policymakers are concerned that humanoids could create a “new industrial paradox,” where local manufacturing is boosted without corresponding job creation for human workers [51].
* **Liability and Safety:** The human-like form and autonomous capabilities of humanoids have sparked debate on legal responsibility. The EU is focused on maintaining clear lines of accountability with manufacturers and operators rather than creating novel legal statuses like “electronic personhood” [57]. Safety standards such as ISO 13482 (personal care robots) are crucial for building public trust and facilitating adoption [56].

5. Synthesis and Conclusion: The Necessity of Broader Robotic Research

Humanoid robots represent a convergence of technologies developed across the entire spectrum of robotics. They are not a standalone category but rather a sophisticated integration of foundational systems proven in other forms. This technological lineage directly answers the central question of this report.

Deep research on non-humanoid robot classes is not only beneficial but essential for a humanoid-focused technology and materials study.

1. **Manipulation from Arms:** The dexterity of a humanoid’s arms and hands is built upon decades of research in industrial manipulators. The materials (aluminum, carbon fiber), actuators (servo motors), and end-effector designs are direct descendants of those perfected in factories. Dual-arm systems, in particular, provided the critical proving ground for the complex control algorithms needed for bimanual coordination [12, 14].

2. **Mobility from Mobots:** The ability of a humanoid to navigate a factory floor or hospital corridor relies on the same sensing and software stack developed for mobile manipulators. The use of LiDAR, 3D cameras, and SLAM (Simultaneous Localization and Mapping) algorithms for autonomous navigation was pioneered in wheeled and tracked robots [23, 27].

3. **Locomotion from Quadrupeds:** The profound challenge of dynamic bipedal walking is directly informed by research into quadrupedal locomotion. The principles of maintaining balance with IMU feedback, managing ground impacts with compliant actuators (like SEAs), and optimizing power consumption during movement have been extensively studied in four-legged robots [32, 33].

In conclusion, to study humanoid robots in isolation is to ignore the fundamental building blocks that make them possible. A thorough material and component analysis requires understanding the proven solutions and persistent challenges in manipulators, mobile robots, and quadrupeds. These platforms have de-risked and matured the individual components—actuators, sensors, power systems, and materials—allowing humanoid research to focus on the unique, formidable challenge of integrating them into a stable, functional, and intelligent bipedal system [1, 9].

References

1. Humanoid Robots: From Demos to Deployment - Bain & Company (https://www.bain.com/insights/humanoid-robots-from-demos-to-deployment-technology-report-2025/)
2. What is a humanoid robot - Humanoid.guide (https://humanoid.guide/what-is-a-humanoid/)
3. Introducing Figure 03 - Figure.ai (https://www.figure.ai/news/introducing-figure-03/)
4. Precision in Motion: The Core Components Powering Humanoid Robots - PIB Sales (https://pib-sales.com/robotics/precision-in-motion-the-core-components-powering-humanoid-robots/)
5. AI Humanoid Robots 2026: Technology, Builders & Future - Articsledge (https://www.articsledge.com/post/ai-humanoid-robots/)
6. Humanoid Robots: Understanding the Technology Behind Human-Like Machines - ThinkRobotics.com (https://thinkrobotics.com/blogs/indepths/humanoid-robots-understanding-the-technology-behind-human-like-machines/)
7. The Era of Humanoid Robots: Addressing Emerging End-of-Life Waste Challenges - Environmental Science & Technology (https://pubs.acs.org/doi/10.1021/acs.est.6c02229/)
8. How Humanoid Robots Work: Complete Guide - Qviro Blog (https://qviro.com/blog/how-do-humanoid-robots-work/)
9. Humanoid Robots 2025-2035: Technologies, Markets and Opportunities - IDTechEx (https://www.idtechex.com/en/research-report/humanoid-robots/1093)
10. A Comprehensive Review of Humanoid Robots - Sheng - 2025 - SmartBot - Wiley Online Library (https://onlinelibrary.wiley.com/doi/10.1002/smb2.12008)
11. robotic manipulator - ScienceDirect (https://www.sciencedirect.com/topics/engineering/robotic-manipulator)
12. Two arms are better than one: The benefits of a dual-arm robotic system - dsiac.dtic.mil (https://dsiac.dtic.mil/articles/two-arms-are-better-than-one-the-benefits-of-a-dual-arm-robotic-system/)
13. Robot Manipulator - Wevolver (https://www.wevolver.com/article/robot-manipulator)
14. Dual-Arm Robots - Accio (https://www.accio.com/plp/dual-arm-robots)
15. A bimanual robot for dynamic manipulation - RAI Institute (https://rai-inst.com/resources/blog/bimanual-robot-for-dynamic-manipulation/)
16. ARM - Robots Guide (https://robotsguide.com/robots/arm)
17. Robot Arm Guide: Types, Applications, and Building Your First Robotic Manipulator - thinkrobotics.com (https://thinkrobotics.com/blogs/tutorials/robot-arm-guide-types-applications-and-building-your-first-robotic-manipulator)
18. robot arm, the most amazing elite power - Liv Hospital (https://int.livhospital.com/robot-arm-the-most-amazing-elite-power/)
19. manipulator arm - ScienceDirect (https://www.sciencedirect.com/topics/computer-science/manipulator-arm)
20. Applied Sciences | Free Full-Text | Enhancing Industrial Robot Control: A Novel Force-Sensing Gripper and Data-Driven Force Estimation Model - MDPI (https://www.mdpi.com/2076-3417/15/6/2976)
21. mobile manipulator - ScienceDirect (https://www.sciencedirect.com/topics/computer-science/mobile-manipulator)
22. Mobile Manipulators - StudySmarter (https://www.studysmarter.co.uk/explanations/engineering/robotics-engineering/mobile-manipulators/)
23. Understanding a mobile manipulator - Mobile Industrial Robots (https://mobile-industrial-robots.com/blog/understanding-a-mobile-manipulator/)

24. Mobile Manipulators - ACM Digital Library (https://dl.acm.org/doi/10.1145/3702468.3702471)
25. Robot Mobility, Manipulation & Attachment - RCA Robotics Laboratory (https://www.rca.ac.uk/research-innovation/research-centres/rca-robotics-laboratory/robot-mobility-manipulation-attachment/)
26. A state of the art on motion control of mobile manipulators - ScienceDirect (https://www.sciencedirect.com/science/article/abs/pii/S1367578820300043)
27. Manipulator Robots: Complete Guide | Benefits and applications | Robotnik (https://robotnik.eu/complete-guide-to-manipulator-robots-benefits-and-applications/)
28. O series - YOUİBOT (https://en.youibot.com/products-category/o-series-19.html)
29. Mobile Manipulators: Dynamic Flexibility In Action - Agile Robots (https://www.agile-robots.com/en/news/detail/mobile-manipulators-dynamic-flexibility-in-action/)
30. Recent advances in the development and control of humanoid robots for dynamic motions - ScienceDirect (https://www.sciencedirect.com/science/article/pii/S2215098625003192)
31. Embodied, flexible, high-power-output, structural batteries for untethered, small-scale robots - ScienceDirect (https://www.sciencedirect.com/science/article/abs/pii/S2405829723003999)
32. Quadruped Robot - an overview - ScienceDirect Topics (https://www.sciencedirect.com/topics/engineering/quadruped-robot)
33. Engineering Quadruped Locomotion: Actuation Systems, ... - IRJET (https://www.irjet.net/archives/V11/i10/IRJET-V11I1046.pdf)
34. Q8bot: Palm-sized quadruped robot jumps, redefines design with no wires - Interesting Engineering (https://interestingengineering.com/innovation/palm-sized-quadruped-robot-redefines-design)
35. Additive design and manufacturing of a quadruped robot actuated by electrothermal effect of shape memory polymer - ScienceDirect (https://www.sciencedirect.com/science/article/abs/pii/S0924424723002509)
36. A Review of Quadruped Robots: Structure, Control, and Autonomous Motion - Wiley Online Library (https://advanced.onlinelibrary.wiley.com/doi/10.1002/aisy.202300783)
37. Review: Advanced Drive Technologies for Bionic Soft Robots - Springer Nature Link (https://link.springer.com/article/10.1007/s42235-025-00664-1)
38. Quadruped Robot: A Complete Guide to Quadruped Robots - Humanoid Robotics Technology (https://humanoidroboticstechnology.com/articles/quadruped-robot-complete-guide/)
39. A Centimeter-Scale Quadruped Piezoelectric Robot with High Integration and Strong Robustness - PMC (https://pmc.ncbi.nlm.nih.gov/articles/PMC12282480/)
40. Quadruped Robots: Bridging Mechanical Design, Control, and Applications - MDPI (https://www.mdpi.com/2218-6581/14/5/57)
41. Robotic Arm Components: An Essential Guide - Standard Bots (https://standardbots.com/blog/robotic-arm-components)
42. Parts of Robot: Understand the Key Components - JEHSON (https://jehson-robot.com/parts-of-robot/)
43. How Do Robotic Arms Work? A Comprehensive Guide - Standard Bots (https://standardbots.com/blog/how-do-robotic-arms-work-a-comprehensive-guide)
44. A Guide To Robotic Arms And All You Need To Know - Universal Robots (https://www.universal-robots.com/in/blog/robotic-arm/)
45. Review on robotic arm performance - IAEME (https://iaeme.com/MasterAdmin/Journal_uploads/IJARET/VOLUME_11_ISSUE_6/IJARET_11_06_125.pdf)
46. Industrial Robot Arms and Cobots - Vention (https://vention.io/blogs/industrial-automation-design/industrial-robot-arms-and-cobots-913)

47. What Components Do Industrial Robotic Arms Include - Ost Bridge (https://www.ostbridge-tech.com/news/what-components-do-industrial-robotic-arms-include.html)
48. What are the Components of Robotic Arms in Industrial Robots? - CUBeMARS (https://www.linkedin.com/pulse/what-components-robotic-arms-industrial-robots-cubemars)
49. Robotic Arm Design Principles - Arctos Robotics (https://arctosrobotics.com/2025/10/19/robotic-arm-design-principles/)
50. Roboethics in Europe - PMC (https://pmc.ncbi.nlm.nih.gov/articles/PMC8572833/)
51. When ‘made in Europe’ meets machines: Humanoid robots, policy and the new industrial paradox - The Senate of Economy Europe (https://senate.economy.ac/t/when-made-in-europe-meets-machines-humanoid-robots-policy-and-the-new-industrial-paradox/1579)
52. Don’t blame it on the machines: Robots and employment in Europe - CEPR (https://cepr.org/voxeu/columns/dont-blame-it-machines-robots-and-employment-europe)
53. Responsible Robotics: a new opportunity for research and policy direction - SpringerLink (https://link.springer.com/article/10.1007/s12369-023-00982-6)
54. A Systematic Literature Review on Ethics in Robotics - SpringerLink (https://link.springer.com/article/10.1007/s42452-021-04853-5)
55. Artificial intelligence, robots, and work: is this time different? - Oslo Law Review (https://www.scup.com/doi/10.18261/olr.11.1.5)
56. Humanoid Robot Compliance - Kite Compliance (https://www.kitecompliance.ai/vertical-compliance/humanoid-robot-compliance)
57. Europe divided over robot ‘personhood’ - POLITICO (https://www.politico.eu/article/europe-divided-over-robot-ai-artificial-intelligence-personhood/)
58. Why Europe Could Win the Humanoid Race, Quietly - Robotics Observer (https://roboticsobserver.com/why-europe-could-win-the-humanoid-races-quietly/)
59. Digital responsibility gaps in the European Union - PMC (https://pmc.ncbi.nlm.nih.gov/articles/PMC8097897/)
60. Humanoid Robot Market - MarketsandMarkets (https://www.marketsandmarkets.com/Market-Reports/humanoid-robot-market-99567653.html)
61. Humanoid Robot Market Size, Share | Industry Report 2024-2030 - Grand View Research (https://www.grandviewresearch.com/industry-analysis/humanoid-robot-market-report)
62. Humanoid Robots Market - Fortune Business Insights (https://www.fortunebusinessinsights.com/humanoid-robots-market-110188)
63. Humanoid Robots: Conquering Industry - Societe Generale Private Banking (https://www.privatebanking.societegenerale.com/en/insights/humanoid-robots-conquering-industry/)
64. Humanoid Robotics Funding Trends - New Market Pitch (https://newmarketpitch.com/blogs/news/humanoid-robotics-funding-trends)
65. The Global Humanoid Robot Market is Expected to Reach $61.2 Billion in 2029 - SkyQuest Technology (https://www.skyquestt.com/report/humanoid-robot-market)
66. Humanoid Robot Market - Roots Analysis (https://www.rootsanalysis.com/humanoid-robot-market)
67. Humanoid Robots Are Evolving | Automate - Automate.org (https://www.automate.org/industry-insights/humanoid-robots-are-evolving)
68. Humanoid Robots Global Market Report 2026 - Yahoo Finance (https://finance.yahoo.com/news/humanoid-robots-global-market-report-153700568.html)
69. Is the Humanoid Robot Market on the Verge of a ‘5 Trillion’ Opportunity? - Morgan Stanley (https://www.morganstanley.com/insights/articles/humanoid-robot-market-5-trillion-by-2050)
70. Top Companies in the Rise of Humanoid Robots - Ross Dawson (https://rossdawson.com/futurist/companies-creating-future/top-companies-rise-humanoid-robots/)

71. Humanoid Robots 2025: The Race to Useful Intelligence - Edge AI and Vision Alliance (https://www.edge-ai-vision.com/2025/11/humanoid-robots-2025-the-race-to-useful-intelligence/)
72. What is a Humanoid Robot? Basics, Applications, Best Models - Top 3D Shop (https://top3d-shop.com/blog/humanoid-robots-types-history-best-models)
73. Robust Balance Control for Quadruped Robots with a Manipulator on Sloped Terrains - Science Partner Journals (https://spj.science.org/doi/10.34133/cbsystems.0201)
74. What does a humanoid robot do? - Standard Bots (https://standardbots.com/blog/humanoid-robot)