

Sugar evidence knowledge organiser

Read the sugar line and compare equal amounts of food.

Learning objective

I can compare sugar values using the same label basis and order four supplied food labels from least to most sugar.

Success criteria

- I can find the sugar number, unit and label basis.
- I can compare values only when the unit and basis match.
- I can order four labels and explain that sugar is one part of nutrition evidence.

Reading the whole sugar line

Teaching label X	Per 100 g
Carbohydrate	47 g
of which sugars	8 g

8 is the number. g is the unit (grams measure mass). Per 100 g is the basis: the amount of food compared.

Useful words

Carbohydrate: A nutrient group that includes sugars.

Of which sugars: The sugar part of total carbohydrate.

Evidence: Information used to support a claim.

Equal amounts and a fair comparison

P 6 g, Q 11 g, R 18 g and S 21 g sugar per 100 g: $P < Q < R < S$.

Extension: Z has 2 g sugar per 20 g serving. Five servings make 100 g of food, so $5 \times 2 \text{ g} = 10 \text{ g}$ sugar per 100 g. The order is P, Z, Q, R, S.

P has less sugar per 100 g than Q. Sugar alone cannot show which food is healthiest overall. Sugars are already included in the carbohydrate total.

Shared label cards

Fictional teaching labels. Each A to D label describes 100 g of food. Nothing is tasted.

Label	Carbohydrate	Of which sugars	Basis
A	22 g	4 g	per 100 g
B	67 g	9 g	per 100 g
C	58 g	14 g	per 100 g
D	72 g	23 g	per 100 g

Challenge card E

Of which sugars: 3 g per 25 g serving. Four such servings weigh 100 g. All other information is unknown.

Our shared work

Cut out the label rows or point and direct an adult. Arrange A to D from least to most sugar per 100 g. Explain the order before checking.

On label C, box the number, circle the unit and underline the basis:

Of which sugars 14 g per 100 g

Which claim fits the evidence? Circle or say your choice.

A has less sugar per 100 g than D. / A is the healthiest food for everyone.

Arrival task Supported

Choose the route that helps you show your thinking. Say, point, sign, draw or write. An adult may read the words. These clues also help if this is new.

1. Food chain

Plant → caterpillar → bird. Which is the plant that starts this chain?

A producer makes its own food. Here, it is the plant.

2. Body jobs

Food helps us have energy and grow.
Choose: energy only / growth only / both.

There are two jobs in the question.

3. A varied pattern

A balanced eating pattern includes a range of foods. Choose: one food always / a range of foods.

Balanced means varied over time.

4. Label clue

Teaching label: 'of which sugars: 4 g per 100 g'. Point to the sugar number.

Find the number just before the first g.

Your task Supported

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

1. Use these fictional teaching cards. All give sugar in g per 100 g: A - 4 g; B - 9 g; C - 14 g; D - 23 g.

Help if useful: Use a paper strip to track one card at a time. Say or point to the letter, the sugar number and 'g per 100 g' together.

2. Put the four cards in order from LEAST sugar per 100 g to MOST. Point, move paper cards or direct an adult.

Help if useful: Compare two numbers first. Place the smaller one towards LEAST, then find where each remaining card belongs.

3. Complete: Label ____ has the least sugar per 100 g. Label ____ has the most.

Help if useful: Look at the two ends of your own order. Use those card letters to fill the gaps.

Your task Supported continued

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

4. Choose the claim we can support: 'A has less sugar per 100 g than D' / 'A is the healthiest food for everyone'.

Help if useful: Ask: does this sentence describe the sugar evidence, or claim to know everything about the food?

5. Finish or point: These sugar numbers show ONE PART OF NUTRITION / THE WHOLE EATING PATTERN. Keep "g per 100 g" with each number.

Help if useful: Look at what was measured. Think about whether these cards show every nutrient and everything a person eats.

Exit ticket Supported

Name _____

Point, circle, say or write. An adult can scribe. Choose this ticket or the screen or your book.

Label B	Label C
9 g sugars per 100 g	14 g sugars per 100 g

1. Which label has less sugar per 100 g?

B 9 g per 100 g / C 14 g per 100 g

2. What do these two numbers tell us?

The amount of sugar / Everything about the food

Next lesson: Body Science Checkpoint

Arrival task Standard

Choose the route that helps you show your thinking. Say, point, sign, draw or write. An adult may read the words. These clues also help if this is new.

1. Read the arrow

Plant → caterpillar → bird. What does the arrow from plant to caterpillar show?

Think about food and energy transfer.

2. Recall body jobs

Name two jobs that nutrients from food support.

Think about energy, growth or repair.

3. Explain variety

Why does a balanced eating pattern include a range of foods?

Different foods supply different nutrients.

4. Read all three

A label says 'of which sugars: 4 g per 100 g'. Give the number, unit and basis.

Number = how much; unit = what measure; basis = in how much food.

Your task Standard

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

1. Read these fictional teaching labels. Each is PER 100 g. A: carbohydrate 22 g; of which sugars 4 g. B: carbohydrate 67 g; of which sugars 9 g. C: carbohydrate 58 g; of which sugars 14 g. D: carbohydrate 72 g; of which sugars 23 g.

Help if useful: Track the 'of which sugars' row. Keep the carbohydrate and sugar rows separate.

2. Make a results row for each label. Copy the SUGAR value with its unit and basis; do not copy total carbohydrate.

Help if useful: Use the headings Label | Sugar / g per 100 g. Check each copied value against its nutrient name.

3. Order A-D from least to most sugar per 100 g.

Help if useful: Check adjacent pairs: is each value no larger than the next? Recheck that all four use the same basis.

Your task Standard continued

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

4. Write or say one comparison: 'Label ____ has ____ g sugar per 100 g. This is less/more than ____.'

Help if useful: Build the comparison from two complete readings. Include which label you are comparing it with.

5. Explain one thing these sugar numbers cannot tell us about the whole food or eating pattern.

Help if useful: Choose one missing piece of information. Explain why that missing information limits a wider judgement.

Exit ticket Standard

Name _____

Point, circle, say or write. An adult can scribe. Choose this ticket or the screen or your book.

Label B	Label C
9 g sugars per 100 g	14 g sugars per 100 g

1. Complete the comparison.

Label B has 9 g / 14 g sugars per 100 g.

That is less / more than label C.

2. Finish the idea.

These numbers compare sugar / every nutrient.

They do not tell us everything about the food.

Next lesson: Body Science Checkpoint

Arrival task Stretch

Choose the route that helps you show your thinking. Say, point, sign, draw or write. An adult may read the words. These clues also help if this is new.

1. Use food-chain evidence

Plant → caterpillar → bird. Explain why the arrows are not pointing towards what each animal hunts or eats.

Follow the transfer of food and energy.

2. Separate the claims

'Food supplies energy' and 'This person eats badly'. Which is a statement about a body job?

Keep the science about nutrients and evidence.

3. Limit a judgement

Can one food's sugar value describe a person's whole eating pattern? Explain.

Consider the other foods and information missing.

4. Spot the mismatch

Can 8 g sugar per serving be compared directly with 8 g per 100 g? What is missing?

A serving might not be 100 g.

Your task Stretch

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

1. Fictional labels, all PER 100 g: A - carbohydrate 22 g, sugars 4 g; B - carbohydrate 67 g, sugars 9 g; C - carbohydrate 58 g, sugars 14 g; D - carbohydrate 72 g, sugars 23 g.

Help if useful: Identify the nutrient and reference amount before selecting numerical evidence.

2. Extract the four sugar values and order them. Keep the unit and basis.

Help if useful: Audit the completed order against the source labels; a correct number copied from the wrong row is still the wrong evidence.

3. Extra label E says 'sugars 3 g per 25 g serving'. Someone puts E before A because 3 is less than 4. Audit this decision.

Help if useful: Compare the reference quantities before comparing the two bare numbers.

Your task Stretch continued

Use the shared label cards. Choose a book, this paper or a spoken response. You only need to answer once.

4. Put E on a per-100 g basis before comparing. How many 25 g servings make 100 g? Then place E among A-D.

Help if useful: Find the scale factor from 25 g of food to 100 g of food. Apply the same factor to the sugar amount.

5. Write one supported comparison from A-D and repair this claim: 'The lowest-sugar card proves the best food for everybody.'

Help if useful: Separate a justified numerical comparison from a wider judgement. State exactly what the evidence establishes and what it leaves unknown.

Exit ticket Stretch

Name _____

Point, circle, say or write. An adult can scribe. Choose this ticket or the screen or your book.

1. Put E on the same basis.

Label E: 3 g sugars per 25 g serving. Four servings make 100 g: $3 + 3 + 3 + 3$.

E has 6 g / 12 g / 24 g sugars per 100 g.

Compared with B (9 g), E has less sugar / more sugar.

2. What else would you need to know about the food?

Other nutrient amounts / The label font

Or say or write your own example:

Next lesson: Body Science Checkpoint