

GROW Textiles

Autumn 1 · Weeks 5-7 · Three 40-minute lessons

Three complete textiles lessons: compare materials and joins, design for a user, then construct and evaluate a prototype. Weeks 5-6 adapt the uploaded shared BUILD/GROW lessons; Week 7 is newly authored completion from the GROW scheme-of-work sequence. The GROW route adds repeated-test reasoning, dimensioned plans and evidence-based improvements.

Using this pack

- Open index.html for the lesson and download menu, or use the editable PowerPoints. Keep this teacher guide separate from pupil copies.
- Print the two pupil activity pages for the lesson and its resource cards. Check activity materials and individual access needs before teaching.
- The 40-minute plans include response time and a closing check. Record the level of support and the pupil response; a completed page alone does not prove independent understanding.
- The HTML lessons work offline after the ZIP is extracted. The online Lessons link and external source links need an internet connection.
- Source codes are retained as planning references only. This pack does not certify ASDAN or AQA achievement; check current centre requirements before banking evidence.

Lesson sequence

5 | Test materials and joins Compare fabric properties and joining methods using observations and a fair-test record.

6 | Design for a user Develop a labelled textile-item design that uses property evidence, exact dimensions and an ordered making plan.

7 | Make, test and improve Follow the plan to assemble a prototype, evaluate its function using evidence and make a targeted improvement.

Test materials and joins

Lesson 5 · 40 minutes

Compare fabric properties and joining methods using observations and a fair-test record.

Before the lesson

- Print specimen, join and sample-data cards; provide known clean samples with accessible labels A-E.
- Prepare 100 × 30 mm fabric strips and 20 × 30 mm overlaps; pre-cut where needed. Use only approved cold adhesives and check material sensitivities privately.
- Prepare cured glue/tape specimens and a stitched display sample before the lesson, following actual product instructions. The default comparison uses supplied sample data.

Materials: Known clean cotton/felt/denim/jersey/net samples or the complete property cards; paper/card alternative.; Adult-prepared strips, ruler, pencil/chalk, school-approved cold fabric glue and tape, labelled drying tray, adult-prepared stitched display.; If an adult demonstration is approved: sealed 100 g test load, tray and suitable prepared holding fixture; pupils do not handle the load.

Minutes	Teach, practise and check
3	Arrive, choose role and introduce the question.
6	Observe or read material properties.
6	Model three join methods and fair comparison.
12	Make/inspect joins and label a drying sample.
7	Interpret sample results and match a join to a job.
4	Count and return scissors, tools and sample pieces; close approved adhesive containers, collect tape backings and scraps, wipe the work surface as directed and wash hands if needed.
2	Individual evidence-and-limit exit.

What success can look like

- I can link a fabric property to something I observe.
- I can compare glue, tape and stitch evidence without assuming a winner.
- I can explain one suitable choice and one limit of the test.

Care and boundaries: Follow the school practical-work risk assessment and individual access plans. The default lessons use no needles, pins, irons, hot glue, cord loops or loose buttons/beads. Adults control, count and return scissors and any small test equipment; pre-cut pieces are available. Use only school-approved cold adhesives according to the actual product instructions, check skin/material sensitivities privately, and keep glue away from eyes and mouths. Touching fabric, wearing an item or accepting physical guidance is never required. Agree support; use demonstration, pointing, an observer role or a paper/card model. Keep personal identifiers and pupil photos off public website files.

Assessment: Record a property with evidence, an accurate made/inspected distinction, a sample-result comparison and a reasoned join choice. Practical competence is recorded only for actions directly observed; no formal award is promised.

Support and teaching notes

Test materials and joins

Model the thinking

Bend a specimen, then give an observation rather than a universal claim. Trace the prepared stitched join. Model the distinction between a fresh sample and one ready for testing, then count successes across all three sample repeats.

Access and support

Offer two named samples and one property contrast first. Read the cards aloud, accept pointing/drawing/scribing and allow a paper joining sample. Keep made/inspected/simulated records distinct.

Extend the thinking

Explain why repeats improve the evidence, identify one remaining limitation and design a safer fair comparison for an intended desk use without running an extra practical test.

If the practical or activity cannot run

Use the complete specimen descriptions and invented test record. Learners sequence preparation, curing, testing and recording, and inspect a drawing or written stitch description without tools.

Likely misconceptions

- Bending is not the same as stretching.
- Fabric name alone does not establish all properties.
- A fresh adhesive sample cannot stand in for a correctly cured join.
- The supplied data do not show that stitch always wins or that a real bag handle is safe.

Model responses and checks

Test materials and joins

1. Property evidence: B: any two supplied properties. E: see-through or flexible. B is a sensible starting choice because opaque/edge stays together; join suitability still needs checking.

2. Read repeated results: Glue 3/3; tape 1/3; stitch 2/3. Glue most consistent here. No: actual materials, preparation and use can change the result.

3. Choose with a reason: Approved cold tape may suit the display after a trial. Bag handle needs appropriate load/repetition/design tests. Leave glue to cure and use prepared specimens/sample data.

Exit check: Made means the learner completed the process; inspected means they examined evidence of someone else's join.

Fabric property cards

Pocket candidate: B, because this felt sample is soft, flexible and its edge stayed together. Its join still needs a suitable test.

See-through overlay: E. Its holes would be unsuitable for containing loose tiny items.

Stretch candidate: D. The amount of stretch and recovery must suit the real job.

A fabric name alone does not prove a property, suitability or join strength. Check the actual sample.

Three join cards | What changes?

A glue specimen must cure as directed before its performance can be judged.

Cold tape and iron-on tape are different products; the pack uses only the cold type.

Inspecting a stitched sample is valid learning, but must not be recorded as making a stitch.

Accept choices supported by the job and evidence; do not award a universal "thread wins" answer.

Join test | Sample data and fair comparison

Glue held in 3 of 3 sample tests; tape in 1 of 3; stitch in 2 of 3.

In this supplied test, glue gave the most consistent holding result. This does not prove glue is always strongest or suitable for a heavy bag.

Repeat 1 alone gives glue and stitch a tie. The other repeats add evidence.

Do not compare fresh glue with fully prepared tape/stitch and call that a fair test of the methods.

Slideshow responses

Test materials and joins

Test materials and joins: Observe or test the actual sample and record what happens.

Property plus evidence: No. Bending and changing length are different properties.

Compare two samples: B: soft, flexible and opaque; its cut edge stayed together. The join still needs testing.

Three ways to connect: No. Use properly prepared samples or the labelled sample data.

A fair comparison?: No. Preparation, fabric dimensions and overlap differ; the test needs consistent conditions.

Make, label, leave to cure: “Inspected a stitched join”, not “made a stitch”.

Read the sample results: Glue held most consistently in these three sample tests. It is not proof that glue is always strongest.

Match the join to the job: No. Its real load, repeated use, material and design need appropriate testing.

One claim, one limit: Fabric, strip dimensions, overlap, load, time or handling.

Uploaded source references

[DT_Aut1_W5_Textiles_Fabrics_and_Joining.pptx](#)

[DT_Aut1_W5_Log_My_Fabric_Lab.docx](#)

[DT_Aut1_W5_My_Fabric_Lab_Worksheet.docx](#)

Design for a user

Lesson 6 · 40 minutes

Develop a labelled textile-item design that uses property evidence, exact dimensions and an ordered making plan.

Before the lesson

- Print the exact-size pattern, 50 mm scale check, brief and two original inspiration cards. Check print scale before class.
- Provide 100 × 170 mm paper blanks and 60 × 50 mm test cards for dry-fold modelling; no adhesive is required today.
- Trial the intended cold fabric tape with the actual fabric before Week 7. Choose paper/card model if tape cannot hold or be handled in the session under its product instructions.

Materials: Pattern, ruler, pencils/chalk, large paper, brief/idea/checklist cards, optional approved marker.; Known fabric samples or property descriptions; pre-cut paper blanks and test cards.; For flat-decoration choice: 100 × 70 mm backing and 60 × 50 mm front-panel paper models.

Minutes	Teach, practise and check
3	Recall one useful property and introduce user choice.
6	Read brief and compare original ideas.
7	Model dimensions, joins and a labelled drawing.
13	Create a labelled plan and dry-fold paper model.
6	Peer check, improve and sequence making steps.
3	Store plans, collect pattern pieces and reset.
2	Individual first-check exit.

What success can look like

- I can identify the user, purpose and testable checks.
- I can label fabric, join, size and decoration with reasons.
- I can use a partner's check to improve my making plan.

Care and boundaries: Follow the school practical-work risk assessment and individual access plans. The default lessons use no needles, pins, irons, hot glue, cord loops or loose buttons/beads. Adults control, count and return scissors and any small test equipment; pre-cut pieces are available. Use only school-approved cold adhesives according to the actual product instructions, check skin/material sensitivities privately, and keep glue away from eyes and mouths. Touching fabric, wearing an item or accepting physical guidance is never required. Agree support; use demonstration, pointing, an observer role or a paper/card model. Keep personal identifiers and pupil photos off public website files.

Assessment: Look for user/purpose, testable checks, dimensioned material/join labels, a feasible sequence and a revision based on feedback. Assess design communication rather than drawing neatness; distinguish paper model from fabric construction.

Support and teaching notes

Design for a user

Model the thinking

Show the blank with the short edge at the top. Measure 30 mm then 100 mm from that same origin, not from the first fold. Trace the two side strips; demonstrate why tape across the opening would defeat the pocket's job.

Access and support

Offer the two user cards, a pre-marked pattern and a small property-word bank. Learners may trace, position labels, point, dictate or build a paper model; a partner/adult can read the checklist.

Extend the thinking

Calculate 80 mm internal width and 20 mm card clearance; identify how material thickness might affect fit. Justify one change that improves function without enlarging the blank.

If the practical or activity cannot run

All inspiration, dimensions and checks are included in print. Use the paper model only; if ruler access is difficult, offer exact pre-cut shapes and measure together.

Likely misconceptions

- A picture without dimensions and join labels may be hard for another maker to follow.
- Both folds are measured from the original top, not consecutively.
- Decoration must not close the opening or hide a faulty join.
- A prototype plan is not evidence that the finished join has passed a test.

Model responses and checks

Design for a user

1. My user and brief: Pocket: card fits and joins hold for 3 cycles; clear front symbol. Decoration: panels stay attached after 3 gentle lifts and chosen symbol visible. Accept purpose-based changes.

2. Label a workable design: Pocket: bottom panel up, flap down, two side joins and clear opening. Flat decoration: centred 60 × 50 mm front on 100 × 70 mm backing, with two side joins and no folds. Accept labelled drawing, tracing, pointing or dictated evidence.

3. Make an ordered plan: Check; rehearse folds or panel position; join/assemble/press; decorate and wait; test the chosen item. Credit one specific plan improvement.

Exit check: So the maker leaves space for the card instead of joining every edge. The flat decoration does not need an opening.

Design brief | A small card pocket

The design is judged against purpose, card fit, side-join function and completeness of the plan. Colour preference alone cannot establish those checks.

A 60 mm-wide card fits the planned 80 mm internal width with 20 mm overall clearance, before material thickness and construction variation; test the real model.

No load-bearing or waterproof claim is made.

Pattern and fold guide | Exact dimensions

Top-origin fold coordinates: $y = 30$ mm and $y = 100$ mm; bottom panel height = 70 mm.

Internal width estimate: $100 - 10 - 10 = 80$ mm.

Front panel folds upwards; the top flap folds down. Closing all four edges would trap the card.

Two original design ideas | Compare and change

For Alex, a large symbol gives a specific purpose-based reason. For Rowan, a broad stripe can satisfy the stated preference.

Many colour and symbol choices are valid; assess labels, purpose and feasibility, not which design the adult prefers.

A flat decoration has a different function: check both panel joins stay attached after three gentle lifts from the desk. It is a legitimate simpler textile-item alternative, not a failed pocket.

Plan-review checklist

Missing details should lead to one clear revision, such as adding 30/100 mm fold marks or specifying the two side strips.

A valid plan for the flat decoration must use its different two-panel dimensions and attachment test rather than the pocket-card test.

Slideshow responses

Design for a user

Design for a user: Purpose, material, join, dimensions, decoration position and ordered steps.

Read the pocket brief: Card fit and side joins holding through three gentle insert/remove cycles.

Compare two original ideas: One broad stripe or another simple agreed symbol, while preserving function.

Read the dimensions: Yes: $80-60=20$ mm total width clearance before thickness and construction variation; check a real model.

Model the labelled plan: A relevant observed property, such as flexible/opaque with an edge that stayed together in the sample check.

A plan with a flaw: Keep the pocket opening clear; place tape only on the two planned side strips.

Create the design: Pocket: two 10×70 mm strips on the bottom panel. Flat decoration: two 10×50 mm strips at the smaller panel's side edges.

Peer check: could I make it?: For example: adding fold measurements, marking the opening or naming the approved cold tape.

Plan the first safe step: No. The actual material, approved adhesive preparation and finished join still need testing.

Uploaded source references

[DT_Aut1_W6_Textiles_Design_My_Item.pptx](#)

Make, test and improve

Lesson 7 · 40 minutes

Follow the plan to assemble a prototype, evaluate its function using evidence and make a targeted improvement.

Before the lesson

- Retrieve Week 6 plans. Prepare/pre-cut 100 × 170 mm blanks, two 10 × 70 mm tape strips and 60 × 50 mm paper test cards; premark folds where useful.
- Trial the actual cold tape/material combination and follow its pressing/handling/cure instructions. If readiness extends beyond class, plan the evaluation using a cured model or fictional records.
- Prepare a paper model for every pupil who prefers it. Ensure the flat-decoration alternative has 100 × 70 mm backing, 60 × 50 mm front and two 10 × 50 mm joining strips.

Materials: Prepared fabric/felt or paper blanks, appropriate school-approved cold tape, ruler, pencil/chalk, approved marker and paper test card.; Week 6 plan, exact pattern, construction card, brief and fictional prototype records.; Adult-controlled counted scissors if needed, table protection, waste tray and flat storage space.

Minutes	Teach, practise and check
3	Retrieve plan and choose role/material route.
5	Adult approval and model folds/joins.
17	Construct planned prototype or paper model.
7	Record function evidence and targeted improvement/retest or sample verdict.
6	Count and return scissors, tools and sample pieces; close approved adhesive containers, collect tape backings and scraps, wipe the work surface as directed and wash hands if needed.
2	Individual design-cycle exit.

What success can look like

- I can use my plan and an agreed making sequence safely.
- I can record a real test or accurately label a sample-data judgement.
- I can explain one improvement linked to an unmet check.

Care and boundaries: Follow the school practical-work risk assessment and individual access plans. The default lessons use no needles, pins, irons, hot glue, cord loops or loose buttons/beads. Adults control, count and return scissors and any small test equipment; pre-cut pieces are available. Use only school-approved cold adhesives according to the actual product instructions, check skin/material sensitivities privately, and keep glue away from eyes and mouths. Touching fabric, wearing an item or accepting physical guidance is never required. Agree support; use demonstration, pointing, an observer role or a paper/card model. Keep personal identifiers and pupil photos off public website files.

Assessment: Observe plan use, an agreed safe action, accurate evidence recording and a targeted improvement. Mark met/not yet/need evidence against the selected pocket or decoration brief; do not infer practical competence from a finished photo alone.

Support and teaching notes

Make, test and improve

Model the thinking

Dry-fold a paper blank; show the open top and two side-strip positions. Model one gentle test cycle and a truthful “not yet” record if a join opens. Explain that a repair requires the product’s proper preparation before retesting.

Access and support

Offer premade fold marks, pre-cut strips and one visible construction step at a time. Learners may direct a maker, point to a check or use paper. Adult support is agreed; no forced physical guidance.

Extend the thinking

Separate size, initial fit and repeated-join evidence; justify a targeted change and identify what an additional long-term test would need to investigate without claiming it has been done.

If the practical or activity cannot run

Build the exact paper model or evaluate all three supplied prototype records. A learner can meet the evaluation objective without handling fabric or adhesive; label the route used.

Likely misconceptions

- A tidy appearance does not prove function.
- Opening on cycle 2 does not meet a 3-cycle holding check.
- Decorating cannot fix a structural join.
- A model or sample-data judgement must not be recorded as tested fabric construction.

Model responses and checks

Make, test and improve

1. My construction record: Accept factual observations such as 100 × 170 mm blank, folds at 30/100 mm, clear opening or approved tool check. Do not credit unseen practical work.

2. Test against the brief: Sample B: size/initial card fit met; three-cycle join condition not yet; symbol met. For a real decoration, judge actual dimensions/panel centring, both joins after three gentle lifts and the symbol. Record the route and evidence used.

3. Improve and retest: Example: left join opens; adult-guided replacement; repeat 3 gentle card cycles when ready. If curing incomplete, store flat and record not yet tested rather than rushing.

Exit check: A specific change linked to the brief or evidence, followed by the relevant recheck when safe.

Make the pocket | Complete construction card

Correct pocket folds: bottom up at 100 mm; flap down at 30 mm from the original top. Side tape belongs only on the bottom panel's two outer 10 mm strips.

Expected pocket checks: test card slides in/out; both joins remain attached for three gentle cycles; planned symbol is visible; opening stays clear. Actual results may differ and must be recorded.

A not-yet-tested record is correct when adhesive or marker needs longer to cure; the pupil can evaluate the provided sample record meanwhile.

Flat decoration: finished backing 100 mm × 70 mm; centred front 60 mm × 50 mm; no card-containment claim.

Prototype records | Fictional results

A: all stated checks are supported by the fictional record.

B: size, initial card fit, visible stripe and approved process are supported; the side-join requirement is not yet met. Repair/retest the join.

C: dimensions and approval are recorded, but card fit and join function need evidence; the symbol is not yet added. Do not test before the join is ready.

A tidy photograph cannot prove a join test or the original material/tool approval.

Slideshow responses

Make, test and improve

Make, test and improve: The 60 × 50 mm card fits and both side joins hold through three gentle cycles.

Check before making: Record not yet tested, let it cure and use the supplied fictional record or ready paper model for evaluation.

Dry-fold first: Along the bottom panel's outer 10 mm side strips, from 100 mm down to 170 mm.

Construct from your plan: The side joins and edge or panel alignment match the chosen pattern. A pocket's opening remains clear.

A controlled function check: Both joins remain attached through all three gentle checks for the chosen item. These results apply only to this limited classroom task.

Read a prototype record: The side join staying closed through three cycles. The record supports the other stated checks.

Improve one useful thing: No. Repair or redesign the join under adult direction, then retest it.

Give the evidence-based verdict: A paper construction/fit model was made; fabric-join performance still needs evidence.

Show the design cycle: No. It cannot establish test cycles, cure time or the original material/tool approval.

Source provenance

Newly authored teaching sequence informed by the scheme and references at the end of this guide.

Sources and adaptation notes

Checked September 2026

Uploaded Textiles Week 5 teaching and process resources

DT_Aut1_W5_Textiles_Fabrics_and_Joining.pptx; DT_Aut1_W5_Log_My_Fabric_Lab.docx; DT_Aut1_W5_My_Fabric_Lab_Worksheet.docx. Adapted with optional sensory contact, prepared stitch inspection and fair test evidence; removes claims that one join always wins.

Uploaded Textiles Week 6 design lesson

DT_Aut1_W6_Textiles_Design_My_Item.pptx. Original new brief, inspiration cards, dimensioned pattern and construction method make the design task self-contained. The uploaded bag/decoration choice is represented by a small card pocket and a flat-decoration alternative.

GROW Autumn scheme of work - Textiles Weeks 5-7

https://madebymatt.uk/Lessons/_next6/sow/GROW.json

Read reference/_next6/sow/GROW.json: sheet GROW Weekly - Autumn, rows 163, 164, 165. Week 5 explores fabrics/joins; Week 6 designs an item; Week 7 makes/evaluates. Week 7 in this pack is newly authored from that sequence; no Week 7 textile deck was supplied. BUILD adaptations use the shared BUILD/GROW labels in the uploaded Week 5-Week 6 decks, not a claimed independent BUILD SOW verification.

Original classroom pattern and sample data

All designs, exact dimensions, fictional users and sample join/prototype records were authored for this pack. Data are illustrative, not test certificates. Actual material, adhesive, tool and handling/cure instructions require school approval. No formal ASDAN/AQA attainment or award is promised.

The pupil text, fictional scenarios and task designs are original adaptations of the supplied lessons. Fictional data and examples are labelled where used. No uploaded pupil work is reproduced.