


Make, test and improve

Bring back your Week 6 plan. Build the pocket or agreed flat decoration.

Record what you actually make, inspect or model.

Which two checks matter most for the pocket?




Words that help

CONSTRUCT

Put the planned parts together.

CRITERION

One check in the design brief.




Check before making

Adult confirms the actual material, cold tape and tool arrangements.

Check your prepared blank and fold marks against the pattern.

Know the tape's required pressing and handling/cure time.

What if the adhesive cannot be tested before the lesson ends?




Dry-fold first

Short edge at the top. Bottom panel folds up at 100 mm.

Top 30 mm flap folds down. Reopen the blank before adding side tape.

Check the test card has space; keep the opening clear.

Where do the two tape strips go?




Construct from your plan

Pocket: join the two side strips, fold up and press as directed.


Decoration: centre the small panel and join its two side strips; no folding is needed.

Add the planned symbol after checking preparation and handling times.



Construct from your plan — continued

What can the checker confirm before the join is fixed?




A controlled function check

When ready: pocket—insert and remove the card three times; decoration—lift gently from the desk three times.


Check both side joins after each cycle and record what happened.

Keep a pocket's opening upwards. Do not shake, swing or overload either item.



A controlled function check — continued

What result would show the side-join check is met?




Read a prototype record

Sample Pocket B: correct size; card fits at first; left join opens on cycle 2.

The front stripe is clear and the approved preparation was completed.

Which criterion is not yet met?




Improve one useful thing

Name the specific issue and ask before repairing a join.

Change one thing that addresses that issue.

Repeat the relevant check when the repair is ready to handle.

Would adding a larger symbol repair an opening side join?




Give the evidence-based verdict

Use met, not yet or need evidence for each brief check.

Say what you made and the support you used.

Store the item safely; return tools, collect scraps and reset.

What can you truthfully record if you only made the paper model?



Show the design cycle

Finish: “I checked ____; the evidence was ____; next I will ____.”

Does a neat photograph prove every check passed?