Real tray comparison and conclusion

Pink supported edition

Record growth (links Science).

Find and measure

Choose a role with the adult.
Find the tray and shoot codes.
Keep model numbers separate.

Measure the same way in both trays.
Use the existing endpoint and precision.
Do not pull or stretch a shoot.

Count whole opened leaves at the stem.
The adult shows one whole leaf.
Do not count leaflets or tendrils.
Record colour, firmness or drooping.

Real tray comparison and conclusion continued

Pink supported edition

Check the actual history

Use real records with the adult.

History and fairness check	Actual record
Tray and shoot codes	____
Starting height and age	____
One intended changed factor	____
Crop and seed number alike	____
Medium and containers alike	____
Other care and conditions alike	____
Selection and measuring rule	____
Records confirm since Week 2	Yes / no / partly

No history? Describe now. Do not invent the past.

Real tray comparison and conclusion continued

Pink supported edition

Our own current figures

Selected shoots, not a tray average.
Use unavailable if not measurable.

Real current measure	Tray A	Tray B
Tray and shoot code	____	____
Height in cm	____	____
Opened whole leaves	____	____
Visible condition	____	____

A height ____ cm. B height ____ cm.
Difference, if comparable: ____ cm.

Real tray comparison and conclusion continued

Pink supported edition

My short conclusion

Our figures show ____. This may relate to ____, but ____.

Taller alone does not mean healthier.
Use leaves and condition too.
One tray per condition cannot prove a cause.

Record and finish

Keep earlier entries and the original codes.
Add the real Week 5 growth entry.
Park tools and wash hands.
Give only needed care.

No tasting or eating.
Park tools and tell the adult before a quiet pause.