

Local Fieldwork · Test the Claim

I can design and use a repeatable sampling method, identify bias and apply ethical and safety controls.

[Open the original interactive lesson](#)

Arrival · retrieve and reconnect

Standard

Turn a W10 claim into a measurable question with one variable.

Starter · enquiry / tension

Enquiry

How can we collect safe, fair and repeatable local fieldwork evidence?

QUESTION / HYPOTHESIS

Write the question so a sample can answer it.

MAP / DATA / METHOD

Systematic: every 60 m. Repeatable by someone else.

PATTERN + ANOMALY

Starter · enquiry / tension

Convenience: all eight points by the school gate. Bias — the sample cannot represent the street.

JUDGEMENT + LIMIT


Controls are part of the method, not an afterthought.

Starter · enquiry / tension


"Does environmental quality change along the street?"

a question you can measure, at points you can defend

SYSTEMATIC sampling



CONVENIENCE sampling



Question

Systematic transect

Convenience sampling

Starter · enquiry / tension

ethics: no photos of people · ask before entering private land

safety: pairs, pavement side, adult in sight

limit: one street, one afternoon, one observer's scores

Ethics, safety, limit

I Do · model geographical reasoning

Model one reasoning step at a time.

Write the enquiry first, then define each variable using observable criteria.

Choose systematic, random or stratified sampling because it answers the question—not because it is easiest.

Keep interval, duration and criteria constant; repeat observations before judging reliability.

I Do · model geographical reasoning

Sampling designer · pick a method, spot the bias

- A. systematic
- B. random
- C. convenience

Systematic: equal spacing along the whole street. Repeatable, covers the range. Bias risk: a regular pattern in the street could line up with your interval.

I Do · model geographical reasoning

Which control fixes which problem?

- A. Two people score each site independently
- B. Sample at the same time of day
- C. Only sample where it is easy to stand

I Do · model geographical reasoning

SYSTEMATIC sampling



street · 440 m

Sampling points along a street

We Do · hinge judgement

Commit before reveal: Recording data every 120 m along the same transect is which sampling method?

- A. Systematic sampling
- B. Random sampling
- C. Opportunity sampling

I Do 2 · counter / qualification

Strengthen—not lengthen—the reasoning.

Where authorised, the intended core is teacher-approved local/on-site micro-fieldwork under the centre risk assessment; the desk-based equivalent has equal curriculum status.

Do not collect names, faces, number plates, home locations, interviews or personal travel routes.

Record deviations and missing observations honestly; never invent a result to complete the table.

We Do 2 · interactive reasoning lab

Virtual Transect · equal-status fallback / method rehearsal

CONSTRUCTED CLASSROOM RESOURCE: This fictional composite is inspired by the broad Teesside setting. It is not official data, is not to scale and must not be used for navigation, safety or real-world planning.

Default enquiry: How do environmental quality and pedestrian activity vary with distance from the fictional Transit Gate?

We Do 2 · interactive reasoning lab

Where local collection is authorised, use the approved on-site plan. This equal-status fallback rehearses or replaces collection when safety, access, absence or conditions require it. Use the fixed -2 to +2 litter, traffic, vegetation and upkeep descriptors in the complete resource pack.

A. ♻ Clear sample

Select sites. Then judge whether your sampling pattern is systematic, selective or incomplete.

Independent · sustained evidence

Independent mission

I can design and use a repeatable sampling method, identify bias and apply ethical and safety controls.

16 minutes. Approved access can change format, reading load or response mode; it cannot supply the geographical judgement.

Supported

Complete the method builder, then collect or legitimately use at least four labelled observations and retain one safety, ethics or bias control.

Independent · sustained evidence

Supported access: method headings, fixed descriptors and desk-based virtual transect.

Standard

Write a replicable method, collect or legitimately use at least four labelled observations and evaluate two bias/safety controls.

Standard scaffold: question → variables → sample → repeat → record → evaluate.

Stretch

Independent · sustained evidence

Apply the justified sampling method to at least four labelled observations, retain one safety/ethics control, then evaluate reliability and validity separately.

Stretch scaffold: compare sampling methods and expose bias, reliability and validity limits.

Exit · evidence → response → Influence

VOICE: State the sampling method, one control that made it fair and one remaining limitation.