Teacher answers.

Starter · all routes.

1. In a fair rock check, how many things should we change?

Cue · Change one thing.

Answer 1 · Change only one thing, the rock sample, and keep the rest the same.

2. Sam puts 1 drop on Rock A and 5 drops on Rock B. How can we fix Sam's test?

Answer 2 · Put the same number of drops on both Rock A and Rock B.

We do decision reveal.

A. Start with both rocks dry. Then we can see what the new water drop does.

Card answers and next steps.

Card.	Answer and next step.
A.	Unfair. Give both rocks 3 drops.
B.	Unfair. Rub both rocks three times.
C.	Fair. Water stays on slate and soaks chalk.
D.	Unfair. Start with both rocks dry.
E.	Unfair. Put water drops on both rocks.
F.	Fair. Chalk marks; granite does not mark.

Made by Matt

Mark scheme.

Today I can.

- I can spot an unfair step.
- I can fix the test plan.
- I can compare fair results.

Route.	Accept at Exit.
Supported.	Points to the unequal drops and says to give both rocks the same number of drops.
Independent.	Names the unequal step (drops, tool, or wet start) and states the matching fix.
Aspire challenge: choose.	Explains that changing two things means we do not know if the rock or the extra water caused the result.
Choice.	Shows one unfair step and a valid matching fix in the chosen mode.

Pupil voice accepted answer.

What feedback did you get, and what did you change?

“The adult asked how to fix Card A. I wrote give both rocks three drops.”

What helped you most today, or what would you change next time?

Accept the pupil’s own example or a pass. Record their own words and actual support.

Book entries spotting and fixing unfair rock test steps.