

A checkpoint with a useful next step

Learning intention

Apply taught disease, immunity and plant concepts in an original diagnostic checkpoint.

Use what you have learned, then improve one answer.

This is an original 16-mark classroom task.

Bring the core distinctions back

R1. Does a shared symptom prove a shared cause?

R2. Is a protein a cell?

R3. What must a rate include?

Read causal evidence

A cause test beats a symptom guess

Recap P: virus
Can spread between hosts

Recap Q: skin reaction
No infectious cause


Both may show a rash
A symptom can be shared

Find the cause and route
Do not diagnose a pupil

I identify the cause before classifying. A symptom alone is not enough.

Keep the mechanism clear

Keep cells and proteins distinct




The diagram is a role model, not a clinical forecast.

Antigens, antibodies and memory cells have different roles. A later response is specific to recognised antigen features.

Calculate, then attach the unit

Worked method, different numbers



$(7+8+9) \div 3 = 8$; then $8 \div 2 = 4$
Check the time before writing the rate.

Constructed warm-up data; not the checkpoint answers.

Find the mean count. Divide by the duration of each count.

Repair a worked explanation

A cause test beats a symptom guess

Recap P: virus
Can spread between hosts

Recap Q: skin reaction
No infectious cause


Both may show a rash
A symptom can be shared

Find the cause and route
Do not diagnose a pupil

W1. “P and Q have a rash, so both must be infectious.” Repair it with one causal clue.

Check the role labels

Keep cells and proteins distinct




The diagram is a role model, not a clinical forecast.

W2. Which label belongs on a protein: antibody or memory lymphocyte?

Audit a unit

Worked method, different numbers



$(7+8+9) \div 3 = 8$; then $8 \div 2 = 4$
Check the time before writing the rate.

Constructed warm-up data; not the checkpoint answers.

W3. A pupil writes 8 bubbles/min for the warm-up. Which part of the method did they miss?

Ready to work independently?

Which statement is accurate?

A A mean count and a per-minute rate can differ.

B Every mean count is automatically per minute.

Choose the agreed route

Shared evidence + one response page.

Four questions, 4 marks each: 16 in total.

Work independently for 17 minutes.

Independent checkpoint

Use the supplied cases and constructed table.

Show calculations and use precise labels.

If stuck, leave a space and move on.

Feedback after the checkpoint

Use the teacher's item feedback.

Choose one error with the biggest scientific effect.

Make the correction explain why

L1. Improve one answer using a because statement.

Audience asks: “What evidence or mechanism changed it?”

Plan the next five minutes of teaching

E1. Name one distinction you can now explain.

E2. Choose one next step: cause, memory, plant transport or rate.

Keep both versions

First attempt shows the starting point.

A reasoned correction shows the improvement.