


Make my item and check it

Bring back your Week 6 plan. Build the pocket or agreed flat decoration.

Record what you actually make, inspect or model.

Which two checks matter most for the pocket?




Words that help

CONSTRUCT

Put the planned parts together.

CRITERION

One check in the design brief.




Check before making

Adult confirms the actual material, cold tape and tool arrangements.

Check your prepared blank and fold marks against the pattern.

Know the tape's required pressing and handling/cure time.

What if the adhesive cannot be tested before the lesson ends?




Fold first, then join

Match the pre-marked blank to the model.

Fold the bottom up; fold the flap down.

Open it again and point to the two side-tape places.

Should tape cover the middle opening?




Construct from your plan

Pocket: join the two side strips, fold up and press as directed.


Decoration: centre the small panel and join its two side strips; no folding is needed.

Add the planned symbol after checking preparation and handling times.



Construct from your plan — continued

What can the checker confirm before the join is fixed?




A controlled function check

When ready: pocket—insert and remove the card three times; decoration—lift gently from the desk three times.


Check both side joins after each cycle and record what happened.

Keep a pocket's opening upwards. Do not shake, swing or overload either item.



A controlled function check — continued

What result would show the side-join check is met?




What happened to Pocket B?

The paper card fits.

On the second gentle check, the left side opens.

The front stripe is clear.

Has the side join passed all three checks?




Improve one useful thing

Name the specific issue and ask before repairing a join.

Change one thing that addresses that issue.

Repeat the relevant check when the repair is ready to handle.

Would adding a larger symbol repair an opening side join?




Show one result

Say or point: worked / not yet / not checked.

Name the job you did and any help you used.

Store your item, collect scraps and return tools.

What should you record if the join still needs to cure?



Show the design cycle

Finish: “I checked ____; the evidence was ____; next I will ____.”

Does a neat photograph prove every check passed?