

Sugar Evidence: Read the Label

I can compare sugar values using the same label basis and order four supplied food labels from least to most sugar.

FIND

number + unit

CHECK

fair comparison

ORDER

use evidence

[Open the original interactive lesson](#)

What success looks like

- I can find the sugar number, unit and label basis.
- I can compare values only when the unit and basis match.
- I can order four labels and explain that sugar is one part of nutrition evidence.

Retrieve and reconnect

- Explain what the arrow means in plant → caterpillar → bird.
- Name two different jobs supported by nutrients.
- State why a balanced pattern includes a range of food groups.
- Lead-in: read the number, unit and basis from one supplied sugar line.

Label A says 6 g sugar per 100 g. Label B says 9 g sugar per 100 g. Which first claim can the evidence support?

Think first. Point, say, sign or write your choice. Give one reason.

A. Label A has less sugar per 100 g than Label B.

B. Label A is the healthiest food in every way.

C. The values cannot be compared because every number on a label means something different.

Look closely · what is the evidence?

LABEL A · sugars 6 g per 100 g

LABEL B · sugars 9 g per 100 g

QUESTION · what can the same-basis numbers show, and what can they not show?

Look closely · what is the evidence?

LABEL A · Crunchy Oat Squares	
NUTRITION · per 100 g	
Energy	420 kJ
Fat	1.5 g
of which saturates	0.3 g
Carbohydrate	24 g
of which sugars	6 g
Fibre	3.1 g
Protein	4 g
Salt	0.2 g

Nutrition label A with the of-which-sugars line highlighted: 6 g per 100 g

LABEL B · Honey Puffs	
NUTRITION · per 100 g	
Energy	1650 kJ
Fat	3 g
of which saturates	1.1 g
Carbohydrate	78 g
of which sugars	9 g
Fibre	2 g
Protein	6 g
Salt	0.8 g

Nutrition label B with the of-which-sugars line highlighted: 9 g per 100 g

6 g

sugars · per 100 g

LABEL A

?

9 g

sugars · per 100 g

LABEL B

Same basis: per 100 g. So we CAN compare the numbers.

Six grams beside nine grams, both per 100 g, with a question mark

Words we will use

- nutrition label — food information panel
- per 100 g — in the same 100 g amount
- evidence — the number we read

Watch the model

- Find the nutrition panel, then find 'Carbohydrate — of which sugars' on the supplied simplified card.
- Read all three parts aloud: the number, the unit g and the basis per 100 g.
- Copy only the sugar value into the matching row of the results table; do not copy the total carbohydrate number by mistake.

Watch the model

LABEL 1 · Berry Bites	
NUTRITION · per 100 g	
Energy	1500 kJ
Fat	12 g
of which saturates	5 g
Carbohydrate	60 g
of which sugars	31 g
Fibre	1.5 g
Protein	5 g
Salt	0.5 g

Tappable nutrition label 1

Which comparison is fair using the supplied cards?

- A. Compare 4 g per 100 g with 11 g per 100 g.
 - B. Compare 4 g per 100 g with 3 g per serving without converting.
 - C. Choose the packet with the picture we like best.
- Commit to an answer. Show the evidence you used. Listen, then revise if needed.

Build the explanation

- Place the four same-basis values on a number line from the smallest number to the largest.
- Say the bounded conclusion: 'Label A has less sugar per 100 g than Label D.' Keep 'per 100 g' in the sentence.
- Name the limit: sugar is one part of a nutrition label. It cannot by itself prove which whole food, meal or diet is healthiest.

Find and repair the misconception

Label glitch: the food with the least sugar per 100 g is automatically the healthiest food for every person.

A. Keep it: one sugar number answers every health question.

B. Repair it: sugar is one measure; the label order supports only a same-basis sugar comparison.

C. Repair it: ignore the numbers and choose by packet picture.

Same-Basis Sugar Label Lab

Read each supplied card, place the four values in order, then place the method and limitation cards.

- Find the sugar line.
- Read number, unit and basis.
- Check every basis matches.
- Order the four values.
- State one supported claim and one limit.

Same-Basis Sugar Label Lab

Use the numbered cards in your pupil pack. Take turns to choose, justify and check. You may direct a partner to move a card.

Choose a group · defend your placement

- 1 · LEAST SUGAR PER 100 g
- 2 · NEXT VALUE
- 3 · NEXT VALUE
- 4 · MOST SUGAR PER 100 g
- FAIR-COMPARISON RULE
- LIMIT OF THE CLAIM

Read the ordered values with units and basis. What claim is supported, and what broader claim is not supported?

Your independent mission

Read and order four supplied label cards from least to most sugar per 100 g, then write or communicate one supported claim and one limitation.

Record: Four sugar values in correct order with g per 100 g, one evidence sentence and one statement of what the comparison cannot show.

Choose your support and challenge

- Supported: Match four large number cards to a number line, then complete: ___ g is least; ___ g is most.
- Standard: Read the four sugar lines, build the table independently and explain one comparison using less/more and per 100 g.
- Stretch: Audit a mixed-basis comparison, explain why it is invalid and state what extra information would be needed before a wider nutrition claim.

Show what you know

Give one fair same-basis sugar comparison and state why sugar alone cannot describe the whole food.

Point to, read or explain the evidence you made. Choose one next step after the adult has listened.