Arrival

I can pair one allele from each parent.

I can find the aa chance in four squares.

I can evaluate why probability does not guarantee an exact count.

Look at the letter tiles A and a. Point to one detail you notice.

Letter tiles
A a A a

Point, sign, speak, draw, type or write. You may pass or pause. An adult can read or scribe your exact words. Plan in any language.

Made from the web lesson SCI-LAUNCH-A2-W05
Version _____

Made by Matt · © Matt Roper · CC BY-NC-SA 4.0: free for classroom use, share and adapt with credit, no resale

We do · digital grid

I can pair one allele from each parent.

I can find the aa chance in four squares.

I can evaluate why probability does not guarantee an exact count.

Complete the 2 × 2 grid for Aa × aa. Choose one allele from the top and one from the side for each box.

Aa × aa · side / top	A	a
a	_____	_____
a	_____	_____

You may point or direct an adult to enter your own choices. Check, explain and try again.

Made from the web lesson SCI-LAUNCH-A2-W05
Version _____

Made by Matt · © Matt Roper · CC BY-NC-SA 4.0: free for classroom use, share and adapt with credit, no resale

Independent · Aspire

I can pair one allele from each parent.

I can find the aa chance in four squares.

I can evaluate why probability does not guarantee an exact count.

Calculate the aa probability for Aa × aa. Evaluate an exact-count claim about real offspring.

Evaluate an exact-count claim about four real offspring.

Aa × aa · side / top	**A**	**a**
a	_____	_____
a	_____	_____

The grid shows a chance, not a promise, because ____.

Choose one route for the full 8 minutes. Keep your own response. The one-minute reset is inside this time.

Made from the web lesson SCI-LAUNCH-A2-W05
Version _____

Made by Matt · © Matt Roper · CC BY-NC-SA 4.0: free for classroom use, share and adapt with credit, no resale

Exit ticket · Aspire

I can pair one allele from each parent.

I can find the aa chance in four squares.

I can evaluate why probability does not guarantee an exact count.

1. Show your model and explain one reason

Fill Aa × aa. Explain why two of four model boxes are aa, with no promise about real offspring.

2. Feedback and next step

My feedback was: _____

Next I need to check the top and side alleles before giving a chance.

My learning: I am learning to calculate genetic probability with a Punnett square and evaluate its limits.

Your teacher hears your answer and uses it to choose the next model, prompt or example.

Made from the web lesson SCI-LAUNCH-A2-W05
Version _____

Made by Matt · © Matt Roper · CC BY-NC-SA 4.0: free for classroom use, share and adapt with credit, no resale

My own working

I can pair one allele from each parent.

I can find the aa chance in four squares.

I can evaluate why probability does not guarantee an exact count.

Name: _____

Cross: Aa × aa

Aa × aa · side / top	**A**	**a**
a	____	____
a	____	____

My aa chance and reason: _____

My evidence that chance is not a fixed count: _____

Feedback and my next step: _____

Made from the web lesson SCI-LAUNCH-A2-W05
Version _____

Made by Matt · © Matt Roper · CC BY-NC-SA 4.0: free for classroom use, share and adapt with credit, no resale