

		noise realism	floor statistics	host basis (wrong cpart)	waveform systematics	prior mis-centring	real data
Blind fringe-ID no-go ($f=6.9\times10^{-7}$)	S4.1	— zero-noise, info-theoretic	— no floor term	—	PENDING EOB tier	PENDING ROBUST	OPEN REAL-ARRAY
Chirp-mass wall (tiers fail; $>20\times$)	S4.2	— zero-noise, info-theoretic	— no floor term	—	PENDING EOB tier	PENDING ROBUST	OPEN REAL-ARRAY
Certified-count distr. + selection fn	S3.2–3	TESTED FORGE	TESTED RECUT	OPEN D1 open	— circular only	PENDING ROBUST	OPEN REAL-ARRAY
The criterion (floors, purity)	S5, S6.5	TESTED ANCHOR	TESTED ANCHOR\$4/RECUT	OPEN D3+D4 rejected	TESTED CHORUS refits per mix	PENDING ROBUST	OPEN REAL-ARRAY
The onset surface ($N_{\text{onset}}=59$)	S6.3	TESTED ANCHOR	TESTED RECUT (v2.2)	OPEN D1 open	— circular pop.	PENDING ROBUST	OPEN REAL-ARRAY
The switch ($e=0.5$ single / $e=0.3$ pair)	S7.6	TESTED CHORUS (drawn noise)	TESTED RECUT (v2.2)	OPEN D1 open	PENDING EOB tier (toy comb)	PENDING ROBUST	OPEN REAL-ARRAY
Loop safety (holds/inert/motion)	S8.5	TESTED IGNITE-2 / EMBER	TESTED per-cell refits	TESTED EMBER scrambled (measures, not closes)	TESTED CHORUS loops	PENDING ROBUST (tol grid)	OPEN REAL-ARRAY
Cascade arithmetic (selectivity)	S8.6	TESTED SPARK nulls (N=1300)	TESTED v2.2 gate passed	PENDING EPOCH (EM-mediated)	— circular twin	PENDING ROBUST	OPEN REAL-ARRAY
Siren payoff ($\sigma_{D_L}/D_L=6\text{--}12\%$)	S9	PENDING Cramér–Rao, zero-noise	— given seeds	OPEN seeds assume true cpart	PENDING EOB tier (self-siren)	TESTED SIREN arm C (within-fringe)	OPEN REAL-ARRAY
sampler row-group							
Sampler: coverage	S10.1.5	TESTED SAMPLER S-4 (N=3 banked)	—	—	—	—	OPEN REAL-ARRAY
Sampler: SBC of fringe posterior	S10.1	PENDING SAMPLER	PENDING SAMPLER	—	—	—	OPEN REAL-ARRAY
Sampler: high-dim adaptation	S10.1.6	TESTED noted: chaotic Adam retired	—	—	—	—	—