

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Bad value 36px for attribute width on element [img](#): Expected a digit but saw p instead.

From line 27, column 21; to line 28, column 38

```
 Wayne
```
- Error** Bad value 36px for attribute height on element [img](#): Expected a digit but saw p instead.

From line 27, column 21; to line 28, column 38

```
 Wayne
```
- Error** Bad value 128px for attribute width on element [img](#): Expected a digit but saw p instead.

From line 83, column 17; to line 84, column 35

```

```

5. **Error** End tag `h5` seen, but there were open elements.

From line 103, column 112; to line 103, column 116

```
Initiative</h5>
```

6. **Error** End tag `h5` seen, but there were open elements.

From line 122, column 106; to line 122, column 110

```
Education</h5>
```

7. **Error** End tag `h5` seen, but there were open elements.

From line 141, column 107; to line 141, column 111

```
e Division</h5>
```

8. **Error** Attribute `href` not allowed on element `button` at this point.

From line 158, column 13; to line 158, column 66

```
<button href="#" class="cta-button cta-button--small">Read
M
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be

toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

9. **Error** Attribute `href` not allowed on element `button` at this point.

From line 218, column 25; to line 218, column 96

```
<button href="#newsletter-section" class="cta-button cta-button--small">Subscr
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

Document checking completed.

Used the HTML parser.

Total execution time 143 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.7.24