Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/careers.html

Checker Input

Show ☐ source ☐ outline ☐ image report [Options…]

Check by [address ⇕]

[https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/careers.html]

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **Bad value** `36px` **for attribute** `width` **on element** [`img`] **: Expected a digit but saw** `p` **instead.**

   From line 27, column 21; to line 28, column 38

   ```
            <img src="assets/images/wayne-enterprises-logo-light.svg"
   alt="Wayne Enterprises Logo" width="36px"↵
   height="36px"> Wayne
   ```

2. **Error** **Bad value** `36px` **for attribute** `height` **on element** [`img`] **: Expected a digit but saw** `p` **instead.**

   From line 27, column 21; to line 28, column 38

   ```
            <img src="assets/images/wayne-enterprises-logo-light.svg"
   alt="Wayne Enterprises Logo" width="36px"↵
   height="36px"> Wayne
   ```

3. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

   From line 162, column 29; to line 163, column 46

   ```
            <img src="assets/images/career-benefits-images/career-
   ```

benefit-image-healthcare.jpg"↵

4. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 176, column 29; to line 177, column 46

```
            <img src="assets/images/career-benefits-images/career-
benefit-image-retirement.jpg"↵
class="w-100">↵
```

5. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 190, column 29; to line 190, column 120

```
            <img src="assets/images/career-benefits-images/career-
benefit-image-time.jpg" class="w-100">↵
```

6. **Error** **Element** `legend` **not allowed as child of element** `form` **in this context. (Suppressing further errors from this subtree.)**

From line 254, column 25; to line 254, column 32

```
            <legend>Sign U
```

Contexts in which element `legend` may be used:
     As the first child of a `fieldset` element.
Content model for element `form`:
     Flow content, but with no `form` element descendants.

7. **Error** **Bad value** `name` **for attribute** `type` **on element** `input`.

From line 256, column 29; to line 256, column 110

```
            <input type="name" class="form-control" id="floatingName"
placeholder="Full Name">↵
```

8. **Error** **Attribute** `placeholder` **is only allowed when the input type is** `email`, `number`, `password`, `search`, `tel`, `text`, **or** `url`.

From line 256, column 29; to line 256, column 110

```
            <input type="name" class="form-control" id="floatingName"
placeholder="Full Name">↵
```

9.   **Error**   **Attribute** `href` **not allowed on element** `button` **at this point.**

From line 330, column 25; to line 330, column 96

```
              <button href="#newsletter-section" class="cta-button cta-
button--small">Subscr
```

Attributes for element `button`:

Global attributes

`disabled` — Whether the form control is disabled

`form` — Associates the element with a `form` element

`formaction` — URL to use for form submission

`formenctype` — Entry list encoding type to use for form submission

`formmethod` — Variant to use for form submission

`formnovalidate` — Bypass form control validation for form submission

`formtarget` — Navigable for form submission

`name` — Name of the element to use for form submission and in the `form.elements` API

`popovertarget` — Targets a popover element to toggle, show, or hide

`popovertargetaction` — Indicates whether a targeted popover element is to be toggled, shown, or hidden

`type` — Type of button

`value` — Value to be used for form submission

Document checking completed.

Used the HTML parser.

Total execution time 147 milliseconds.

About this checker • Report an issue • Version: 24.7.24