

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/investor-relations.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by

[https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/investor-relations.ht](https://8000-mattds825-wayneenterpri-8sdtq1btir1.ws.codeinstitute-ide.net/investor-relations.html)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Bad value 36px for attribute width on element [img](#): Expected a digit but saw p instead.

From line 27, column 21; to line 28, column 38

```
 Wayne
```

2. **Error** Bad value 36px for attribute height on element [img](#): Expected a digit but saw p instead.

From line 27, column 21; to line 28, column 38

```
 Wayne
```

3. **Error** Element [hr](#) not allowed as child of element [ul](#) in this context.
(Suppressing further errors from this subtree.)

From line 100, column 29; to line 100, column 49

```
<hr class="hr-light">
```

Contexts in which element [hr](#) may be used:

Where [flow content](#) is expected.

As a child of a [select](#) element.

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

4. **Error** **Attribute `href` not allowed on element `button` at this point.**

From line 239, column 25; to line 239, column 96

```
<button href="#newsletter-section" class="cta-button cta-  
button--small">Subscr
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

Document checking completed.

Used the HTML parser.

Total execution time 81 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.7.24