REST

RESTful Providers

Refer to the *rest-social-network* example (labs/rest-social-network):

The **post-service** manages posts on a social network. It does not store details about users. The model class is reported below:

```
@AllArgsConstructor
@NoArgsConstructor
@RequiredArgsConstructor
@Data
@Entity
public class Post {
   @Id
   @GeneratedValue(strategy = GenerationType.IDENTITY)
   private Long id;
   @NonNull @EqualsAndHashCode.Include private String userUUID;
   @NonNull @EqualsAndHashCode.Include private LocalDateTime timestamp;
   @NonNull private String content;
}
```

The REST controller handles incoming HTTP requests and responds with the appropriate data. It supports two key endpoints:

- `GET /posts` → Returns all posts.
- `GET /posts/{userUUID}` → Returns all posts created by a specific user.

```
@RestController
@RequestMapping("/posts")
public class PostController {
   PostRepository postRepository;

   public PostController(PostRepository postRepository) {
      this.postRepository = postRepository;
   }

   @GetMapping("/{userUUID}")
   public Iterable<PostDTO> findByUuid(@PathVariable String userUUID) {
      Iterable<Post> foundPosts = postRepository.findByUserUUID(userUUID);
      return mapToDTO(foundPosts);
   }

   @GetMapping
   public Iterable<PostDTO> findAll() {
      Iterable<Post> foundPosts = postRepository.findAll();
      return mapToDTO(foundPosts);
   }

   private Iterable<PostDTO> mapToDTO(Iterable<Post> posts) {
      return StreamSupport.stream(posts.spliterator(), false)
              .map(p -> new PostDTO(p.getUserUUID(), p.getTimestamp(), p.getContent()))
              .collect(Collectors.toList());
   }
}
```

RESTful Consumers

The **user-service** manages data about users. It does expose the following endpoints:

- `GET /users` → Returns all users (only local details).
- `GET /users/{userUUID}` → Returns local details and all posts of a specific user (**need to communicate here!**).

```
@RestController
@RequestMapping("/users")
public class UserController {
   UserRepository userRepository;
   PostIntegration postIntegration;

   public UserController(UserRepository userRepository, PostIntegration postIntegration) {
      this.userRepository = userRepository;
      this.postIntegration = postIntegration;
   }

   @GetMapping
   public Iterable<UserDTO> findAll() {
      Iterable<UserModel> foundUsers = userRepository.findAll();
      return mapToDTO(foundUsers);
   }

   @GetMapping("/{userUUID}")
   public UserDTO findByUuid(@PathVariable String userUUID) {
      Optional<UserModel> optionalUserModel = userRepository.findByUserUUID(userUUID);
      optionalUserModel.orElseThrow(() -> new ResponseStatusException(HttpStatus.NOT_FOUND));
      UserDTO userDTO = mapToDTO(optionalUserModel.get());

      // communication here!
      Iterable<PostDTO> posts = postIntegration.findbyUserUUID(userUUID);

      for (PostDTO postDTO : posts) {
         userDTO.getPosts().add(postDTO);
      }

      return userDTO;
   }

   private UserDTO mapToDTO(UserModel user) {
      return new UserDTO(
              user.getUserUUID(),
              user.getNickname(),
              user.getBirthDate()
      );
   }

   private Iterable<UserDTO> mapToDTO(Iterable<UserModel> users) {
      return StreamSupport.stream(users.spliterator(), false)
              .map(u -> new UserDTO(u.getUserUUID(), u.getNickname(), u.getBirthDate()))
              .collect(Collectors.toList());
   }
}
```

The communication part is entirely managed by a dedicated bean named *PostIntegration*. Connection data describing the network location of the service to be consumed (in this case, the **post-service**) are externalized to the **application.yml** file and fetched with the **@Value** annotation.

```
@Component
public class PostIntegration {
   String postServiceHost;
   int postServicePort;
```

```
    public PostIntegration(
            @Value("${app.post-service.host}") String postServiceHost,
            @Value("${app.post-service.port}") int postServicePort) {
        this.postServiceHost = postServiceHost;
        this.postServicePort = postServicePort;
    }

    public Iterable<PostDTO> findbyUserUUID(String userUUID) {
        String url = "http://" + postServiceHost + ":" + postServicePort + "/posts" + "/" + userUUID;
        RestClient restClient = RestClient.builder().build();
        return restClient.get()
                .uri(url)
                .retrieve()
                .body(new ParameterizedTypeReference<>() {});
    }
}
```

Trying out the messaging system

```
mvn clean package -Dmaven.test.skip=true
docker compose up --build --detach
```

```
curl -X GET http://localhost:8080/posts | jq
```

```
curl -X GET http://localhost:8081/users | jq
```

```
curl -X GET http://localhost:8081/users/171f5df0-b213-4a40-8ae6-fe82239ab660 | jq
```

Resources

- https://www.baeldung.com/spring-boot-restclient