PFVR - Participant Follow-up Visit Record

Visit identification, purpose and contacts

Study / protocol	CIP version	Site / code	PFVR ID
Participant code	**Visit (name / nominal day)**	**Index procedure date (ICDL ID)**	**Target date**
Window (first and last day)	**Visit occurrence** ☐ Attended ☐ Missed ☐ Pending	**Completed by / role**	**Controlled location**

A Purpose and use

The PFVR records one participant's one follow-up visit: when it happened (B), each component the CIP requires for that visit with its date, completion and timing (C), whether the images and tests are usable (D), what the participant reports (E), the clinical assessment (F) and who did it (G). Problems that need a response go to H, and the visit is classified in I from what C to H show.

A component done on a later contact for the same visit stays in this record, with its own date; a different visit of the CIP gets its own PFVR. Write the short finding that matters for the visit and cite the clinical source, the Image Quality Log (IQL) or the SART for the rest.

Unit of analysis	Decision supported	Inputs	Outputs
One participant and one follow-up visit of the CIP.	Whether the visit is complete and usable, usable with a limit, or needs follow-up.	CIP visit schedule, clinical source, questionnaires, IQL, earlier PFVR.	Visit outcome (I) and component counts for the Follow-up Compliance Review (FUCR); exceptions and their routes (H).

B Visit contacts

Record each contact that belongs to this visit. This section records timing only; whether the visit is complete and usable is decided in I from C and D.

Contact	Date · mode	Day from index	Components done (# in C)	Purpose · source reference
First				
Return				
Return				
Return				

PFVR - Participant Follow-up Visit Record

Required components

PFVR ID	Participant code	Visit	Window

C Required components

One line per component the CIP requires for this visit, taken from the visit schedule. Completion and timing are rated separately: a component can be complete but outside its window. Partial, not performed or outside the window needs an exception in H.

#	Component	Critical to quality?	Method required · used	Date · day from index	Completion	Timing	Evidence or record (IQL, questionnaire, note)	Exception (# in H)
1		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
2		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
3		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
4		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
5		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
6		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
7		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		
8		☐ Yes ☐ No			☐ Complete ☐ Partial ☐ Not performed ☐ N/A	☐ In window ☐ Outside window ☐ N/A		

PFVR - Participant Follow-up Visit Record

Image and test usability, participant report

PFVR ID	Participant code	Visit	Window

D Images and objective tests: are they usable?

Only for components in C that produce an image or a test result. The image-set quality itself is judged in the IQL.

# in C	Record (IQL or test ID)	Usable?	Reviewer · date	Finding that matters for the visit	Action or route
		☐ Adequate ☐ Limited ☐ Unavailable			
		☐ Adequate ☐ Limited ☐ Unavailable			
		☐ Adequate ☐ Limited ☐ Unavailable			

E What the participant reports

The participant's own words, including improvement. A report is not classified as an adverse event here; send it for assessment when needed.

Reported change or concern	Onset · severity	Since last visit	Action or referral · record
		☐ Better ☐ Worse ☐ Same	
		☐ Better ☐ Worse ☐ Same	
		☐ Better ☐ Worse ☐ Same	
		☐ Better ☐ Worse ☐ Same	

PFVR - Participant Follow-up Visit Record

Clinical assessment, personnel and exceptions

PFVR · v0.7

PFVR ID	Participant code	Visit	Window

F Clinical assessment

The result and how it compares with the last visit; the full note stays in the clinical source.

Assessment	Assessor	Method	Result · compared with last visit	Action · record

G Who did the assessments

A change of person matters when a measure depends on the assessor; note the handover.

Role	Name	Same as last visit?	Handover or supervision note
Imaging		☐ Yes ☐ No ☐ N/A	
Clinical assessor		☐ Yes ☐ No ☐ N/A	
Questionnaires and scores		☐ Yes ☐ No ☐ N/A	

H Exceptions and response

Only for a problem that needs a response: a partial, missing or late component, an unusable result, or a finding that needs a referral. Safety and deviation assessments stay in their own records.

#	Component (# in C) · cause	Effect on the participant or the data · response	Linked record	Owner	Due	Status
1						☐ Open ☐ Closed
2						☐ Open ☐ Closed
3						☐ Open ☐ Closed

PFVR - Participant Follow-up Visit Record

Visit outcome and sign-off

PFVR ID	Participant code	Visit	Window

I Visit outcome

Write what confirms each point (counts, days, item numbers). The classification comes from B to H; an exception does not make a visit unusable by itself.

Point	Result	Confirmed in (section and what was checked)
Visit in its window	☐ Yes ☐ No	
Every required component complete	☐ Yes ☐ No	
Every critical-to-quality component in window and usable	☐ Yes ☐ No	
No open exception	☐ Yes ☐ No	

Outcome	Meaning	Select
Complete and usable	All components complete, in window and usable.	☐
Complete, with a documented observation	Complete and usable; an observation in H does not limit the data.	☐
Usable with a limitation	A component is late, partial or limited; the limit is stated in H.	☐
Incomplete: follow-up required	A component is still missing and can be recovered.	☐
Not usable for the intended assessment	A critical-to-quality component cannot be used.	☐
Missed	The visit did not take place.	☐

Rationale	

J Sign-off

Completed by

Name / role:

Signature / date:

Reviewed by (investigator)

Name:

Signature / date: