SCML — SITE COMPLICATION MONITORING LOG

SCML · v0.8

Study / Protocol	Site / Code	SCML Record ID / Revision	SCML owner / role
Device / System	Procedure Family / Anatomical Field	Record Opened	Last Updated
Applicable CIP / Safety Procedure / Current Version		Study Category Set / Version (if used)	CSST Review Period / Next Review Date

A Purpose and use

This log brings together the site's complications, adverse events (AEs), adverse device effects and device deficiencies (DDs) for review across cases. **The Safety and Adverse Effect Reporting Template (SART) provides the individual safety case.** The Intraoperative Checklist and Device Log (ICDL) supplies the procedure and device context.

Output: an indexed set of events with a consistent surveillance profile, current source references and linked follow-up. The Complication Signal Surveillance Template (CSST) uses this index to assess patterns; the Principal Investigator (PI) reads its status through the PI Oversight Template (POT).

The SART retains the clinical chronology, causality assessment and reporting details. Record the current classifications and source links here, with enough context to compare cases. Urgent care and safety notification follow the applicable procedure immediately, without waiting for this log or an aggregate review.

B Recording and Source-Link Guide

Step	What to record here	Source and boundary
Link the event	C: assign a unique SCML Event ID and enter the SART case ID and specific event reference first. Use participant and surgeon codes.	Keep the same Event ID in C and D. Reference the ICDL and imaging source where relevant; do not copy clinical narratives.
Apply a consistent profile	D: select the event type, one primary surveillance category and timing group. Copy the current Clavien-Dindo grade, relationship context and DD finding from the SART.	Use Pending where information is unresolved. Use the same category labels across entries; any Other code comes from the study category set.
Review and follow through	E: cite events or a group and the receiving record. F: check the status and conclusion of an existing action or handoff.	CSST holds rates and the formal signal decision. The SART or linked quality record retains case follow-up, action evidence and effectiveness assessment.

Open the index while the source case is still being assessed. Update the existing entry when new information changes the same event. A distinct event receives a new Event ID. AE and DD pathways may both apply to one entry; this alone does not create a second clinical event. The Configuration change category refers to an unplanned device configuration change.

Grade	Clavien-Dindo definition	Example in shoulder arthroplasty
I	Any deviation from the normal postoperative course without drugs, surgery or radiological intervention beyond antiemetics, antipyretics, analgesics, diuretics, electrolytes and physiotherapy; wounds opened at the bedside.	Superficial wound problem treated with dressings; transient nerve palsy resolving without treatment.
II	Needs drug treatment beyond grade I, blood transfusion or parenteral nutrition.	Wound infection treated with antibiotics; thromboembolism treated with anticoagulation.
IIIa	Needs a surgical, endoscopic or radiological intervention not under general anesthesia.	Closed reduction of a dislocation under sedation; aspiration of a hematoma.
IIIb	Needs an intervention under general anesthesia.	Open reduction or revision for instability; liner exchange; washout for deep infection.
IVa	Life-threatening, single organ dysfunction needing intermediate or intensive care.	Pulmonary embolism needing intensive care.
IVb	Life-threatening, multiorgan dysfunction.	Septic shock from a periprosthetic infection.
V	Death of the participant.	

The grade follows the treatment the event needed and is set in the SART. Add the suffix d when a disability remains at discharge (for example IIIb-d). A device deficiency without an adverse event takes N/A.

Study / Site Code	SCML Record ID / Revision	Sheet updated (date)	Sheet No. / Total (C)

C Event and Source Index

Enter one row per distinct event or deficiency. **SART case ID / event reference** links the row to its individual source. Use the same clinical term or study term/code as the source. Record the event date and days from the procedure; enter N/A when the interval does not apply. New information about an existing event updates that entry and its source link.

SCML Event ID	SART Case ID / Event Reference	Participant Code	Event Term / Study Code	Event Date / Days from Procedure	Device / Component Code	Surgeon Code	ICDL / Procedure Reference	Imaging Reference

Use the same Event ID in D and mark negative or pending findings explicitly. Keep source details in SART/ICDL; date and initial corrections.

SCML — SITE COMPLICATION MONITORING LOG

Structured surveillance profile

Study / Site Code	SCML Record ID / Revision	Sheet updated (date)	Sheet No. / Total (D)

D Structured Surveillance Profile

Use the Event ID from C. Select one event type, primary category and timing group. **Copy the Clavien-Dindo grade, relationship contexts, the DD finding and assessment status from the current SART**; multiple relationship contexts may apply. Record the date/initials checked and use Pending while unresolved.

SCML Event ID	Event Type (from SART)	Primary Surveillance Category	Timing Group	Grade (Clavien-Dindo) (from SART)	Relationship Context (from SART)	Observed DD? (from SART)	SART Assessment Status / Source Check
	☐ AE ☐ DD without AE ☐ AE + DD ☐ Pending	☐ Instability / dislocation ☐ Fracture ☐ Infection / wound ☐ Neurologic / vascular ☐ Device performance ☐ Configuration change ☐ Other code: _____ ☐ Pending	☐ Intraoperative ☐ Postoperative ☐ Other / N/A ☐ Pending	☐ I ☐ II ☐ IIIa ☐ IIIb ☐ IVa ☐ IVb ☐ V ☐ N/A ☐ Pending	☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined	☐ Yes ☐ No ☐ Pending	☐ Pending ☐ Preliminary ☐ Final Date / initials: _____
	☐ AE ☐ DD without AE ☐ AE + DD ☐ Pending	☐ Instability / dislocation ☐ Fracture ☐ Infection / wound ☐ Neurologic / vascular ☐ Device performance ☐ Configuration change ☐ Other code: _____ ☐ Pending	☐ Intraoperative ☐ Postoperative ☐ Other / N/A ☐ Pending	☐ I ☐ II ☐ IIIa ☐ IIIb ☐ IVa ☐ IVb ☐ V ☐ N/A ☐ Pending	☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined	☐ Yes ☐ No ☐ Pending	☐ Pending ☐ Preliminary ☐ Final Date / initials: _____
	☐ AE ☐ DD without AE ☐ AE + DD ☐ Pending	☐ Instability / dislocation ☐ Fracture ☐ Infection / wound ☐ Neurologic / vascular ☐ Device performance ☐ Configuration change ☐ Other code: _____ ☐ Pending	☐ Intraoperative ☐ Postoperative ☐ Other / N/A ☐ Pending	☐ I ☐ II ☐ IIIa ☐ IIIb ☐ IVa ☐ IVb ☐ V ☐ N/A ☐ Pending	☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined	☐ Yes ☐ No ☐ Pending	☐ Pending ☐ Preliminary ☐ Final Date / initials: _____
	☐ AE ☐ DD without AE ☐ AE + DD ☐ Pending	☐ Instability / dislocation ☐ Fracture ☐ Infection / wound ☐ Neurologic / vascular ☐ Device performance ☐ Configuration change ☐ Other code: _____ ☐ Pending	☐ Intraoperative ☐ Postoperative ☐ Other / N/A ☐ Pending	☐ I ☐ II ☐ IIIa ☐ IIIb ☐ IVa ☐ IVb ☐ V ☐ N/A ☐ Pending	☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined	☐ Yes ☐ No ☐ Pending	☐ Pending ☐ Preliminary ☐ Final Date / initials: _____
	☐ AE ☐ DD without AE ☐ AE + DD ☐ Pending	☐ Instability / dislocation ☐ Fracture ☐ Infection / wound ☐ Neurologic / vascular ☐ Device performance ☐ Configuration change ☐ Other code: _____ ☐ Pending	☐ Intraoperative ☐ Postoperative ☐ Other / N/A ☐ Pending	☐ I ☐ II ☐ IIIa ☐ IIIb ☐ IVa ☐ IVb ☐ V ☐ N/A ☐ Pending	☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined	☐ Yes ☐ No ☐ Pending	☐ Pending ☐ Preliminary ☐ Final Date / initials: _____

Relationship contexts reflect the current source assessment. Categories and DD flags are not additional events; follow the CSST counting rule.

SCML — SITE COMPLICATION MONITORING LOG

Local review and linked follow-up

Study / Site Code	SCML Record ID / Revision	Sheet updated (date)	Sheet No. / Total (E/F)

E Local Review and Handoff

Log one finding per event or group with a unique Review ID. Select the receiving record and record the decision, linked ID, owner and due date. Use the same Review ID in F. Signal decisions remain in the CSST.

Review ID / Date	Event IDs / Group Reference	Review Finding / Reason for Handoff	Receiving Record(s)	Decision / Linked Record ID / Owner / Due Date
			☐ Safety / SART ☐ CSST ☐ SLCT ☐ SRR ☐ CAPA ☐ POT	
			☐ Safety / SART ☐ CSST ☐ SLCT ☐ SRR ☐ CAPA ☐ POT	
			☐ Safety / SART ☐ CSST ☐ SLCT ☐ SRR ☐ CAPA ☐ POT	
			☐ Safety / SART ☐ CSST ☐ SLCT ☐ SRR ☐ CAPA ☐ POT	

F Linked Action and Handoff Follow-up

Check the existing action in its owning record and cite its outcome and effectiveness conclusion, where applicable. Route a new, overdue or ineffective action through E. Keep a handoff open until the required follow-up is documented.

Review / Event IDs	Existing Action / Handoff Record ID	Current Status	Owner / Due Date	Source Conclusion / Evidence Reference / Checked Date and Initials
		☐ Open / on time ☐ Overdue ☐ Closed ☐ Not assessable		
		☐ Open / on time ☐ Overdue ☐ Closed ☐ Not assessable		
		☐ Open / on time ☐ Overdue ☐ Closed ☐ Not assessable		
		☐ Open / on time ☐ Overdue ☐ Closed ☐ Not assessable		

G Current Index Status and Review Conclusion

Select the highest-priority status: Escalated review active → Control action active → Follow-up or assessment pending → Index current. Cite affected Event IDs and records below. Routine CSST review is not escalation; case closure remains in the SART.

Current Index Status	Select One / Basis	Status Date / Next Review
Index current / no pending item	☐ Entries are reconciled with their sources; no pending assessment, action or handoff is known.	
Follow-up or assessment pending	☐ A source assessment, case follow-up or reconciliation is pending; no higher-priority status applies.	
Control action active	☐ A linked corrective or procedural control action remains open; no escalated review status applies.	
Escalated review active	☐ An urgent or overdue safety handoff, or a triggered signal review, remains open.	

Affected Event IDs / Linked Records / Status Basis:

H Accountable Review and Controlled Record Location

The reviewers confirm that the index was checked against the linked source records and that outstanding handoffs remain identifiable. This review does not replace the investigator's case assessment or any sponsor safety decision. One person may hold more than one site function.

SCML owner / primary reviewer

Name / role:

Signature:
Date:

Clinical / surgical reviewer (if required)

Name / role:

Signature:
Date:

Principal Investigator / accountable approver

Name:

Signature:
Date:

Next review and controlled record location

Review date:

Record location:
Current revision: