CAPA — CORRECTIVE AND PREVENTIVE ACTION LOG

STUDY / PROTOCOL	CIP VERSION	SITE / CODE	REVIEW PERIOD
INSTRUMENT OWNER	PI / ACCOUNTABLE REVIEWER	CONTROLLED LOCATION	LAST RECONCILIATION DATE
REVIEW ID	REVIEW TYPE	TRIGGER / REVIEW BASIS	PREVIOUS REVIEW / SUPERSEDES

A Purpose and Use — CAPA portfolio log

Purpose and Use: Use this instrument as the controlled site-level register and periodic review of all Corrective and Preventive Actions (CAPAs) opened within one defined period. Record each CAPA once in the Master CAPA Register. Use the following sections to reconcile the portfolio, identify patterns, follow active CAPAs, decide effectiveness or closure, and document outputs. This log does not replace the authorized QMS CAPA, deviation, investigation or safety record.

Element	Complete when	Record / link
Unit of analysis	One row in the Master CAPA Register represents one QMS CAPA. The review evaluates the complete CAPA portfolio for the defined site and period.	CAPA ID; source/QMS reference; CTQ or operational domain; category; criticality; lifecycle status.
Decision support	The reviewer can decide whether the CAPA portfolio is reconciled and controlled, whether a pattern needs escalation, and which active CAPAs require follow-up or closure review.	Reconciliation result; distribution; signal assessment; active follow-up; effectiveness/closure decision.
Inputs	Complete from the authorized CAPA/QMS register and relevant linked records. Use IDs and controlled locations rather than copying case narratives.	QMS CAPA; deviation/investigation; SART; IMC; FUCR; IQL; SCML; PIR; SRR; controlled SOP/CIP records.
Outputs	The review creates a reconstructable portfolio status and routes any required update to the accountable record or reviewer.	CAPA follow-up index; escalation; SRR/PIR/IMC/process update; controlled handoff; PI decision.

B Completion sequence and review boundary

Use this log as a portfolio review, not as a replacement for the individual QMS CAPA. The Master CAPA Register is the complete population. The remaining sections use that same population to produce counts, identify material patterns, follow active CAPAs and document closure decisions.

Step	Complete	How to complete	Output
1	**Reconcile the CAPA population**	Compare the authorised QMS CAPA register with the Master CAPA Register. Resolve any difference before completing the review.	Population confirmed
2	**Record every CAPA once**	Enter one row in Section C. Use the controlled Category, Criticality and Lifecycle status definitions on the next page.	Traceable master log
3	**Calculate the portfolio view**	Complete Section D with counts, distributions and any recurring pattern. Keep counts and denominators separate from narrative.	Trend / trigger decision
4	**Review only material signals**	Use Section E only when a cluster, recurrence, High-criticality concentration or material interface requires a system-level assessment.	Escalation / update route
5	**Follow active CAPAs and close with evidence**	Use F for every active CAPA. Use G only when effectiveness, closure or reopening is being decided.	Accountable next step or closure

B Controlled classifications — Category, Criticality and Lifecycle status

Apply one primary Category, one Criticality level and one Lifecycle status to every CAPA in Section C. Do not use free-text variations when a controlled option exists. CTQ / operational domain is recorded separately from Category so the portfolio can be aggregated consistently.

Code	Category	Use when the primary problem involves
CAT-01	Participant rights / consent	Consent, confidentiality, participant rights or consent documentation.
CAT-02	Protocol / procedure compliance	CIP requirement, procedure, deviation or clinical-operational control.
CAT-03	Safety / device interface	SART, AE/ADE, device deficiency, device accountability or IFU interface.
CAT-04	Endpoint / imaging / assessment quality	Imaging, assessment, endpoint, measurement tool or performance data.
CAT-05	Follow-up / participant retention	Visit timing, completeness, scheduling, follow-up or recovery.
CAT-06	Data / source / documentation	Source data, CRF, query, filing, reconstructability or document integrity.
CAT-07	Training / delegation / competency	Training, release, delegation, competence, access or supervision.
CAT-08	Governance / oversight / process	PI oversight, controlled review, escalation, governance or process control.
CAT-09	Site systems / facilities	Operational system, supplier, equipment, infrastructure or local facility.
CAT-10	Other — specify	A primary category cannot be assigned; document the rationale.

Criticality	Operational definition	Minimum review consequence
High	Actual or potential effect on participant rights/safety, critical endpoint integrity, material compliance, device accountability, or serious/continuous non-conformance.	PI review and applicable escalation route; next review date required.
Medium	Relevant effect on quality, execution or reconstructability without a current High-criticality condition.	Owner and next milestone required; review in the next CAPA cycle.
Low	Localised and contained issue without material current CTQ impact and without a systemic pattern.	Routine follow-up; reclassify if recurrence, extent or evidence changes.

Lifecycle status	Meaning	Required use in this log
Open — analysis/plan pending	Cause, authorised plan or required route is not yet complete.	Continue in Section F.
Implementation in progress	An authorised plan exists; one or more actions are not completely implemented.	Continue in Section F.
Effectiveness pending	Actions are implemented; a defined population, period or evidence is still needed to judge effectiveness.	Continue in F and evaluate in G.
Closed — effective	The effectiveness criterion is met and closure is documented in the authorised record.	Include in D; use G for closure confirmation if reviewed this period.
Reopened	Recurrence, ineffective action or material new information requires the prior CAPA to reopen.	Escalate and return to F.

Important boundary: Criticality is a management priority for the CAPA portfolio. It is not a substitute for adverse-event seriousness, device-deficiency classification or any safety decision. Use the applicable QMS, CIP and sponsor rule where a local rule differs.

CAPA — CORRECTIVE AND PREVENTIVE ACTION LOG

CAPA · v0.10 · BLANK

STUDY / PROTOCOL	CIP VERSION	SITE / CODE	REVIEW PERIOD

C Master CAPA Register — one row per CAPA opened

Primary log: enter every CAPA opened within the Review period, including CAPAs later closed. Keep the finding factual and short. Use the authorised QMS CAPA or investigation reference for full detail.

CAPA ID	Opened / closed date	Short problem statement	Source record	CTQ / operational domain	Category	Criticality	Lifecycle status

Continuation rule: If more CAPAs must be logged than available rows, print this page again and append it to the final log. On every continuation page, repeat the Study / Protocol, CIP version, Site / code, Review period and page sequence. Reconcile the total number of completed rows with the authorised QMS CAPA population before closing this review.

D Portfolio reconciliation and category distribution

Complete this page from all Master CAPA Register rows. Counts must be reproducible from Section C and continuation pages. Resolve any difference between the authorised QMS population and this log before proceeding to the distribution review.

D1 Reconciliation

Reconciliation measure	Value	Authoritative source / date checked	Conclusion or required correction
CAPAs in authorised QMS register for period			
Completed rows in Master CAPA Register			
Active CAPAs (Open + Implementation + Effectiveness pending)			
Closed — effective CAPAs			
Reopened CAPAs			

D2 Category distribution

Aggregate the reconciled CAPA population by controlled category. Every CAPA must appear once and the total must equal the authorised QMS population.

Category	Count	CAPA IDs	Portfolio decision / observation
CAT-01 Participant rights / consent			
CAT-02 Protocol / procedure compliance			
CAT-03 Safety / device interface			
CAT-04 Endpoint / imaging / assessment quality			
CAT-05 Follow-up / participant retention			
CAT-06 Data / source / documentation			
CAT-07 Training / delegation / competency			
CAT-08 Governance / oversight / process			
CAT-09 Site systems / facilities			
CAT-10 Other — specify			
Total			

D2 Criticality and lifecycle-status distributions

Continue the same reconciled population. Criticality and lifecycle counts and CAPA IDs must match Section C and the category distribution on the preceding page.

Criticality distribution

Criticality	Count	CAPA IDs	Required reviewer route
High			
Medium			
Low			

Lifecycle-status distribution

Lifecycle status	Count	CAPA IDs	Next review consequence
Open — analysis/plan pending			
Implementation in progress			
Effectiveness pending			
Closed — effective			
Reopened			

D3 Historical carry-forward and cumulative trend baseline

Carry forward the immediately relevant prior portfolio reviews and add the current review. Keep each period count distinct from the cumulative total, link the controlled review record and summarise the cumulative category profile. Use the comparison to decide whether recurrence, deterioration, High-criticality concentration or reopening requires assessment in Section E.

Review period / record ID	CAPAs opened	High	Reopened	Active at period end	Cumulative CAPAs	Cumulative category profile	Trend decision / route

E Portfolio signal assessment and systemic interface

Complete this section only when D3 identifies a measurable signal. First define the cross-period pattern and its denominator in E1. Then use E2 only for a material system-level, safety, device, CIP or endpoint-reliability interface. The authorised QMS CAPA or investigation remains the source for individual causal analysis and action control.

E1 Recurring pattern screen

Pattern ID	Linked CAPA IDs	Quantified signal / denominator	Trigger or rule source	Decision / route

E2 Systemic signal and interface assessment

Signal / cluster ID	Linked CAPA IDs	Expected state	Observed pattern and extent	Cause theme / evidence reference	Safety / device / CIP interface	Decision / output

Use only when triggered: Do not repeat the individual QMS investigation here. Summarise only the cross-CAPA pattern, evidence and decision. If no pattern or material interface is identified, state “No systemic signal identified” with the reviewed population and source.

F Active CAPA Follow-up Index — one row per active CAPA

Population: enter every CAPA that is Open — analysis/plan pending, Implementation in progress, Effectiveness pending or Reopened. This index points to the authorised plan and evidence. It does not duplicate individual action plans or create a parallel CAPA cycle.

CAPA ID	QMS CAPA / investigation reference	Lifecycle status	Next required milestone	Accountable owner	Due / next review	Evidence expected or missing	Escalation / decision

Active CAPA rule: enter one line for every CAPA whose lifecycle status is Open — analysis/plan pending, Implementation in progress, Effectiveness pending or Reopened. This is a review index only: keep the complete action plan and implementation detail in the authorised QMS CAPA or investigation record. Print continuation pages when needed.

G Effectiveness, closure and reopening decision — one row per CAPA

Use this section only when a CAPA is evaluated for effectiveness, closure or reopening during this review. The effectiveness criterion must be specific enough to test; a conclusion without a source, population or period is not sufficient.

CAPA ID	Effectiveness criterion	Population / period	Evidence reference and result	Decision	Limitation / residual risk	Evaluator / date

Use this section only for decision: include CAPAs that are Effectiveness pending, Closed — effective or Reopened during this review. One row represents one CAPA. A new similar CAPA does not automatically prove ineffectiveness; assess similarity of cause and the evidence in the authorised record.

H Controlled outputs, portfolio conclusion and accountable review

Document only outputs created by this portfolio review. Examples include a controlled process update, SRR/PIR/IMC update, PI escalation, linked SART route or formal communication. Do not repeat every action from the QMS CAPA record.

Output / controlled update	Triggering CAPA or signal	Recipient / destination	Record / controlled location	Confirmation / date

Portfolio review conclusion

☐ Controlled ☐ Controlled with open CAPAs ☐ Not controlled / escalation required

High-criticality CAPAs active:

Next portfolio review date:

Decision rationale and residual-risk statement:

CAPA log owner		PI / accountable reviewer	
Name / role		Name / role	
Signature		Signature	
Date		Date	