IMC - INTERNAL MONITORING CHECKLIST

IMC · v1.3

Site Name / Code	Protocol Number	Reviewer Name	Date of Review
Review Period	Study Phase	Review Type	Review Status
Review Scope ☐ Full periodic review ☐ Selected domains ☐ Triggered review		Trigger / Reason for Review	
Linked Records Reviewed		Cases / Procedures in Period	

A Purpose and Use of This Checklist

Purpose and Use: Use one IMC for one defined site review cycle, covering the applicable operational-control domains for the stated period or trigger. The IMC verifies whether planned controls were executed, whether evidence is reconstructable, and whether the control or response is effective. It does not replace participant-level source review, the Site Risk Register, PI oversight, specialised process records, safety reporting, deviation records or CAPA.

For a focused review, mark domains outside the approved scope as **In scope: No** and do not reassess them unnecessarily. Every negative or uncertain classification must have a limitation, finding, action, escalation or linked record.

Element	Complete when	Record / link
Unit of analysis	One IMC is opened for one site, one review period or one defined trigger.	Site, period, trigger, IMC ID and reviewer.
Decision supported	Decide whether operational controls were executed, evidenced and effective, and whether response is required.	Domain classifications, findings, action route and closure status.
Inputs	IMP, current CIP and SOPs, specialised logs, prior findings, risk records and relevant external information.	Controlled reference IDs or locations; do not copy source narratives.
Outputs	Reconstructable site-level review, finding IDs, actions, escalations and effectiveness follow-up.	PI oversight, SRR, FUCR, CSST, CAPA, PIR, training or sponsor/safety route as applicable.

B Monitoring Classification Guide

Use this guide before completing the domain review. The three dimensions are assessed separately: **Execution** asks whether the planned monitoring activity occurred; **Evidence** asks whether the result can be verified; and **Effectiveness / Response** asks whether the control worked and whether relevant signals were addressed.

Assess whether the monitoring activity planned for the review period was actually carried out. This classification concerns completion of the control activity, not whether the result was satisfactory.

Execution

Classification	General definition	Use when
Complete	The monitoring activities applicable to the domain were performed during the review period.	All planned activities for the period were completed, even if they identified a signal requiring action.
Partial	Some relevant monitoring activities were performed, but one or more material elements were incomplete.	Part of the planned review occurred, or the review covered only a limited subset without an approved scope limitation.
Not performed	The planned monitoring activity was not completed and no adequate recovery is documented.	The activity was due but did not occur, or its completion cannot be confirmed.
Not applicable	The activity was not applicable to the stated study phase, review period, or selected scope.	A documented scope decision explains why no activity was expected.

B Monitoring Classification Guide — continued

Assess whether the available records are sufficient and traceable enough to confirm what was done and what was found. Evidence quality is assessed separately from execution and effectiveness.

Evidence

Classification	General definition	Use when
Adequate	Evidence is sufficient, traceable, and allows the reviewer to confirm execution and outcome.	The linked controlled record or combination of records is available and internally consistent.
Partial	Evidence exists but is incomplete, dispersed, delayed, or does not confirm every relevant element.	The reviewer can confirm part of the activity but needs clarification or additional records.
Insufficient / unavailable	Evidence cannot confirm that the activity occurred or what result it produced.	Records are missing, contradictory, illegible, or not retrievable within the review.
Not applicable	No specific evidence was expected for the documented scope.	Use only when the corresponding execution item is also not applicable.

Effectiveness / Response

Classification	General definition	Required response
Effective	The control is functioning as intended and no unresolved relevant signal remains.	No action is required unless another dimension or linked review requires it.
Observation	A minor issue or improvement point exists without current evidence of material control failure.	Record the observation; add an action if follow-up is needed.
Not effective	A recurrence, trend, significant gap, ineffective response, or unresolved relevant signal was identified.	Signal, action, owner, due date, and escalation or linked record are mandatory.
Not assessable	Effectiveness cannot be determined from the available information.	Document the limitation and create an action to complete the assessment.

Review result logic

Execution / Evidence / Effectiveness	Interpretation	Minimum response
Complete / Adequate / Effective	Control activity occurred, evidence is reconstructable and no unresolved relevant signal remains.	Record the result; no additional action unless linked review requires it.
Complete / Partial / Not assessable	Activity occurred, but available records do not support a complete effectiveness judgement.	Record the limitation and open an evidence or follow-up action.
Partial or Not performed	Required monitoring was incomplete or absent, regardless of whether isolated evidence exists.	Document recovery, owner, due date and escalation route.
Not effective	A recurrence, material gap, ineffective response or unresolved signal was identified.	Link the finding to action, escalation, risk, CAPA or another controlled record.

C Domain-Specific Interpretation Guide

Domain	Execution means	Adequate evidence may include	Effective / usable when
Sterile release-to-use verification	Planned release, package, expiry, storage and breach checks were completed.	ICDL, release record, storage/expiry record, substitution record.	Release status and any breach or substitution were reconciled and routed.
Implant traceability and component reconciliation	Participant, planned configuration, implanted components and accountability records were compared.	ICDL, implant labels, device accountability, operative note, CRF.	UDI/lot/serial and configuration are consistent or discrepancies are justified and escalated.
Instrumentation and operating-room readiness	Readiness, compatibility, availability and technical malfunction reviews were completed.	ICDL, OR readiness record, device record, deviation or deficiency record.	Missing, incompatible or malfunctioning equipment was documented and addressed.
Operative documentation adequacy	Operative notes were reviewed for investigational detail, decisions, substitutions, deviations and complications.	Operative note, ICDL, SCML/SART reference, CRF query.	The record is sufficiently complete for later safety and outcome interpretation.
Imaging usability and timing compliance	Required imaging, views, timing and technical usability were reviewed.	ICQL, imaging source, PFVR, imaging query or repeat record.	Non-conforming imaging has a documented disposition, repeat or limitation.
Follow-up execution quality	Follow-up outputs were reviewed for attendance, timing, imaging, functional/PROM data and complications.	PFVR, FUCR, source/CRF, SART/SCML references.	Attendance is not treated as completeness; missing outputs have a cause or recovery route.
Timeliness, backlog and closure discipline	Notes, data entry, queries, actions and internal reviews due in the period were checked.	Query log, action log, IMC findings, CAPA/PIR, completion timestamps.	Backlog and overdue work are visible, owned and controlled.
External context review	Relevant literature, registry findings, safety alerts and field notices were considered when applicable.	Approved external review record, field notice, sponsor communication, PI note.	Relevant external information is interpreted against local findings and escalated when needed.
Early complication pattern review	Early complications were reviewed for timing, severity, intervention, surgeon, case type and device/procedure context.	SCML, CSST, SART, SLCT, PFVR and imaging records.	Patterns are either reasonably explained or escalated without replacing individual event adjudication.

D Domains Included in This Review

Operational Control Domain	In Scope	Primary Linked Templates / Records
Sterile release-to-use verification	☐ Yes ☐ No	ICDL / release and storage records
Implant traceability and component reconciliation	☐ Yes ☐ No	ICDL / labels / accountability / CRF
Instrumentation and operating-room readiness	☐ Yes ☐ No	ICDL / OR readiness / deficiency route
Operative documentation adequacy	☐ Yes ☐ No	Operative note / ICDL / SCML / SART
Imaging usability and timing compliance	☐ Yes ☐ No	ICQL / PFVR / imaging source
Follow-up execution quality	☐ Yes ☐ No	PFVR / FUCR / source and CRF
Timeliness, backlog and closure discipline	☐ Yes ☐ No	Query, action, CAPA and IMC records
External context review	☐ Yes ☐ No	PI oversight / field notice / sponsor route
Early complication pattern review	☐ Yes ☐ No	SCML / CSST / SART / SLCT

Scope rule: A focused or triggered review may exclude domains. Mark excluded domains explicitly and record the approved scope rationale in the header or trigger field.

Scope rationale and exclusions

Domain excluded or limited	Reason / trigger-specific rationale	Approved by / date

E Operational Control Domain Review

Domain	Periodic monitoring question	Execution	Evidence	Effectiveness / response	Finding, signal or limitation	Action / route / owner / due date
Sterile release-to-use verification	Were release status, package integrity, expiry, storage and any breach or replacement component reviewed and reconciled for the period?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Implant traceability and component reconciliation	Were participant, planned configuration, implanted components and accountability records compared, with discrepancies justified and routed?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Instrumentation and operating-room readiness	Were readiness, compatibility, availability and technical malfunction controls reviewed and any issue documented?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Operative documentation adequacy	Were operative notes reviewed for final configuration, decisions, substitutions, deviations and procedural complications?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Imaging usability and timing compliance	Were required imaging, timing, views and technical usability reviewed, including disposition of non-conforming imaging?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Follow-up execution quality	Were follow-up outputs reviewed for timing, imaging, functional/PROM data and complications rather than attendance alone?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Timeliness, backlog and closure discipline	Were notes, data entry, queries, actions and internal reviews completed or escalated within the applicable timelines?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
External context review	Was relevant external information reviewed when applicable and interpreted against local findings?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		
Early complication pattern review	Were early complications reviewed for timing, severity, intervention, surgeon, case type and device/procedure context?	☐ Complete ☐ Partial ☐ Not performed ☐ Not applicable	☐ Adequate ☐ Partial ☐ Insufficient / unavailable ☐ Not applicable	☐ Effective ☐ Observation ☐ Not effective ☐ Not assessable		

F Cross-Domain Signals and Escalation

Use this section only when the domain review identifies a pattern, issue, or decision that cannot be adequately contained within one operational control domain. A cross-domain signal may lead to an update of the SRR, a PI review in the POT, a milestone discussion in the MRL, a CSST signal assessment, a PDTR review, or a CAPA.

Signal Type	Observed?	Description / Affected Domains	Immediate Containment	Decision / Route	Linked Record / Owner
Recurring issue across domains	☐ Yes ☐ No				
Participant-safety concern	☐ Yes ☐ No				
Endpoint or data-reliability concern	☐ Yes ☐ No				
Device traceability or deficiency concern	☐ Yes ☐ No				
Need for intensified PI oversight	☐ Yes ☐ No				
Need for CAPA or formal risk update	☐ Yes ☐ No				

G Open Action Log

No.	Action / Required Response	Owner	Target Date	Escalation / Linked Record	Status	Initials
1						
2						
3						
4						
5						

An action may be recorded as Open, In progress, Complete, Escalated, or Transferred to another controlled record.

IMC - INTERNAL MONITORING CHECKLIST

Outcome + Certification

H Review Outcome

Overall Review Outcome	☐ Controls effective ☐ Observations only ☐ Action required ☐ Escalation required
Domains Requiring Follow-up	☐ Governance / PI ☐ Delegation / Training ☐ Surgical / Device ☐ Imaging / Endpoint ☐ Follow-up ☐ Safety ☐ Deviations / CAPA ☐ None
Summary of Review Findings	
PI Review Required?	☐ Yes ☐ No ☐ Already completed in linked record
Next IMC Review Due	

I Effectiveness Verification / Follow-up

Follow-up required?	Review date	Evidence reviewed / linked record	Result	Reviewer
☐ Yes ☐ No			Effective / Partial / Not effective / Not assessable	

Use this block when an IMC finding or action requires later verification. Do not close the action solely because it was implemented; record the evidence and outcome of the effectiveness review.

J Reviewer Certification

Reviewer Certification Statement	I confirm that this Internal Monitoring Checklist was completed for the stated scope and review period. I confirm that the linked evidence was reviewed at a level proportionate to the operational control domains in scope and that identified observations, ineffective controls, incomplete activities, and required escalations have been documented or transferred to an appropriate controlled record.
Primary Reviewer Signature	
Date	
PI Review / Signature, if required	
Date	

K Document Control Note

Retain this checklist with the linked monitoring evidence and controlled records. A targeted or triggered review does not replace the next scheduled periodic IMC unless the review outcome explicitly changes the next review date or scope.