# SCML — SITE COMPLICATION MONITORING

SCML · v0.3

| | | | |
|---|---|---|---|
| Study / Protocol | Site / Code | SCML Record ID | Record Status |
| Device / System | Procedure Family / Anatomical Field | Record Opened | Last Updated |
| Applicable CIP / Safety Procedure / Current Version | | Safety File Reference | CSST Review Period / Next Review Date |

## A Purpose, Decision and Boundary

This controlled record captures each observed complication, adverse event, adverse device effect, device deficiency or new related finding that may concern the **investigational device**, the **procedure**, or their interaction in clinical use. A record may be opened from the operating room, an inpatient encounter, a participant contact, imaging, follow-up, safety review or another verified clinical source.

**Decision produced:** What happened; what immediate patient, device, safety and study-control response is required; and does the event or its follow-up require escalation to the applicable safety route, the CSST, the SLCT, the SRR, CAPA or PI oversight?

This is an individual event and surveillance source record. It does not replace the study-specific safety reporting process, participant source documentation, operative record, device deficiency form, causality decision or sponsor safety evaluation. Record the relevant source references rather than duplicating their narratives.

## B Event Capture and Linked-Record Guide

| When an entry is opened | What this record captures | What remains in the authoritative linked record |
|---|---|---|
| **Clinical complication or adverse event** | Event term, onset, timing in relation to surgery/follow-up, clinical severity and immediate impact; procedural/device context; intervention and outcome. | Participant source, clinical assessment and the applicable safety report retain the full clinical narrative and required reporting details. |
| **Observed device deficiency** | Device/component/configuration context, whether the deficiency occurred with an event, immediate containment and the reference to the deficiency route. | The device deficiency record and sponsor process retain product investigation, return, non-conformance and formal disposition details. |
| **New information, revision, reoperation or explant** | New finding, intervention, technical consequence and whether it changes the preliminary or final event understanding. | Operative, imaging, pathology, explant analysis, follow-up and safety records retain their source data and final findings. |
| **Potential pattern or concentration** | Event/category reference and the reason to request an aggregate CSST review or another linked control review. | CSST retains the aggregate count, denominator, pattern assessment, trend and formal signal decision. |

Use a participant code and source reference only. Do not enter direct identifiers. If an adverse event is associated with a device deficiency, reference both the event route and the deficiency route.

## C Event and Complication Register

**Record one event per row.** Enter the participant code, clinical description and timing; identify the relevant device configuration, technical context and surgeon; then cite the imaging and safety record references where they exist. Use **“none identified”** or **“not indicated”** for a negative finding rather than leaving a field ambiguous.

| Event ID | Participant code | Clinical description | Timing from procedure | Clinical severity, intervention and current outcome | Device configuration | Technical context | Surgeon | Imaging reference | Safety record reference |
|---|---|---|---|---|---|---|---|---|---|
| **01** | | | | | | | | | |
| **02** | | | | | | | | | |
| **03** | | | | | | | | | |
| **04** | | | | | | | | | |
| **05** | | | | | | | | | |

Attach continuation pages in the same column order when additional events occur. “No device component implicated” and “no imaging indicated” should be stated where applicable; do not leave a negative finding ambiguous.

## D Preliminary Relationship Assessment and Immediate Route

**Select every context that is reasonably relevant at this stage;** more than one may apply. Use the evidence column to state why the selected context is plausible, what remains uncertain and whether imaging or another source is required. This is a preliminary site assessment only; it does not replace the final investigator classification or the applicable safety route.

| Event ID | Preliminary relationship context | Evidence reviewed / imaging needed | Observed device deficiency? | Immediate clinical or device action | Safety / notification route and date | Owner / linked reference |
|---|---|---|---|---|---|---|
| **01** | ☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined | | ☐ Yes ☐ No ☐ Under review | | | |
| **02** | ☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined | | ☐ Yes ☐ No ☐ Under review | | | |
| **03** | ☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined | | ☐ Yes ☐ No ☐ Under review | | | |
| **04** | ☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined | | ☐ Yes ☐ No ☐ Under review | | | |
| **05** | ☐ Device ☐ Procedure ☐ Operator ☐ Patient ☐ Undetermined | | ☐ Yes ☐ No ☐ Under review | | | |

## E Follow-up, Final Investigator Assessment and Reporting Completion

| Event ID | New information / follow-up evidence | Revision, reoperation, explant or other intervention | Final investigator classification and relationship assessment | Final safety / deficiency report reference | Resolution / ongoing status | Final review date / initials |
|---|---|---|---|---|---|---|
| **01** | | | | | | |
| **02** | | | | | | |
| **03** | | | | | | |
| **04** | | | | | | |
| **05** | | | | | | |

Use the current study safety procedure for the final classification and report references. A clinical event associated with an observed device deficiency must retain references to both applicable pathways.

## F Local Review, Handoff and Control Linkage

Use this register when an individual event, new information or a concentration of entries needs a controlled review beyond the event record. This page does not determine an aggregate signal; the CSST remains the formal aggregate surveillance instrument. It documents why a review was opened and which linked record receives the outcome.

| Event / group reference | Reason for local review or handoff | Review route selected | Decision / immediate control | Owner / due date / linked record |
|---|---|---|---|---|
| | | ☐ CSST aggregate review<br>☐ SLCT review<br>☐ SRR / CAPA / PI oversight<br>☐ Applicable safety route | | |
| | | ☐ CSST aggregate review<br>☐ SLCT review<br>☐ SRR / CAPA / PI oversight<br>☐ Applicable safety route | | |
| | | ☐ CSST aggregate review<br>☐ SLCT review<br>☐ SRR / CAPA / PI oversight<br>☐ Applicable safety route | | |
| | | ☐ CSST aggregate review<br>☐ SLCT review<br>☐ SRR / CAPA / PI oversight<br>☐ Applicable safety route | | |
| | | ☐ CSST aggregate review<br>☐ SLCT review<br>☐ SRR / CAPA / PI oversight<br>☐ Applicable safety route | | |

## G Action, Follow-up and Effectiveness Record

| Event / handoff reference | Action or control adaptation | Owner / due date | Evidence required for follow-up | Outcome / linked record / closure |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

An action, restriction, safety notification or review request is not closed merely because it was initiated. Record the follow-up evidence, the linked safety or quality record and whether the control was effective, insufficient or still under review.

## H Current Record Status and Review Conclusion

I confirm that the entries in this record were reviewed against their applicable source and safety records. The conclusion does not substitute for final sponsor safety evaluation or any required reporting route. The purpose of this site-level conclusion is to keep clinical, technical and procedural information connected until the appropriate records and actions are complete.

| Current status | Select one and state the scope or condition | Effective date / next review |
|---|---|---|
| **Complete / no linked review open** | ☐ Entries are current; no unresolved event-specific control or aggregate handoff remains open. | |
| **Follow-up or assessment active** | ☐ One or more entries require new information, final investigator assessment or an ongoing safety route. | |
| **Control action active** | ☐ A linked action, enhanced review, procedural control or device-related containment is active. | |
| **Escalated / signal review active** | ☐ An applicable safety route, CSST, SRR, CAPA, PI oversight or other formal review is active. | |

## I Accountable Review and Controlled Record Location

**Primary reviewer**

Name / role:

Signature:
Date:

**Clinical / surgical reviewer**

Name / role:

Signature:
Date:

**Principal Investigator / accountable approver**

Name:

Signature:
Date:

**Next review and controlled record location**

Review date:

Record location:
Current version: