# RACI - Responsibility Assignment Matrix

Who takes each CCDM task, and who owns each quality function



| Study / protocol | Site / code | RACI record ID | Record revision |
|---|---|---|---|
| **Linked CCDM record ID / revision** | **Linked DTRM record ID / version** | **Effective date** | **Supersedes (record ID / revision)** |
| **RACI owner / role** | | **Site type (scalability model)** ☐ Type A ☐ Type B ☐ Type C | |

## A Purpose and use

Read with the CCDM, the RACI is the site's **delegation log**: the CCDM sets how critical each task is and how much supervision it needs, and the RACI names the function and the person who take it. A C2 or C3 task goes only to a person with a current TRE release for that task.

Approve it at start-up, before the first participant. Afterwards, record changes of holder or backup in Section I and revise the matrix when the CCDM or the DTRM changes.

| Element | Content | Record / link |
|---|---|---|
| **Unit of analysis** | One RACI for one site, one investigation and one revision: one row per CCDM task in Section D, one line per holder or backup in Section C. | RACI record ID and revision; linked CCDM and DTRM revisions. |
| **Decision supported** | Who is R, A, C and I for each CCDM task, who holds and backs up each function, and who owns each instrument in use. | Sections C, D and E. |
| **Inputs** | The CCDM task list, the DTRM role profiles, and each person's TRE release (with the SCR decision for surgical tasks). | CCDM record ID / revision; DTRM record ID; TRE record IDs. |
| **Outputs** | An ownership map that shows where coverage is complete and where it is not, closed by a coverage decision. Presented with the CCDM as the current delegation log at monitoring visits and consulted before each surgical case. Gaps go to the POT, the SRR or the CAPA. | Section G decision; Section H approval; Section I change log. |

## B Codes and assignment rules

| R Responsible | A Accountable | C Consulted | I Informed | A/R Same function |
|---|---|---|---|---|
| Performs the task, or its defined part, within the CCDM boundary and supervision. | Answers for the task at site level and signs off its result. One A per task. | Gives clinical, technical or procedural input before the task is completed or decided. | Is told of the result or decision after it is made. | Answers for and performs the task. Required for C1 tasks; elsewhere only with a compensating review (Section G). |

| CCDM code | Who may be R | Who is A | Release checked before an R is entered |
|---|---|---|---|
| **C1** PI-retained | PI only; other functions only C or I | PI (enter A/R) | PI training current in the TRE; no backup |
| **C2** Delegable within a boundary | A function whose holder and backup are released for the task | PI or a named function | TRE release for the task ID; for surgical tasks, also the SCR decision (TRE Section B) |
| **C3** Routine | A function whose holder and backup are released for the task | PI or a named function | TRE release for the task ID |

| Supervision level | What the R may do | Review | Allowed with |
|---|---|---|---|
| **S0** PI-retained | Prepare information only; no final decision | The PI decides | C1 |
| **S1** Active PI review | Perform defined steps | The PI or a named specialist reviews specified outputs at the decision point | C2 |
| **S2** Defined supervision | Perform the task after release | A named supervisor, with stated restrictions and case-level escalation triggers | C2, C3 |
| **S3** Routine oversight | Perform the task independently within current instructions | Periodic review through normal quality controls | C3 |

Each task has one A and at least one R. The PI keeps overall responsibility for the investigation (ISO 14155:2026 Clause 10.1) whatever A is entered.

## C Function and role-holder register

Enter each function the site uses, with its DTRM profile ID and authority limit: at least the PI, operating surgeon, OR staff, radiology liaison, functional assessor, study coordinator and data QA. One line for the holder and one for the backup; in a Type C center every function still has a named holder. The signature confirms acceptance of the function and its limit and is the signature specimen. After approval, record changes in Section I.

| Role ID (DTRM profile) | Function and authority limit | Position | Name | Initials | TRE record ID | Also holds (Role IDs) | From | PI authorization (initials / date) | Signature (acceptance) |
|---|---|---|---|---|---|---|---|---|---|
| | **PI**<br>Accountable for conduct at the site and for every delegated activity. Takes the C1 decisions. Delegation transfers execution, and responsibility stays with the PI. | Holder | | | | | | | |
| | | Backup | No backup for C1 decisions. If the PI is absent, C1 decisions wait or follow the sponsor's route for a PI change; record it in Section I. | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |
| | | Holder | | | | | | | |
| | | Backup | | | | | | | |

## D Task assignment matrix

| Task ID (CCDM) | Task | Code | Supervision | Functions: Role ID from Section C | | | | | | | | | TRE release checked | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Holder | Backup |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |
| | | | | | | | | | | | | | ☐ Yes ☐ No | ☐ Yes ☐ Cond. ☐ No ☐ N/A |

Copy the task ID, task, code and supervision from the current CCDM and enter R, A, C, I or A/R under the Role IDs of Section C. For the R function of each task, check the TRE of the holder and of the backup; the backup is N/A for C1 tasks. If the CCDM has more tasks, reprint this page, number each matrix sheet and include all sheets in the approved RACI.

# RACI - Responsibility Assignment Matrix

Quality function ownership and external support

## E Quality function ownership

One line per instrument of the framework. The owner keeps the instrument current, the backup covers when the owner is absent (the same Role ID means that function's backup holder in Section C), and the accountable function answers for it. Use Role IDs from Section C.

| Instrument | In use | Owner | Backup | Accountable |
|---|---|---|---|---|
| **Governance** | | | | |
| **CCDM** Criticality-Coded Delegation Matrix | ☐ Yes ☐ No | | | |
| **RACI** Responsibility Assignment Matrix | ☐ Yes ☐ No | | | |
| **DTRM** Device and Study Training Requirements Matrix | ☐ Yes ☐ No | | | |
| **TRE** Training Record Evaluation and Release | ☐ Yes ☐ No | | | |
| **SCR** Surgical Credentialing Record | ☐ Yes ☐ No | | | |
| **POT** PI Oversight Template | ☐ Yes ☐ No | | | |
| **MRL** Milestone Review Log | ☐ Yes ☐ No | | | |
| **Risk Management** | | | | |
| **SRR** Site Risk Register | ☐ Yes ☐ No | | | |
| **SLCT** Surgeon Learning Curve Tracking Log | ☐ Yes ☐ No | | | |
| **SCML** Site Complication Monitoring Log | ☐ Yes ☐ No | | | |
| **SART** Safety Assessment, Reporting and Tracking Template | ☐ Yes ☐ No | | | |
| **CSST** Complication Signal Surveillance Template | ☐ Yes ☐ No | | | |

| Instrument | In use | Owner | Backup | Accountable |
|---|---|---|---|---|
| **Operational Controls** | | | | |
| **IMP** Internal Monitoring Plan | ☐ Yes ☐ No | | | |
| **IMC** Internal Monitoring Checklist | ☐ Yes ☐ No | | | |
| **SIRR** Site Imaging Readiness Record | ☐ Yes ☐ No | | | |
| **IQL** Imaging Quality Log | ☐ Yes ☐ No | | | |
| **ICDL** Intraoperative Checklist and Device Log | ☐ Yes ☐ No | | | |
| **PSEAR** Participant Screening and Eligibility Assessment Record | ☐ Yes ☐ No | | | |
| **SIFSL** Subject Identification and Failure Screening Log | ☐ Yes ☐ No | | | |
| **PFVR** Participant Follow-up Visit Record | ☐ Yes ☐ No | | | |
| **FUCR** Follow-up Compliance Review | ☐ Yes ☐ No | | | |
| **Performance Oversight** | | | | |
| **PIR** Performance Indicator Record | ☐ Yes ☐ No | | | |
| **CAPA** Corrective and Preventive Action Log | ☐ Yes ☐ No | | | |
| **PIDLR** Post-Investigation Debrief and Lessons Record | ☐ Yes ☐ No | | | |

**Instruments not in use and why:**

## F External support and unavailable expertise

| Party or organization | What it covers (task IDs or function) and its limit | Agreement or reference | Site contact (Role ID) | From | To |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |

## G Coverage and combination review

Review at approval and at each revision. Write N/A when a point needs no note. Route each point not met to the record that owns the action (POT, SRR or CAPA) and write the reference; do not open the action here.

| Check | Result | Finding, restriction or routed record |
|---|---|---|
| Every CCDM task has one A and at least one R. | ☐ Met ☐ Not met | |
| C1 tasks: the PI is A/R, and other functions appear only as C or I. | ☐ Met ☐ Not met | |
| Every R on a C2 or C3 task belongs to a function whose holder has a current TRE release for that task ID; surgical tasks also have a current SCR decision (TRE Section B). | ☐ Met ☐ Not met | |
| Every function has a named holder, and every function except the PI has a backup with a current release for its tasks (DR10). | ☐ Met ☐ Not met | |
| Every person who holds more than one function has a compensating review, stated in the finding. | ☐ Met ☐ Not met | |
| External support and unavailable expertise are listed in Section F, each with a site contact. | ☐ Met ☐ Not met | |
| Every instrument in use has an owner, a backup and an accountable function (Section E). | ☐ Met ☐ Not met | |

**Coverage decision**

☐ Complete ☐ Complete with restrictions ☐ Not complete: gaps routed

**Restriction or routed record:**

## H Approval and revision

**Reason for this revision**

☐ CCDM revision ☐ DTRM revision ☐ TRE release granted, made conditional or withdrawn
☐ SCR restriction or suspension ☐ CIP amendment ☐ IMC or CAPA finding on delegation
☐ MRL milestone review ☐ New function or external party ☐ Other

**Summary of change:**

A change of holder or backup is recorded in Section I and does not need a new revision. Revise the matrix when tasks, functions or assignments change.

**Controlled location / continuation sheets:**

**RACI owner**

Name / role:

Signature / date:

**PI / accountable approver**

Name / role:

Signature / date:

# RACI - Responsibility Assignment Matrix

Role-holder change log / continuation sheet



| Study / site | RACI record ID / revision | Effective date | Sheet number / total sheets |
|---|---|---|---|
| | | | |

## I Role-holder change log (continuation sheet)

After approval, record every change of holder or backup here and leave Sections C and D as approved. The current holder of a function is the latest open line for that Role ID on these sheets, or the Section C line if there is none. Check the TRE release before the PI authorizes a line.

| Date | Change type | Role ID | Name | Initials | TRE record ID / release checked | From | To | Reason / linked record | PI authorization (initials / date) | Signature (acceptance) |
|---|---|---|---|---|---|---|---|---|---|---|
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |
| | ☐ New holder ☐ New backup ☐ Interim cover ☐ Ended | | | | | | | | | |

Reprint this sheet as needed, number each sheet and file all sheets with the approved RACI. At the next revision, carry the current holders into Section C and start a new sheet.