
GameLoop
- renderer:Renderer
- context: GameContext
- pauseSimulation: boolean
- pauseSimulationUntil: boolean
- pauseUntil: long
- skipPlayerUpdateUntil: boolean
- skipUntil: long
- gameWillEnd: boolean
- continueUntil: long
- disableRobotsFor: long
+ GameLoop(context: GameContext, renderer: Renderer)
+ run(): void
- skipPlayerUpdate(nanos: long): void
- pauseSimulation(nanos: long): void
- setGameEnd(nanos: long): void
- terminalOpened(): void
- puzzleMenuOpened(): void
- disableRobots(): void
JImpossibleMission
- world: GameWorld
- oldLeaderboardPanel: LeaderboardMenu
- oldGamePanel: Renderer
- oldTerminalMenu: TerminalMenu
- oldPuzzleMenu: PuzzleMenu
+ main(args: String): void
- start(): void
- initEventHandler(rootPanel: JPanel, layout: CardLayout, layeredPane: JLayeredPane): void
- sartGame(playerName: String, rootPanel: JPanel, layout: CardLayout, layeredPane: JLayeredPane): void
- stopGame(rootPanel: JPanel, layout: CardLayout): void
- closeGame()
- swapToLeaderboard(rootPanel: JPanel, layout: CardLayout): void
- wapToTerminalMenu(player: Player, layeredPane: JLayeredPane): void
- swapToPuzzleMenu(player: Player, layeredPane: JLayeredPane): void
java.lang.Thread
«record»
GameResumed
view
RobotDisableRequested
PlatformResetRequested
PuzzleMenuOpened
Renderer
TerminalMenu
PuzzleMenu
CloseGame
SecondaryMenuClosed
InputBoxMenuRequested
GamePanelRequested
LeaderboardMenuRequested
TerminalClosed
PuzzleMenuRequested
PuzzleMenuClosed
LeaderboardMenu
«record»
TerminalMenuRequested
player: Player
«record»
StopGame
model
TerminalOpened
GameContext
StopSimulation
PlayerDied
GameWillEnd
GameWorld
TerminalClosed
Player
ControllerEvent