Glaucoma Structural Progression

Davide Burba, Matteo Muffo

December 1, 2017

EXPLORATORY ANALYSIS

- Number of visits per patient



- Mean number of observations: 9.2
- 0.25 quantile: 9
- 0.50 quantile: 11
- 0.75 quantile: 11

- female vs male



- type of glaucoma



FAMILY HISTORY



RNFL average



RNFL average

- By Sex



RNFL average

- Only POAG Glaucoma



RIM area


Rim_area
time
0
1
2
3
0
2
4
6
502 522 605
503 523 606
504 524 607
505 590 608
506 591 609
507 592 610
508 593 611
509 594 612
511 595 613
512 596 614
513 597 617
514 598 618
515 599 619
516 600 620
517 601 621
518 602 622
519 603 623
Rim_area
0
1
2
0.0

RIM area

- By Sex



MD


MD
0
−10
0
2
4
6
time
502 522 605
503 523 606
504 524 607
505 590 608
506 591 609
507 592 610
508 593 611
509 594 612
511 595 613
512 596 614
513 597 617
514 598 618
515 599 619
516 600 620
517 601 621
518 602 622
519 603 623

PSD


15
10
5
0
PSD
0
2
4
6
time
502 522 605
503 523 606
504 524 607
505 590 608
506 591 609
507 592 610
508 593 611
509 594 612
511 595 613
512 596 614
513 597 617
514 598 618
515 599 619
516 600 620
517 601 621
518 602 622
519 603 623

RNFL vs MD (structural vs functional)



RNFL vs PSD (structural vs functional)



RNFL vs RIM (structural vs structural)



MD vs PSD (functional vs functional)



TODO:

- Plot e analisi esplorativa altre variabili
- Riempire dati mancanti