John the Ripper - Password Cracker

```
(kali@ kali)-[~]

$ cd Desktop

(kali@ kali)-[~/Desktop]

$ john --format=raw-md5 --incremental ps

Using default input encoding: UTF-8

Loaded 4 password hashes with no different salts (Raw-MD5 [MD5 128/128 SSE2 4×3])

Warning: no OpenMP support for this hash type, consider --fork=2

Press 'q' or Ctrl-C to abort, almost any other key for status

abc123 (?)

charley (?)

password (?)

letmein (?)

4g 0:00:00:00 DONE (2024-05-15 10:07) 4.878g/s 3114Kp/s 3114Kc/s 3655KC/s letebru..letmish

Warning: passwords printed above might not be all those cracked

Use the "--show --format=Raw-MD5" options to display all of the cracked passwords reliably

Session completed.
```

```
<u>-</u>
                                                                                kali@kali: ~/Desktop
File Actions Edit View Help
s cd Desktop
stat: format=raw=md5: No such file or directory
  —(kali⊗kali)-[~/Desktop]
(kali® kali)-[~/Desktop]
$ john -- format=raw=md5 --incremental pass.txt
stat: format=raw=md5: No such file or directory
  -(kali⊛kali)-[~/Desktop]
(kali@ kali)-[~/Desktop]
$ john -- format=raw=md5 --incremental pass.txt
stat: format=raw=md5: No such file or directory
   -(kali®kali)-[~/Desktop]
$ john -- format=raw-umd5 -- incremental pass.txt
stat: format=raw-ùmd5: No such file or directory
   -(kali®kali)-[~/Desktop]
(kali@ kali)-[~/Desktop]
$ john -- format=raw-md5 --incremental pass.txt
stat: format=raw-md5: No such file or directory
(kali left kali) - [~/Desktop]
$ john -- show -- format = Raw-md5 ps1
?:password
1 password hash cracked, 0 left
(kali@kali)-[~/Desktop]

$ john --show --format=Raw-md5 ps2
?:abc123
1 password hash cracked, 0 left
__(kali⊛ kali)-[~/Desktop]
$ john --show --format=Raw-md5 ps4
?:letmein
1 password hash cracked, 0 left
```