

Café Table Order Services

Matthew Bima - 18217026

Deskripsi Layanan


Café Table Order merupakan sebuah layanan yang memberikan service kepada pelanggan untuk melakukan pemesanan secara virtual melalui gawai yang dimiliki oleh customer pribadi. Service ini melayani dari tahap awal pemesanan/order hingga pembayaran untuk sisi customer. Service ini juga melayani untuk pencatatan stock bagi sisi admin/penjual. Nantinya pesanan pelanggan akan secara otomatis mendeduksi stock yang ada, jika masih tersedia.

Core subdomain dari layanan ini dapat didefinisikan sebagai layanan point of sales yang bertanggung jawab atas fungsi penempatan order, manajemen member, payment processing, dan manajemen inventory. Dengan definisi user dalam bounded-context berupa :

1. Customer context : user merupakan pengguna yang melakukan pembelian melalui pemesanan/order.
2. Staff context : user merupakan pengguna yang melakukan update dan manajemen terhadap inventory.


Arsitektur sistem

Layanan yang digunakan menggunakan host pada layanan hosting Microsoft Azure. Dengan memanfaatkan Azure for MySQL sebagai layanan database yang digunakan juga. Sistem authorization menggunakan OAuth sebagai otorisasi untuk akun user/pengguna.




Teknis Fungsi Layanan

Berikut merupakan diagram alur dari proses aplikasi ini.



Layanan Café Table Order melayani service berupa manajemen user, pemesanan, payment processing, update inventory. Dengan pertimbangan sistem layanan yang berupa point of sale untuk café maka dapat diintegrasikan dengan layanan rekomendasi menu sesuai kalori seperti Godeliv/Nutrieats.

Berikut hasil alur layanan setelah integrasi :



Dokumentasi Endpoints

Endpoint/path	Method	Summary	Auth	Response
/users	GET	Mendapatkan list user	True	'200': description: Successful response content:

				application/json: example: id: 1 name: John Doe status: staff StaffNumber: 0123 password: ***** id: 2 name: Jane Doe status: member password: ***** age: 21 '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: User not found
	POST	Menambah user baru	False	'201': description: User created successfully content: application/json: example: id: 3 name: Jamet Doe status: member password: ***** age: 24 '400': description: Bad request '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"
/users/{id}	GET	Mendapatkan data user sekarang	True	'200': description: Successful response

				content: application/json: example: id: 3 name: Jamet Doe status: member password: ***** age: 24 '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: User not found
	PUT	Merubah data user sekarang	True	'200': description: User details updated successfully content: application/json: example: id: 3 name: James Doe status: member password: ***** age: 24 '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: User not found
	DELETE	Menghapus data user	True	'204': description: User deleted successfully '401': description: Unauthorized content: application/json:

				example: error: "Unauthorized - Insufficient scope" '404': description: User not found
/menus/	GET	Mendapatkan list menu	True	'200': description: Successful response content: application/json: example: id: 101 name: Es Teh Manis category: beverage type: Tea calory: 50 price: 7000 id: 102 name: Cafe Latte category: beverage type: Coffee calory: 65 price: 15000 '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: Menu not found
	POST	Menambahkan menu	True	'201': description: Menu created successfully content: application/json: example: id: 103 name: Americano category: beverage type: Coffee calory: 60

				price: 12000 '400': description: Bad request '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"
/menus/{id}	GET	Mendapatkan data menu sesuai id	True	'200': description: Successful response content: application/json: example: id: 103 name:Americano category: beverage type: Coffee calory: 60 price: 14000 '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: Menu not found
	PUT	Merubah data menu sesuai id	True	'200': description: Menu details updated successfully content: application/json: example: id: 103 name:Americano category: beverage type: Coffee calory: 60 price: 12000

				<p>'401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"</p> <p>'404': description: Menu not found</p>
	DELETE	Menghapus data menu sesuai id	True	<p>'204': description: Menu deleted successfully</p> <p>'401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"</p> <p>'404': description: Menu not found</p>
/ingredients/	GET	Mendapatkan list ingredients/bahan	True	<p>'200': description: Successful response content: application/json: example: id: 201 name: Gula Cair category: condiment stock: 7000 measurement: ml id: 202 name: Coffee Beans category: raw stock: 5000 measurement: gr</p> <p>'401': description: Unauthorized content: application/json: example:</p>

				error: "Unauthorized - Insufficient scope" '404': description: Ingredient not found
	POST	Menambahkan bahan	True	'201': description: Ingredient created successfully content: application/json: example: id: 203 name: Milk category: raw stock: 8000 measurement: ml '400': description: Bad request '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"
/ingredients/{id}	GET	Mendapatkan data bahan sesuai id	True	'200': description: Successful response content: application/json: example: id: 203 name: Milk category: raw stock: 8000 measurement: ml '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404':

				description: Ingredient not found
	PUT	Merubah data bahan sesuai id	True	'200': description: Ingredient details updated successfully content: application/json: example: id: 203 name: Milk category: raw stock: 10000 measurement: ml '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: Ingredient not found
	DELETE	Menghapus data bahan sesuai id	True	'204': description: Ingredient deleted successfully '401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope" '404': description: Ingredient not found
/orders/	GET	Mendapatkan list pesanan	True	'200': description: Successful response content: application/json: example: id: 1 name: John Doe

				<p>menus :</p> <ul style="list-style-type: none"> - id: 101 name: Es Teh Manis price: 7000 - id: 102 name: Cafe Latte price: 15000 <p>Total: 22000</p> <p>'401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"</p> <p>'404': description: Order not found</p>
	POST	Menambahkan pesanan baru	True	<p>'201': description: User created successfully content: application/json: example: id: 2 name: James Doe menus : - id: 101 name: Es Teh Manis price: 7000 - id: 102 name: Americano price: 12000 Total: 19000</p> <p>'400': description: Bad request</p> <p>'401': description: Unauthorized content: application/json: example: error: "Unauthorized - Insufficient scope"</p>

/orders/{id}	GET	Mendapatkan data pesanan sesuai id	True	<p>'200':</p> <p>description: Successful response</p> <p>content:</p> <p>application/json:</p> <p>example:</p> <p>id: 2</p> <p>name: James Doe</p> <p>menus :</p> <p>- id: 101</p> <p>name: Es Teh Manis</p> <p>price: 7000</p> <p>- id: 102</p> <p>name: Americano</p> <p>price: 12000</p> <p>Total: 19000</p> <p>'401':</p> <p>description: Unauthorized</p> <p>content:</p> <p>application/json:</p> <p>example:</p> <p>error: "Unauthorized - Insufficient scope"</p> <p>'404':</p> <p>description: Order not found</p>
	DELETE	Menghapus pesanan sesuai id	True	<p>'204':</p> <p>description: Order deleted successfully</p> <p>'401':</p> <p>description: Unauthorized</p> <p>content:</p> <p>application/json:</p> <p>example:</p> <p>error: "Unauthorized - Insufficient scope"</p> <p>'404':</p> <p>description: Order not found</p>