
Pantheon Report

Generated at 2025-04-17 00:19:33 (UTC). Tested in mahimahi: mm-delay 100 mm-link 12mbps.trace 12mbps.trace --uplink-queue=droptail --uplink-queue-args=bytes=125000 Repeated the test of 3 congestion control schemes once. Each test lasted for 60 seconds running 1 flow. System info: Linux 5.4.0-84-generic net.core.default_qdisc = fq_codel net.core.rmem_default = 212992 $net.core.rmem_max = 212992$ net.core.wmem_default = 212992 $net.core.wmem_max = 212992$ $net.ipv4.tcp_rmem = 4096 131072 6291456$ $net.ipv4.tcp_wmem = 4096 16384 4194304$ Git summary: branch: master @ 23e738ce5acae1d36e321886cd613b0b9401ac11 third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519 third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9 third_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4 third_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90 third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1 M receiver/src/buffer.h M receiver/src/core.cpp M sender/src/buffer.h M sender/src/core.cpp third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42 third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2 M src/ScreamClient M src/ScreamServer third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26 M src/examples/cellsim.cc M src/examples/sproutbt2.cc M src/network/sproutconn.cc third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494 M src/verus.hpp M tools/plot.py third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4

third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851



170

95th percentile one-way delay (ms)

165


TCP BBR

160

11.55

11.50

180



		mean avg tput (Mbit/s)	mean 95th-%ile delay (ms)	mean loss rate $(\%)$
$_{\text{scheme}}$	# runs	flow 1	flow 1	flow 1
TCP BBR	1	11.50	160.74	1.84
Copa	0	N/A	N/A	N/A
TCP Cubic	1	11.75	181.29	0.80
		•		

Run 1: Statistics of TCP BBR

Start at: 2025-04-17 00:10:36 End at: 2025-04-17 00:11:36

Below is generated by plot.py at 2025-04-17 00:19:29

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 11.50 Mbit/s (95.8% utilization) 95th percentile per-packet one-way delay: 160.741 ms

Loss rate: 1.84%


-- Flow 1:


Average throughput: 11.50 Mbit/s

95th percentile per-packet one-way delay: 160.741 ms

Loss rate: 1.84%

Run 1: Report of TCP BBR — Data Link







Run 1: Statistics of Copa

Start at: 2025-04-17 00:11:42 End at: 2025-04-17 00:12:42

Run 1: Report of Copa — Data Link





Run 1: Statistics of TCP Cubic

Start at: 2025-04-17 00:09:29 End at: 2025-04-17 00:10:29

Below is generated by plot.py at 2025-04-17 00:19:32

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 11.75 Mbit/s (97.9% utilization) 95th percentile per-packet one-way delay: 181.294 ms

Loss rate: 0.80%

-- Flow 1:

Average throughput: 11.75 Mbit/s

95th percentile per-packet one-way delay: 181.294 ms

Loss rate: 0.80%

Run 1: Report of TCP Cubic — Data Link

