

## meshles<u>S</u> Pressure from Image velo<u>C</u>imetr<u>Y</u>



M. A. Mendez von Karman Institute



P. Sperotto former Politecnico di Torino, von Karman Institute, and currently at Dantec Dynamics



M. Ratz, former TU Ilmenau, currently at von Karman Institute



Sandra Pieraccini Politecnico di Torino



## A meshless method to compute pressure fields from image velocimetry



Pietro Sperotto<sup>1,2</sup>, Sandra Pieraccini<sup>2</sup> and Miguel A Mendez<sup>3,1</sup>

Published 9 June 2022 • © 2022 IOP Publishing Ltd

0.175

0.150

0.200

x[m]

0.225

Measurement Science and Technology, Volume 33, Number 9

Machine Learning and Data Assimilation techniques for fluid flow measurements


Citation Pietro Sperotto et al 2022 Meas. Sci. Technol. 33 094005

**DOI** 10.1088/1361-6501/ac70a9


## Pressure around the cylinder 0.30 0.28 0.26 0.24 Reference data Computed 1.5 1.0 0.5 -150 -100 -50 0 50 100 150


0.250

Scattered velocity data



Analytical pressure field





Pressure reconstruction from scattered velocity data on a 2D cylinder flow (left) and a 3D Stokes flow (right)

## **Table of Contents**



- 1. Theory of constrained RBF Regression and Meshless PDE Integration
- 2. An Overview of the SPICY class
- 3. Tutorial 1: the Laplace equation in 2D
- 4. Tutorial 2: Constrained regression of a vector field in 2D
- 5. Tutorial 3: form velocity regression to pressure computation
- 6. Turorial 4: a 3D case of data assimilation- the Stokes flow
- 7. Ongoing works and perspectives (by Manuel Ratz)