Energy, expenditure, and consumption aspects of rebound,

Part I: Foundations of a rigorous analytical framework

Matthew Kuperus Heun<sup>1,2,3,\*</sup>, Gregor Semieniuk<sup>4</sup>, and Paul E. Brockway<sup>2</sup>

<sup>1</sup>Engineering Department, Calvin University, 3201 Burton St. SE, Grand Rapids, MI, 49546

<sup>2</sup>Sustainability Research Institute, School of Earth and Environment, University of Leeds, Woodhouse,

Leeds, LS2 9JT, UK

<sup>3</sup>School for Public Leadership, Faculty of Economic and Management Science, Stellenbosch University,

Private Bag X1, Matieland, 7602, Stellenbosch, South Africa

<sup>4</sup>Political Economy Research Institute and Department of Economics, University of Massachusetts Amherst,

Amherst, MA, 01003

\*Corresponding author: mkh2@calvin.edu

#### Abstract

Widespread implementation of energy efficiency is a key greenhouse gas emissions mitigation measure, but rebound can "take back" energy savings. However, the absence of solid analytical foundations hinders empirical determination of the size of rebound. A new clarity is needed, one that involves both economics and energy analysis. In this paper (Part I of two), we advance foundations of a rigorous analytical framework for consumer-sided rebound that starts at the microeconomic level and is approachable for both energy analysts and economists. We develop foundations of a rebound analysis framework that (i) clarifies the energy, expenditure, and consumption aspects of rebound, (ii) combines embodied energy effects with operations, maintenance, and disposal effects (under a new "emplacement effect"), and (iii) provides the first operationalized link between rebound effects on microeconomic and macroeconomic levels. Furthermore, our framework enables determination of the effect of non-marginal energy service

price decrease, the effect of satiation of demand for the energy service, and the effect of reduced energy demand on energy price.

Keywords: Energy efficiency, Energy rebound, Energy services, Microeconomic rebound, Substitution and income effects, Macroeconomic rebound

JEL codes: O13, Q40, Q43

### 1 Introduction

2 Energy efficiency is often considered to be the most important means of reducing energy consumption

and CO<sub>2</sub> emissions (International Energy Agency, 2017, Fig. 3.15, p. 139). But energy rebound

4 makes energy efficiency less effective at decreasing energy consumption by taking back (or reversing,

5 in the case of "backfire") energy savings expected from energy efficiency improvements (Sorrell,

<sub>5</sub> 2009). As such, energy rebound is a threat to a low-carbon future (van den Bergh, 2017; Brockway

7 et al., 2017).

Recent evidence shows that rebound is both larger than commonly assumed (Stern, 2020) and

mostly missing from large energy and climate models (Brockway et al., 2021). Thus, rebound could

be an important reason why energy consumption and carbon emissions have never been absolutely

decoupled from economic growth (Haberl et al., 2020; Brockway et al., 2021).

# 12 1.1 A short history of rebound

Famously, the roots of energy rebound trace back to Jevons who said "[i]t is wholly a confusion of ideas to suppose that the economical use of fuel is equivalent to a diminished consumption. The

very contrary is the truth" (Jevons, 1865, p. 103, emphasis in original). Less famously, the origins

of rebound extend further backward from Jevons to Williams (1840) and Parkes who wrote "[t]he

economy of fuel is the secret of the economy of the steam-engine; it is the fountain of its power,

and the adopted measure of its effects. Whatever, therefore, conduces to increase the efficiency of

coal, and to diminish the cost of its use, directly tends to augment the value of the steam-engine,

and to enlarge the field of its operations" (Parkes, 1838, p. 161). For nearly 200 years, then, it has

been understood that efficiency gains may be taken back or, paradoxically, cause *growth* in energy consumption, as Jevons suggested.

The oil crises of the 1970s shone a light back onto energy efficiency, and research into rebound appeared late in the decade (Madlener & Turner, 2016; Saunders et al., 2021). A modern debate over the magnitude of energy rebound commenced. On one side, scholars including Brookes (1979, 1990) and Khazzoom (1980) suggested rebound could be large. Others, including Lovins (1988) and Grubb (1990, 1992), claimed rebound was likely to be small. Debate over the size of energy rebound continues today. Advocates of small rebound (less than, say, 50%), suggest "the rebound effect is overplayed" (Gillingham et al., 2013, p. 475), while others claim (i) that the evidence for large rebound (greater than 50%) is growing (Saunders, 2015; Berner et al., 2022) and (ii) that rebound will reduce the effectiveness of energy efficiency to decrease carbon emissions (van den Bergh, 2017).

### 1.2 Absence of solid analytical foundations

Turner contends that the lack of consensus on the magnitude of energy rebound in the modern empirical literature is caused by "a rush to empirical estimation in the absence of solid analytical foundations" (Turner, 2013, p. 25). Progress has been made recently on how price changes affect economy-wide rebound in general equilibrium frameworks (Lemoine, 2020; Fullerton & Ta, 2020; Blackburn & Moreno-Cruz, 2020). And arguments from microeconomics (i.e., at sectoral and individual level) have been used from the outset of the modern debate (e.g., Khazzoom (1980) and Greening et al. (2000)), and Borenstein (2015) and Chan & Gillingham (2015) recently made progress toward solidifying the microeconomic analytical foundations.

Rebound involves simultaneous changes in energy, expenditure, and consumption aspects—keeping an overview of all aspects is difficult, with no approach to our knowledge documenting all changes in a straightforward and consistent manner. For instance, while the microeconomic categories of substitution and income effects provide analytical clarity about how behavior changes affect energy service consumption, it has been unclear how they could be used for precise numerical rebound calculations. Where previous numerical calculations were made, they tended to approximate the substitution effect from other goods to the cheaper energy service, without maintaining constant

utility for the device user. They also used constant price elasticities for non-marginal efficiency improvements, even though constant price elasticities typically provide only approximations of substitution and income effects for small efficiency changes. Further, previous analytical studies have stressed the importance of the cost of buying an upgraded device as well as the energy embodied in the device. Yet, there is no clearly formulated approach for how to incorporate these cost and energy components into rebound calculations. Finally, while recent general equilibrium rebound modeling has led to important insights about the effects of changing prices, dynamic aspects of a macroeconomic rebound have been neglected by these approaches.

In the absence of solid analytical foundations, the wide variety of rebound calculation approaches contributes to a wide range of rebound values, giving the appearance of uncertainty and leading some energy and climate modelers to either (i) use questionable rebound values or (ii) ignore rebound altogether. Insufficient inclusion of rebound in energy and climate models could lead to overly optimistic projections of the capability of energy efficiency to reduce carbon emissions (Brockway et al., 2021). We suggest that improving the conceptual foundations of rebound and solidifying the analytical frameworks will (i) help generate more robust estimates of rebound, (ii) lead to better rebound calculations in energy and climate models, and (iii) provide improved evidence for policymaking around energy efficiency.

But why is there an "absence of solid analytical foundations?" We propose that development of solid analytical frameworks for rebound is hampered by the fact that rebound is a decidedly interdisciplinary topic, involving both economics and energy analysis. Birol & Keppler (2000, p. 458) note that "different implicit and explicit assumptions of different research communities ('economists', 'engineers') ... have in the past led to vastly differing points of view." Turner states that "[d]ifferent definitions of energy efficiency will be appropriate in different circumstances. However, ... it is often not clear what different authors mean by energy efficiency" (Turner, 2013, p. 237–38). If authors from the two disciplines cannot even agree on the key terms, it is unsurprising that analytical foundations have not yet been fully elucidated. To fully understand rebound, economists need to

<sup>&</sup>lt;sup>1</sup>We prefer the term "energy analysts" over "engineers," because "energy analysts" better describes the group of people engaged in "energy analysis." For this paper, we define "energy analysis" to be the study of energy transformations from stocks to flows and wastes along society's energy conversion chain for the purpose of generating energy services, economic activity, and human well-being.

have an energy analyst's understanding of energy, and energy analysts need to have an economist's understanding of finance and human behavior.<sup>2</sup> Developing the knowledge and skills required to assess and calculate, let alone mitigate, rebound effects is a tall order, indeed.

### $_{77}$ 1.3 New clarity is needed

We contend that new clarity is needed. Specifically, a description of rebound that is (i) consistent across energy, expenditure, and consumption aspects, (ii) technically rigorous, and (iii) approachable from both sides (economics and energy analysis) will be a good starting point toward that clarity. In other words, the finance and human behavior aspects of rebound need to be presented in ways energy analysts can understand. And the energy aspects of rebound need to be presented in ways economists can understand.

Summarizing, we surmise that development of effective carbon reduction policies has been becaused in part, but the first that ask and is not sufficiently included in ground alignment.

hampered, in part, by the fact that rebound is not sufficiently included in energy and climate models. We suspect that one reason rebound is not sufficiently included is the lack of consensus on rebound calculation methods and, hence, rebound magnitude. Building upon Turner (2013), we contend that lack of consensus on rebound magnitude is a symptom of the absence of solid analytical foundations for rebound. We posit that developing solid analytical frameworks is difficult because energy rebound is an inherently interdisciplinary topic. We believe that providing a detailed explication of a rigorous analytical framework for energy rebound, which is approachable by both energy analysts and economists alike, will go some way toward providing additional clarity in the field.

# 94 1.4 Objective, contributions, and structure

The *objective* of this paper is to help advance clarity in the field of energy rebound by supporting the development of a rigorous analytical framework, one that (i) starts at the microeconomics of rebound (building especially upon Borenstein (2015)) and (ii) is approachable for both energy analysts and economists. We strive to keep the framework as simple as possible and limit our attention to a model

 $<sup>^{2}</sup>$ Indeed, this is why the authors for these papers come from the energy analysis (MKH, PEB) and economics (GS) disciplines.

of consumer demand for energy services, while demonstrating that the approach is transferable to a producer model with few modifications.

The key *contributions* of this paper are (i) a novel and clear explication of interrelated energy, expenditure, and consumption aspects of energy rebound, (ii) development of a rebound analysis framework that combines embodied energy effects, operations, maintenance, and disposal rebound effects, and exact expressions for substitution and income rebound effects under non-marginal energy efficiency increases and (by implication) non-marginal energy service price decreases, (iii) an operationalized link between rebound effects on microeconomic and macroeconomic levels, and (iv) development of an extension of the framework to an energy price rebound effect.

The remainder of this paper is *structured* as follows. Section 2 describes the rebound analysis framework. Section 3 discusses this framework relative to previous frameworks and provides an initial assessment of an energy price effect. Section 4 concludes. Results from the application of our framework to energy efficiency upgrades to a car and an electric lamp can be found in Part II.

# 2 Methods: development of the framework

In this section, we develop an energy rebound framework for an individual consumer who upgrades
the energy efficiency of a single device (concisely, "the framework," "this framework," or "our
framework"). We endeavor to help advance clarity in the field of energy rebound by providing
sufficient detail to assist energy analysts to understand the economics and economists to understand
the energy analysis.

# 118 2.1 Rebound typology

124

Table 1 shows our typology of rebound effects. We follow others, including Jenkins et al. (2011) and Walnum et al. (2014), in identifying and including both direct and indirect rebound effects, which occur at (direct) and beyond (indirect) the level of the device and its user. Again following others, such as Gillingham et al. (2016), we distinguish between rebound effects at the microeconomic and macroeconomic levels.

Microeconomic rebound occurs at the level of the single device and its user and in our framework

Table 1: Rebound typology for our framework.

	D: 4 1 1	
	$egin{aligned} \mathbf{Direct\ rebound} \ (Re_{dir}) \end{aligned}$	$egin{aligned} \mathbf{Indirect\ rebound} \ (Re_{indir}) \end{aligned}$
Microeconomic rebound $(Re_{micro})$ These mechanisms occur at the single device/user level within a static economy based on responses to the reduction in implicit price of an energy service.	Emplacement effect $(Re_{dempl})$ Accounts for performance of the Energy Efficiency Upgrade (EEU) only. No behavior changes occur. The direct energy effect of emplacement of the EEU is expected device-level energy savings. By definition, there is no rebound from direct emplacement effects $(Re_{dempl} \equiv 0)$ .	Emplacement effect $(Re_{iempl})$ Differential energy adjustments beyond the usage of the upgraded device, via (i) the embodied energy associated with the manufacturing phase $(Re_{emb})$ and (ii) the implied energy demand from maintenance and disposal $(Re_{md})$ . $Re_{iempl}$ can be $> 0$ or $< 0$ , depending on the characteristics of the EEU.
	Substitution effect $(Re_{dsub})$ Increase in energy service consumption due to its lower prices as a result of the EEU. Excludes, by definition, the effects of freed cash (income effects). $Re_{dsub} > 0$ is typical due to greater consumption of the energy service.	Substitution effect $(Re_{isub})$ Reduction in other goods consumption due to the relatively higher prices as a result of the EEU. Excludes, by definition, the effects of freed cash (income effects). $Re_{isub} < 0$ is typical due to reduced consumption of other goods and services.
	Income effect $(Re_{dinc})$ Spending of some of the freed cash to obtain more of the energy service. $Re_{dinc} > 0$ is typical due to increased consumption of the energy service.	Income effect $(Re_{iinc})$ Spending of some of the freed cash on other goods and services. $Re_{iinc} > 0$ is typical due to increased consumption of other goods and services.
Macroeconomic rebound $(Re_{macro})$ These mechanisms originate from the dynamic response of the economy to reach a stable equilibrium (between supply and demand for energy services and other goods). These mechanisms combine various short and long run effects.		Macroeconomic effect ( $Re_{macro}$ ) Increased energy consumption in the broader macroeconomic system, i.e., beyond responses at the microeconomic (device/user) level. $Re_{macro} > 0$ is typical, due to spending of freed cash (at the microeconomic level) causing greater consumption in the wider economy.

comprises three effects: an emplacement effect, a substitution effect, and an income effect, with direct and indirect partitions for each.

"Emplacement" is a new term we introduce to collect effects associated with installing higherefficiency devices, including (i) embodied energy of their manufacture (emb), (ii) operations and
maintenance (OM), and (iii) disposal (d) activities. Although none of the embodied, operations and
maintenance, or disposal effects are new (see Borenstein (2015, footnote 5, p. 3), Saunders et al.
(2021), Sorrell et al. (2009), Borenstein (2015, footnote 37, p. 16), and Sorrell et al. (2020)), we
separate them from substitution and income microeconomic effects (Table 1) to calculate rebound
according to the steps in our framework. (See Section 2.5.)

The direct rebound effect can be partitioned into a direct emplacement effect, a direct substitution
effect, and a direct income effect. At the level of the device, all of the direct rebound effects change
the consumption of energy by the device whose efficiency has been upgraded, according to a
microeconomic behavioral model of the consumer who responds to the cheaper energy service.

Similarly, the indirect rebound effect can be partitioned into an indirect emplacement effect, an indirect substitution effect, and an indirect income effect. All of the indirect effects change the induced energy consumption beyond the upgraded device, again according to a microeconomic behavioral model. We assume a partial equilibrium response to the energy efficiency upgrade (EEU) at the microeconomic level; other prices in the economy  $(p_o)$  remain unchanged in response to the EEU.

In contrast, macroeconomic rebound is a broader, economy-wide response to the single device upgrade. Like other authors, we recognize many macroeconomic rebound effects, even if we don't later distinguish among them.<sup>3</sup> At the macroeconomic level, *general equilibrium* effects can occur as prices for all goods and services (even energy) may change in response to the EEU. Further treatment of macroeconomic rebound can be found in Section 2.5.4 of this paper (Part I) and in Section 4.1 of Part II. Discussion of an energy price rebound effect can be seen in Section 3.2 below.

144

145

146

147

148

149

150

Fig. 1 shows rebound effects arranged in the left-to-right order of their discussion in this paper.

<sup>&</sup>lt;sup>3</sup>For example, Sorrell (2009) sets out five macroeconomic rebound effects: embodied energy effects, respending effects, output effects, energy market effects, and composition effects. (We place the embodied energy effect at the microeconomic level.) Santarius (2016) and Lange et al. (2021) introduce meso (i.e., sectoral) level rebound between the micro and macro levels. van den Bergh (2011) distinguishes 14 types of rebound, providing, perhaps, the greatest complexity.




Fig. 1: Flowchart of rebound effects and decorations.

The left-to-right order does not necessarily represent the progression of rebound effects through time.

Rebound symbols are shown above each effect ( $Re_{empl}$ , etc.). Nomenclature for partitions of direct
and indirect rebound is shown beneath each effect ( $Re_{dempl}$ , etc.). Decorations for each stage are
shown between rebound effects ( $\circ$ , \*, etc.). Names for the decorations are given at the bottom of
the figure ("orig," "star," etc.).<sup>4</sup>

# 156 2.2 Rebound relationships

Energy rebound is defined as

$$Re \equiv 1 - \frac{\text{actual final energy savings rate}}{\text{expected final energy savings rate}},$$
 (1)

where both actual and expected final energy savings rates are in MJ/yr (megajoules per year) and expected positive. The final energy "takeback" rate is defined as the expected final energy savings rate less the actual final energy savings rate.<sup>5</sup> Rewriting Eq. (1) with the definition of takeback gives

$$Re = 1 - \frac{\text{expected final energy savings rate} - \text{takeback rate}}{\text{expected final energy savings rate}}$$
. (2)

161 Simplifying gives

$$Re = \frac{\text{takeback rate}}{\text{expected final energy savings rate}}$$
 (3)

<sup>&</sup>lt;sup>4</sup>Note that the vocabulary and mathematical notation for rebound effects is important; Fig. 1 and Appendix A provide guides to notational elements used throughout this paper, including symbols, Greek letters, abbreviations, decorations, and subscripts. The notational elements can be mixed to provide a rich and expressive symbolic "language" for energy rebound. In several places, including Fig. 1, we use colored backgrounds on rebound effects for visual convenience. The colors are carried through to figures in Part II.

<sup>&</sup>lt;sup>5</sup>Note that the takeback rate can be negative, indicating that the actual final energy savings rate is greater than the expected final energy savings rate, a condition called hyperconservation.

We define rebound at the final energy<sup>6</sup> stage of the energy conversion chain, because the final energy stage is the point of energy purchase by the device user. To simplify derivations, we choose not to apply final-to-primary energy multipliers to final energy rates in the numerators and denominators of rebound expressions derived from Eqs. (1) and (3); they divide out anyway.<sup>7</sup> Henceforth, we drop the adjective "final" from the noun "energy," unless there is reason to indicate a specific stage of the energy conversion chain.

### 2.3 The energy conversion device and energy efficiency upgrade (EEU)

We assume an energy conversion device (say, a car) that consumes energy (say, gasoline) at a rate 169  $\dot{E}^{\circ}$  (in MJ/yr). We use "rate" to indicate any quantity measured per unit time, such as a flow of energy per year or a flow of income per year. None of the rates in this paper indicate exponential 171 (%/yr) changes. Rates are identified by a single dot above the symbol, a convention adopted from 172 the engineering literature where, e.g.,  $\dot{x}$  often indicates a velocity in m/s (meters per second),  $\dot{m}$ 173 often indicates a mass flow rate in kg/s (kilograms per second), and E often indicates an energy 174 flow rate in kW (kilowatts). The overdot is an important notational element in this paper, as it 175 distinguishes between stocks (without overdots) and flows (with overdots). For example, E is a 176 quantity of energy in, say, MJ, while  $\dot{E}$  is a rate of energy in, say, MJ/yr. We later annualize capital 177 costs ( $C_{cap}$  in \$), disposal costs ( $C_d$  in \$), and energy embodied in the device during its production 178  $(E_{emb} \text{ in MJ})$  to create undiscounted cost rates  $(\dot{C}_{cap} \text{ and } \dot{C}_d \text{ in } \$/\text{yr})$  and embodied energy rates 179  $(\dot{E}_{emb} \text{ in MJ/yr})$ . (Cost discounting<sup>8</sup> is captured by the variables  $R_{\alpha}$  and  $R_{\omega}$ . See Appendix B.1 for 180 details.) 181

Energy is available at price  $p_E$  (in \$/MJ). The original energy conversion device provides a rate of energy service  $\dot{q}_s^{\circ}$  (in, say, vehicle-km/yr) with final-to-service efficiency  $\eta^{\circ}$  (in, say, vehicle-km/MJ).

<sup>&</sup>lt;sup>6</sup>Conventionally, stages of the energy conversion chain are primary energy (e.g., coal, oil, natural gas, wind, and solar), final energy (e.g., electricity and refined petroleum), useful energy (e.g., heat, light, and mechanical drive), and energy services (e.g., transport, illumination, and space heating). See Sousa et al. (2017) for an introduction to societal energy and exergy accounting.

<sup>&</sup>lt;sup>7</sup>Primary energy may be important when the upgraded device consumes a different final energy carrier compared to the original device, i.e., when fuel-switching occurs (Chan & Gillingham, 2015).

<sup>&</sup>lt;sup>8</sup>We discount money because interest changes the available amount of money over time. In contrast, we do not discount energy, because there is no temporal variation in the ability of energy to effect changes (via heat or work) in the physical world.

An energy efficiency upgrade (EEU) increases final-to-service efficiency such that  $\eta^{\circ} < \tilde{\eta}$ . The 184 EEU is not costless, so the upgraded device may be more expensive to purchase than a like-for-like 185 replacement of the original device. We call this increased "capital cost"  $(C_{cap}^{\circ} < \tilde{C}_{cap})$ . It may also 186 be more costly to operate and maintain (subscript OM) and dispose (subscript d) of the upgraded 187 device  $(\dot{C}_{OM}^{\circ} < \tilde{C}_{OM})$  and  $\dot{C}_{d}^{\circ} < \tilde{C}_{d})$ . However, the opposite may hold, too. As final-to-service 188 efficiency increases  $(\eta^{\circ} < \tilde{\eta})$ , the price of the energy service declines  $(p_s^{\circ} > \tilde{p}_s)$ . The energy price 189  $(p_E)$  is assumed exogenous at the microeconomic level  $(p_E^{\circ} = p_E^* = \hat{p}_E = \bar{p}_E = \tilde{p}_E)$ , so the energy 190 purchaser (the device user) is a price taker. Initially, the device user spends income  $(\dot{M}^{\circ})$  on energy 191 for the device  $(\dot{C}_s^{\circ} = p_E \dot{E}_s^{\circ})$ , annualized capital costs for the device  $(R_{\alpha}^{\circ} \dot{C}_{cap}^{\circ})$ , annualized costs for operations and maintenance  $(\dot{C}_{OM}^{\circ})$  and disposal of the device  $(R_{\omega}^{\circ}\dot{C}_{d}^{\circ})$ , and other goods and services  $(\dot{C}_{o}^{\circ})$ . The budget constraint for the device user is

$$\dot{M}^{\circ} = R_{\alpha}^{\circ} \dot{C}_{cap}^{\circ} + \dot{C}_{s}^{\circ} + \dot{C}_{OM}^{\circ} + R_{\omega}^{\circ} \dot{C}_{d}^{\circ} + \dot{C}_{o}^{\circ} + \dot{\mathcal{N}}^{\circ}$$

$$\tag{4}$$

where  $R_{\alpha}^{\circ}$  and  $R_{\omega}^{\circ}$  account for discounting,  $\dot{C}_{cap}^{\circ}$  and  $\dot{C}_{OM}^{\circ}$  are undiscounted cost rates given by  $C_{cap}^{\circ}/t_{life}^{\circ}$  and  $C_{d}^{\circ}/t_{life}^{\circ}$ , and net savings prior to the EEU  $(\dot{N}^{\circ})$  is zero, by definition. Note that  $R_{\alpha} \geq 1$ , and  $R_{\omega} \leq 1$ ; equalities apply when interest rate (r) is zero. (See Appendix B.1 for details on discounting.) After substituting the original price and quantity of energy service consumption, after substituting the original price and quantity of other goods consumption, after substituting  $\dot{C}_{OMd}^{\circ} \equiv \dot{C}_{OM}^{\circ} + R_{\omega}^{\circ} \dot{C}_{d}^{\circ}$ , and after some rearrangement, Eq. (4) becomes

$$\dot{M} - R_{\alpha} \dot{C}_{cap} - \dot{C}_{OMd} = p_s \dot{q}_s + p_o \dot{q}_o , \qquad (5)$$

which is the usual discounted budget constraint for the microeconomic consumer after subtracting capital, operations and maintenance, and disposal costs.

203

Later (Sections 2.5.1–2.5.4), we walk through the four rebound effects (emplacement, substitution,

<sup>&</sup>lt;sup>9</sup>Note that final-to-service efficiency  $(\eta)$  improves between the original  $(\circ)$  and post-emplacement (\*) stages of Fig. 1, remaining constant thereafter. Thus,  $\eta^{\circ} < \eta^{*} = \hat{\eta} = \bar{\eta}$ , as shown in Table B.1. We refer to all post-emplacement efficiencies  $(\eta^{*}, \hat{\eta}, \bar{\eta}, \text{ and } \tilde{\eta})$  as  $\tilde{\eta}$  to match the nomenclature of Borenstein (2015). When convenient, the same approach to nomenclature is taken with other quantities such as the capital, operations and maintenance, and disposal cost rates  $(\dot{C}_{cap}, \dot{C}_{OM}, \text{ and } \dot{C}_{d}, \text{ respectively})$ .

<sup>&</sup>lt;sup>10</sup>Relaxing the exogenous energy price assumption would require a general equilibrium model that is beyond the scope of this paper. However, see Section 3.2 where we discuss an energy price rebound effect as an extension of the framework.

income, and macro), deriving rebound expressions for each, but first we show typical energy and cost relationships (Section 2.4).

### 2.6 2.4 Typical energy and cost relationships

With the rebound notation of Appendix A, four typical relationships emerge. First, the consumption rate of the energy service  $(\dot{q}_s)$  is the product of final-to-service efficiency  $(\eta)$  and the rate of energy consumption by the energy conversion device  $(\dot{E}_s)$ . Typical units for automotive transport and illumination (the examples in Part II) are shown beneath each equation.<sup>11</sup>

$$\dot{q}_{s} = \eta \dot{E}_{s}$$

$$[pass \cdot km/yr] = [pass \cdot km/MJ][MJ/yr]$$

$$[lm \cdot hr/yr] = [lm \cdot hr/MJ][MJ/yr]$$
(6)

Second, the energy service price  $(p_s)$  is the ratio of energy price  $(p_E)$  to the final-to-service efficiency  $(\eta)$ .

$$p_{s} = \frac{p_{E}}{\eta}$$

$$[\$/\text{pass}\cdot\text{km}] = \frac{[\$/\text{MJ}]}{[\text{pass}\cdot\text{km}/\text{MJ}]}$$

$$[\$/\text{lm}\cdot\text{hr}] = \frac{[\$/\text{MJ}]}{[\text{lm}\cdot\text{hr}/\text{MJ}]}$$
(7)

Third, energy service expenditure rates  $(\dot{C}_s)$  are the product of energy price  $(p_E)$  and device energy consumption rates  $(\dot{E}_s)$ .

$$\dot{C}_s = p_E \dot{E}_s \tag{8}$$
$$[\$/yr] = [\$/MJ][MJ/yr]$$

Fourth, indirect energy rates for operations and maintenance  $(\dot{E}_{OM})$ , disposal  $(\dot{E}_d)$ , and other goods expenditures  $(\dot{E}_o)$  are the product of expenditures rates  $(\dot{C}_{OM}, R_\omega \dot{C}_d, \text{ and } \dot{C}_o)$  and the energy intensity of the economy  $(I_E)$ .

<sup>&</sup>lt;sup>11</sup>Note that "pass" is short for "passenger," and "lm" is the SI notation for the lumen, a unit of lighting energy rate.

$$\dot{E}_{OM} = \dot{C}_{OM} I_E \tag{9}$$

$$\dot{E}_d = R_\omega \dot{C}_d I_E \tag{10}$$

$$\dot{E}_o = \dot{C}_o I_E \tag{11}$$

$$[MJ/yr] = [\$/yr][MJ/\$]$$

Note that indirect energy rate for the disposal effect is obtained from disposal costs that include discounting. (See Appendix B.1 for details on cost discounting.)

#### $_{220}$ 2.5 Rebound effects

The four rebound effects (emplacement, substitution, income, and macro) are discussed in subsections below. In each subsection, we define the effect and show mathematical expressions for rebound (Re) caused by the effect. Detailed derivations of all rebound expressions can be found in Appendix B. See, in particular, Tables B.3–B.6, which provide a parallel structure for energy and financial accounting across all rebound effects. We begin with the emplacement effect.

### 226 2.5.1 Emplacement effect

The emplacement effect accounts for performance changes of the device due to the fact that a higher-efficiency device has been put in service (and will need to be decommissioned at a later date); behavior changes are addressed later, in the substitution and income effects.

Direct emplacement effect ( $Re_{dempl}$ ) The direct emplacement effects of the EEU include device energy savings ( $\dot{S}_{dev}$ ) and device energy cost savings ( $\Delta \dot{C}_s^*$ ).  $\dot{S}_{dev}$  can be written conveniently as

$$\dot{S}_{dev} = \left(\frac{\tilde{\eta}}{\eta^{\circ}} - 1\right) \frac{\eta^{\circ}}{\tilde{\eta}} \dot{E}_{s}^{\circ} . \tag{12}$$

(See Appendix B.4.1 for the derivation.)

Because the original and upgraded device are assumed to have equal performance<sup>12</sup> and because behavior changes are not considered in the direct emplacement effect, actual and expected energy

<sup>&</sup>lt;sup>12</sup>Of course, it is often the case that the original and upgraded devices have small performance differences. E.g., a high-efficiency LED lamp may have slightly greater or slightly lesser lumen output than the incandescent lamp it replaces. For the purpose of explicating this framework, we assume that the performance of the upgraded device can

savings rates are identical, and there is no takeback. By definition, then, the direct emplacement effect causes no rebound. Thus,

$$Re_{dempl} = 0. (13)$$

Indirect emplacement effects ( $Re_{iempl}$ ) Although the direct emplacement effect does not cause rebound, indirect emplacement effects may indeed cause rebound. Indirect emplacement effects account for the life cycle of the energy conversion device, including (i) changes in the embodied energy rate ( $\Delta \dot{E}_{emb}^*$ ), (ii) changes in the operations and maintenance energy and expenditure rates ( $\Delta \dot{E}_{OM}^*$  and  $\Delta \dot{C}_{OM}^*$ ), and (iii) changes in the disposal energy and expenditure rates ( $\Delta \dot{E}_d^*$  and  $\Delta \dot{C}_d^*$ ).

Embodied energy effect  $(Re_{emb})$  One of the unique features of this framework is that independent analyses of embodied energy and capital costs of the EEU are required. We note that the different terms (embodied energy rate,  $\dot{E}_{emb}$ , and capital cost rate,  $\dot{C}_{cap}$ ) might seem to imply different processes, but they actually refer to the same emplacement effect. Purchasing an upgraded device (which likely leads to  $\dot{C}_{cap}^{\circ} \neq \dot{C}_{cap}^{*}$ ) will likely mean a changed embodied energy rate  $(\dot{E}_{emb}^{\circ} \neq \dot{E}_{emb}^{*})$  to provide the same energy service. Our names for these aspects of rebound (embodied energy and capital cost) reflect common usage in the energy and economics fields, respectively.

Consistent with the energy analysis literature, we define embodied energy to be the sum of all energy consumed in the production of the energy conversion device, all the way back to resource extraction. Energy is embodied in the device within manufacturing and distribution supply chains prior to consumer acquisition of the device. We assume no energy is embodied in the device while in service. The EEU causes the embodied energy of the energy conversion device to change from  $E_{emb}^{\circ}$  to  $E_{emb}^{*}$ .

For simplicity, we spread all embodied energy over the lifetime of the device to provide a constant embodied energy rate  $(\dot{E}_{emb})$ . A justification for spreading embodied energy and purchase costs comes from considering device replacements by many consumers across several years. In the aggregate,

be matched closely enough to the performance of the original device such that the differences are immaterial to the user.

<sup>&</sup>lt;sup>13</sup>We take an energy approach here, consistent with the literature on energy rebound. One could use an alternative quantification of energy, such as exergy, the work potential of energy (Sciubba & Wall, 2007) or emergy, the solar content of energy (Brown & Herendeen, 1996).

evenly spaced (in time) replacements work out to the same embodied energy in every period. 258

Thus, we allocate embodied energy over the life of the original and upgraded devices  $(t_{life}^{\circ})$  and 259  $t_{life}^*$ , respectively) without discounting to obtain embodied energy rates, such that  $\dot{E}_{emb}^{\circ} = E_{emb}^{\circ}/t_{life}^{\circ}$ 260 and  $\dot{E}_{emb}^* = E_{emb}^*/t_{life}^*$ . The change in embodied final energy due to the EEU (expressed as a rate) is 261 given by  $\Delta \dot{E}_{emb}^* = \dot{E}_{emb}^* - \dot{E}_{emb}^\circ$ . The expression for embodied energy rebound is

$$Re_{emb} = \frac{\left(\frac{E_{emb}^*}{E_{emb}^o} \frac{t_{life}^o}{t_{life}^*} - 1\right) \dot{E}_{emb}^\circ}{\dot{S}_{dev}} . \tag{14}$$

(See Appendix B.4.2 for details of the derivation.) 263

270

282

Embodied energy rebound  $(Re_{emb})$  can be either positive or negative, depending on the sign 264 of the term  $(E_{emb}^*/E_{emb}^{\circ})(t_{life}^{\circ}/t_{life}^*) - 1$ . Rising energy efficiency can be associated with increased 265 device complexity, additional energy consumption in manufacturing, and more embodied energy, 266 such that  $E_{emb}^{\circ} < E_{emb}^{*}$  and  $Re_{emb} > 0$ , all other things being equal. However, if the upgraded device 267 has longer life than the original device  $(t_{life}^* > t_{life}^\circ)$ ,  $\dot{E}_{emb}^* - \dot{E}_{emb}^\circ$  could be negative, meaning that 268 the upgraded device has a lower embodied energy rate than the original device. 269

Operations, maintenance, and disposal effects ( $Re_{OMd}$ ) In addition to embodied energy,

indirect emplacement effect rebound accounts for energy demanded by operations and maintenance (subscript OM) and disposal (subscript d) activities. Operations and maintenance expenditures 272 are typically modeled as a per-year expense, a rate (e.g.,  $\dot{C}_{OM}^{\circ}$ ). On the other hand, disposal costs 273 (e.g.,  $C_d^{\circ}$ ) are incurred at the end of the useful life of the energy conversion device (subscript  $\omega$ ). We 274 annualize disposal costs (with discounting) across the lifetime of the original and upgraded devices 275  $(t_{life}^{\circ} \text{ and } t_{life}^{*}, \text{ respectively}) \text{ to form discounted expenditure rates such that } \dot{C}_{O\!Md}^{\circ} = \dot{C}_{O\!M}^{\circ} + R_{\omega}^{\circ} \dot{C}_{d}^{\circ} \text{ and } \dot{C}_{d}^{\circ}$  $\dot{C}_{OMd}^* = \dot{C}_m^* + R_\omega^* \dot{C}_d^*.$ For simplicity, we assume that operations, maintenance, and disposal expenditures imply energy 278 consumption elsewhere in the economy at its overall energy intensity  $(I_E)$ . Therefore, the change in 279 energy consumption rate caused by a change in maintenance and disposal expenditures is given by 280  $\Delta \dot{C}_{OMd}^* I_E = (\dot{C}_{OMd}^* - \dot{C}_{OMd}^\circ) I_E$ . Rebound from operations, maintenance, and disposal activities is given by

$$Re_{OMd} = \frac{\left(\frac{\dot{C}_{OMd}^*}{\dot{C}_{OMd}^*} - 1\right)\dot{C}_{OMd}^{\circ}I_E}{\dot{S}_{dev}} \ . \tag{15}$$

(See Appendix B.4.2 for details of the derivation.)

#### 2.5.2Substitution effect 284

303

304

305

Neoclassical economic theory determines consumer behavior through utility maximization. It 285 decomposes price-induced behavior change into (i) substituting energy service consumption for other 286 goods consumption due to the lower post-EEU price of the energy service (the substitution effect) 287 and (ii) spending the higher real income (the income effect). <sup>14</sup> This section develops mathematical 288 expressions for substitution effect rebound  $(Re_{sub})$ , thereby accepting the standard neoclassical microeconomic assumptions about consumer behavior. <sup>15</sup> (The next section addresses income effect 290 rebound,  $Re_{inc}$ .) The substitution effect determines compensated demand, which is the demand 291 for the expenditure-minimizing consumption bundle that maintains utility at the pre-EEU level, given the new prices. Compensated demand is a technical term for a thought experiment from 293 welfare economics: the device user's budget is altered so that the user is "compensated" for the 294 change in price so as to maintain the same level of utility as before. In the case of an EEU, this 295 implies the budget is reduced because the energy service price has fallen, so that it becomes cheaper 296 to maintain a given level of utility. The change in the budget is called "compensating variation" 297 (CV). The substitution effect involves (i) an increase in consumption of the energy service, the direct 298 substitution effect (subscript dsub) and (ii) a decrease in consumption of other goods, the indirect 299 substitution effect (subscript isub). Thus, two terms comprise substitution effect rebound: direct 300 substitution rebound  $(Re_{dsub})$  and indirect substitution rebound  $(Re_{isub})$ . 301

After emplacement of the more efficient device (but before the substitution effect), the price of 302 the energy service decreases  $(p_s^{\circ} > p_s^{*})$ . After compensating variation tightens the budget constraint, consumption at the new energy service price  $(p_s^*)$  yields utility at the same level as prior to the EEU by consuming more of the now-lower-cost energy service and less of the now-relatively-more-expensive

<sup>&</sup>lt;sup>14</sup>For the original development of the decomposition see Slutsky (1915) and Allen (1936). For a modern introduction see Nicholson & Snyder (2017).

<sup>&</sup>lt;sup>15</sup>Alternative assumptions on behavior would arise from, e.g., adopting a behavioral economic framework (Dütschke et al., 2018; Dorner, 2019) or an informational entropy-constrained economic framework (Foley, 2020).

other goods.

A constant price elasticity (CPE) utility model is often used in the literature (e.g., see Borenstein 307 (2015, p. 17, footnote 43)) for determining post-substitution effect consumption and therefore 308  $Re_{dsub}$  and  $Re_{isub}$ . (See Appendix B.4.3.) However, the CPE utility model can deliver only an 309 approximation of the substitution effect for two reasons. First, because it is a reduced form model 310 and only uncompensated elasticities are observed, the CPE utility model reports the sum of direct 311 substitution effect and direct income effect rebound  $(Re_{dsub} + Re_{dinc})$ . Second, price elasticities 312 typically change as consumption bundles change, whereas the CPE price elasticity remains constant 313 by definition. Typically, constant price elasticities (as in the CPE utility model) are approximations 314 that are applicable only to marginal price changes. As shown in Part II, these approximations can 315 lead to small or large errors depending on the case, relative to the exact model, which we introduce 316 next. Appendix C derives changes in price elasticities for non-CPE models.

Here, we present a constant elasticity of substitution (CES) utility model that allows all of the uncompensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s}$ ), the uncompensated cross price elasticity ( $\varepsilon_{\dot{q}_o,p_s}$ ), the compensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s,c}$ ), and the compensated cross price elasticity ( $\varepsilon_{\dot{q}_o,p_s,c}$ ) to vary along an indifference curve, thereby enabling numerically precise analysis of non-marginal energy service price changes ( $p_s^{\circ} \gg p_s^{*}$ ). The CES utility model allows the direct calculation of the utility-maximizing consumption bundle for any constraint, describing the device user's behavior as

$$\frac{\dot{u}}{\dot{u}^{\circ}} = \left[ f_{\dot{C}_s}^{\circ} \left( \frac{\dot{q}_s}{\dot{q}_s^{\circ}} \right)^{\rho} + (1 - f_{\dot{C}_s}^{\circ}) \left( \frac{\dot{C}_o}{\dot{C}_o^{\circ}} \right)^{\rho} \right]^{(1/\rho)} . \tag{16}$$

The device user's utility rate (relative to the original condition,  $\dot{u}^{\circ}$ ) is determined by the 324 consumption rate of the energy service  $(\dot{q}_s)$  and the consumption rate of other goods and services 325  $(\dot{C}_o)$ . The share parameter  $(f_{\dot{C}_s}^{\circ})$  between  $\dot{q}_s$  and  $\dot{C}_o$  is taken from the original (pre-EEU) consumption 326 basket. The exponent  $\rho$  is calculated from the (constant) elasticity of substitution  $(\sigma)$  as  $\rho \equiv (\sigma - 1)/\sigma$ . 327 All quantities are normalized to pre-EEU values so that the cost share of other goods can be used 328 straightforwardly in empirical applications rather than having to construct quantity and price indices. 329 The normalized specification is commonly used in empirical CES production function applications 330 (Klump et al., 2012; Temple, 2012; Gechert et al., 2021). See Appendix C for further details of the 331

332 CES utility model.

333

335

Direct substitution effect rebound  $(Re_{dsub})$  is

$$Re_{dsub} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}} \,, \tag{17}$$

which can be rearranged to

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\hat{q}_s^\circ} - 1}{\frac{\tilde{\eta}}{\eta^\circ} - 1} \ . \tag{18}$$

Indirect substitution effect rebound  $(Re_{isub})$  is given by

$$Re_{isub} = \frac{\Delta \hat{C}_o I_E}{\dot{S}_{dev}} \,, \tag{19}$$

which can be rearranged to

$$Re_{isub} = \frac{\frac{\dot{C}_o}{\dot{C}_o^{\circ}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \frac{\tilde{\eta}}{\eta^{\circ}} \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} . \tag{20}$$

To find the post-substitution effect point ( $\wedge$ ), we solve for the location on the indifference curve where its slope is equal to the slope of the expenditure line after the EEU, assuming the CES utility model. The results are

$$\frac{\hat{q}_s}{\dot{q}_s^{\circ}} = \left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho}$$
(21)

340 and

$$\frac{\dot{\hat{C}}_o}{\dot{C}_o^{\circ}} = \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho} .$$
(22)

Eq. (21) can be substituted directly into Eq. (18) to obtain an expression for direct substitution rebound  $(Re_{dsub})$  via the CES utility model.

 $<sup>^{16}</sup>$  Other utility models could be used; however, the Cobb-Douglas utility model is inappropriate for this framework, because it assumes that the sum of substitution and income rebound is 100% always. Regardless of the utility model, expressions for  $\hat{q}_s/\dot{q}_s^\circ$  and  $\hat{C}_o/\dot{C}_o^\circ$  must be determined and substituted into Eqs. (18) and (20), respectively.

$$Re_{dsub} = \frac{\left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(1 - \rho)} \right\}^{-1/\rho}}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1}$$
(23)

Eq. (22) can be substituted directly into Eq. (20) to obtain an expression for indirect substitution rebound  $(Re_{isub})$  via the CES utility model.

$$Re_{isub} = \frac{\left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left(\frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}}\right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho}}{\frac{\tilde{\eta}}{\eta^{\circ}} \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}}}$$
(24)

(See Appendix B.4.3 for details of the derivations of Eqs. (18), (20), and (21)–(24).)

#### 346 2.5.3 Income effect

The monetary income rate of the device user  $(\dot{M}^{\circ})$  remains unchanged across the rebound effects, such that  $\dot{M}^{\circ} = \dot{M}^{*} = \dot{\tilde{M}} = \dot{\tilde{M}} = \ddot{\tilde{M}}$ . Thanks to the energy service price decline, real income rises, 348 and freed cash from the EEU is given as  $\dot{G} = p_E \dot{S}_{dev}$ . (See Eq. (93) in Appendix B.3.) Emplacement effect adjustments and compensating variation modify freed cash to leave the device user with net 350 savings  $(\hat{N})$  from the EEU, as shown in Eq. (103) in Appendix B.3. (Derivations of expressions for 351 freed cash from the emplacement effect  $(\dot{G})$  and net savings after the substitution effect  $(\dot{\hat{N}})$  are 352 presented in Tables B.3 and B.4.) Rebound from the income effect quantifies the rate of additional 353 energy demand that arises when the energy conversion device user spends net savings from the EEU. 354 Additional energy demand from the income effect is determined by several constraints. The 355 income effect under utility maximization satisfies the budget constraint, so that net savings are 356 zero after the income effect  $(\dot{N} = 0)$ . (See Appendix D for a mathematical proof that the income 357 preference equations below (Eqs. (25) and (29)) satisfy the budget constraint.) 358 A second constraint is that net savings are spent completely on (i) additional consumption of the 359 energy service  $(\hat{q}_s < \bar{q}_s)$  and (ii) additional consumption of other goods  $(\hat{q}_o < \bar{q}_o)$ . The proportions 360 in which income-effect spending is allocated depends on the utility model, which prescribes the 361 income expansion path for consumption. Given post-EEU prices, maximized CES utility means 362 spending in the same proportion on the energy service and other goods across the income effect, a 363

property known as homotheticity. This constraint is satisfied by construction below, particularly via an effective income term  $(\hat{M}')$ .

However, this framework could accommodate non-homothetic preferences for spending across
the income effect (turning the income expansion path into a more general curve instead of a line).

Demand for certain energy services could satiate as consumers become more affluent, implying
income elasticities of the energy service of less than one (Greening et al., 2000). At the lower bound,
the consumer spends all income after the substitution effect on other goods and none on the energy
service, choices that serve to reduce rebound due to typically lower energy intensity of other goods
compared to the energy service.<sup>17</sup>

We next show expressions for direct and indirect income effect rebound.

Direct income effect  $(Re_{dinc})$  The income elasticity of energy service demand  $(\varepsilon_{\dot{q}_s,\dot{M}})$  quantifies the amount of net savings spent on more of the energy service  $(\hat{q}_s < \bar{q}_s)$ . (See Appendix C for additional information about elasticities.) Spending of net savings on additional energy service consumption leads to direct income effect rebound  $(Re_{dinc})$ .

The ratio of rates of energy service consumed across the income effect is given by

$$\frac{\bar{q}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s,\dot{M}}}.$$
 (25)

Under the CES utility model, homotheticity means that  $\varepsilon_{\dot{q}_s,\dot{M}}=1.$ 

Effective income  $(\hat{M}')$  is given by

373

378

380

383

$$\hat{M}' \equiv \dot{M}^{\circ} - R_{\alpha}^{*} \dot{C}_{cap}^{*} - \dot{C}_{OMd}^{*} - \dot{\hat{N}} .$$
(26)

For the purposes of the income effect, effective income (Eq. (26)) adjusts original income ( $\dot{M}^{\circ}$ ) to account for sunk costs ( $R_{\alpha}^{*}\dot{C}_{cap}^{*}$  and  $\dot{C}_{OMd}^{*}$ ) and net savings ( $\dot{N}$ ).

Direct income rebound is defined as

$$Re_{dinc} \equiv \frac{\Delta \dot{\bar{E}}_s}{\dot{S}_{dev}}$$
 (27)

<sup>&</sup>lt;sup>17</sup>In principle, the energy service could be an "inferior good" whose consumption declines as incomes rise. However, energy service elasticities of income have been estimated to be positive over the long run, so we do not expect the inferior good case to be relevant (Fouquet, 2014).

(See Table B.5.) After substitution, rearranging, and canceling of terms (Appendix B.4.4), the expression for direct income rebound under the CES utility model is

$$Re_{dinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\hat{c}_{\dot{q}_{s},\dot{M}}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \left\{ f_{\dot{C}_{s}}^{\circ} + (1 - f_{\dot{C}_{s}}^{\circ}) \left[ \left(\frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}}\right) \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} \right]^{\rho/(1 - \rho)} \right\}^{-1/\rho} . \tag{28}$$

If there are no net savings after the substitution effect  $(\hat{N}=0)$ , direct income effect rebound is zero  $(Re_{dinc}=0)$ , as expected. <sup>18</sup>

Under a non-homothetic utility model, the bounding condition is satiated consumption of the energy service such that as the device owner becomes richer, none of the income  $(\hat{N})$  is spent on more of the energy service, and thus  $Re_{dinc} = 0$  would occur.

Indirect income effect  $(Re_{iinc})$  Not all net savings  $(\hat{N})$  are spent on more energy for the energy conversion device. The income elasticity of other goods demand  $(\varepsilon_{\dot{q}_o,\dot{M}})$  quantifies the amount of net savings spent on additional other goods  $(\hat{q}_o < \bar{q}_o)$ . Spending of net savings on additional other goods and services leads to indirect income effect rebound  $(Re_{iinc})$ .

The ratio of rates of other goods consumed across the income effect is given by

395

$$\frac{\bar{q}_o}{\hat{q}_o} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o,\dot{M}}}.$$
(29)

Under the assumption that prices of other goods are exogenous (see Appendix E), the ratio of rates of other goods consumption  $(\bar{q}_o/\hat{q}_o)$  is equal to the ratio of rates of other goods expenditures  $(\bar{C}_o/\hat{C}_o)$  such that

$$\frac{\ddot{C}_o}{\hat{C}_o} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o,\dot{M}}} . \tag{30}$$

Homotheticity means that  $\varepsilon_{\dot{q}_o\dot{M}}=1$ . As shown in Table B.5, indirect income rebound is defined as

$$Re_{iinc} \equiv \frac{\Delta \bar{\dot{C}}_o I_E}{\dot{S}_{dev}}$$
 (31)

<sup>&</sup>lt;sup>18</sup>Zero net savings  $(\hat{N} = 0)$  could occur if increases in the capital cost rate  $(\Delta \dot{C}_{cap}^*)$  and/or the maintenance and disposal cost rate  $(\Delta \dot{C}_{md}^*)$  consume all freed cash  $(\dot{G})$  plus savings from the compensating variation.

After substitution, rearranging, and canceling of terms, the expression for indirect income for the
CES utility model rebound is

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\hat{q}_o,\hat{M}}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \left(\frac{\tilde{\eta}}{\eta^{\circ}}\right) \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left(\frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}}\right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho} . \quad (32)$$

(See Appendix B.4.4 for details of the derivation of direct and indirect income effect rebound.)

Under the bounding satiated utility model, all income  $(\hat{N})$  is spent on other goods, and indirect rebound becomes simply  $Re_{iinc} = \frac{\hat{N}I_E}{\hat{S}_{dev}}$ .

#### 405 2.5.4 Macro effect

The previous rebound effects (emplacement effect, substitution effect, and income effect) occur at the microeconomic level. However, changes at the microeconomic level can have important impacts at the macroeconomic or economy-wide level.

It is one of the basic tenets of economics that productivity gains have been the main long-run 409 driver of economic growth in the last couple of centuries (Smith, 1776; Marx, 1867; Solow, 1957). 410 Interest in the impact of individual sectors on the whole economy reaches arguably even farther back 411 Quesnay, 1759) and continues to the present (Leontief, 1986). Recent work revived interest in firm-412 and sector-specific shocks on aggregate output and demonstrates that due to interlinkages between 413 firms and sectors, productivity shocks in a firm or sector can have larger macroeconomic consequences 414 than the original shock (Gabaix, 2011; Acemoglu et al., 2012; Baqaee & Farhi, 2019). Foerster 415 et al. (2022) estimate that 3/4 of long-run US growth since 1950 can be attributed to sector-specific (as opposed to aggregate) trend factors. Because the EEU represents a positive, sector-specific productivity shock, the same principles apply. These kinds of rebounds can be captured by a general 418 equilibrium model (Stern, 2020), but we propose a simple rule for incorporating this macroeconomic 419 effect of productivity growth into our partial equilibrium framework. 420

Before establishing a formalism for  $Re_{macro}$ , we clarify the link between consumer theory and economic growth. Turner (2013) cautions that when households see the productivity of their non-market activities increase, GDP remains unchanged.<sup>19</sup> That may be true in the short run. But the

 $<sup>^{19}</sup>$ To appreciate the difference between production for the market and production for the household, consider the

question over longer periods is whether the more productive household energy services do not also 424 feed through into economic growth accounted for by GDP. People in affluent countries spend about as 425 much time on unpaid (i.e., non-market) work as on paid work (Folbre, 2021). Therefore productivity 426 improvements in unpaid work can spill over into paid work, which enters GDP. One channel could 427 be time-saving. If the EEU saves time, then saved time could be spent on more paid work or on 428 increasing human capital (Sorrell & Dimitropoulos, 2008; Gautham & Folbre, 2024). If the EEU saves 420 money (but no time), then the freed cash could be spent to create additional demand for products 430 that translate into higher GDP and possibly faster productivity growth (Magacho & McCombie, 431 2018). It could also be spent on more effective (and more costly) human capital-increasing activities 432 or even be used to start a venture. In all cases, it would be rash to conclude that just because some 433 EEUs lead to productivity increases not captured directly by GDP, they do not eventually lead to 434 additional economic growth. 435

Borenstein also addressed these macro effects from consumer behavior noting that "income effect rebound will be larger economy-wide than would be inferred from evaluating only the direct income gain from the end user's transaction" (Borenstein, 2015, p. 11) and likened it to a macroeconomic multiplier.<sup>20</sup> The sectoral growth shock literature also uses multipliers to conceptualize the impacts of sectoral productivity shocks on aggregate output (Foerster et al., 2022; Buera & Trachter, 2024). Using multipliers has the advantage that they can be directly linked to the income effect (minus compensating variation) and its consequence for macroeconomic rebound. Borenstein also notes that scaling from net savings ( $\dot{N}^*$ ) at the device level to productivity-driven growth at the macro level is unexplored territory.

We operationalize the macro rebound multiplier idea by noting that higher productivity makes the device cheaper to operate (and possibly purchase), which allows consumers to purchase a larger

case where increased mileage leads to the household saving on energy per car trip. The household takes more trips (direct rebound), without effect on GDP. In the other case, the household buys the energy service (transport) directly from a taxi company. Here, the taxi company lowers the price but gains more customers, leading immediately to growth in inflation-adjusted (i.e., real) GDP, as more driving services are produced. Yet, the physical change of more car trips is the same in both cases.

<sup>&</sup>lt;sup>20</sup>It is important to distinguish this multiplier from an autonomous expansion of expenditure, a demand-side shock, in an otherwise unchanged economy, i.e. the Keynesian multiplier (Kahn, 1931; Keynes, 1936), that risks crowding out other economic activity (Gillingham et al., 2016). Our energy productivity improvement is a supply-side shock. After the EEU, it takes less energy (and therefore less energy cost) to generate the same economic activity, because energy efficiency has improved, so the concept of crowding-out as defined by macroeconomics does not apply.

bundle of goods and services. If the overall expansion of the economy is a multiple of the direct increase in productivity expressed as productivity gains in other sectors, then the macro effect can simply be represented as a multiple of the (indirect) emplacement effect at the "\*" stage of Fig. 1, a multiplier that we represent by a macro factor (k).<sup>21</sup>

The macro factor (k) represents respending in the broader economy after the emplacement effect has occurred and is not tied to any particular EEU or economic sector.  $k \geq 0$  is expected. k = 0 means there is no macroeconomic effect resulting from the energy efficiency upgrade. k > 0means that productivity-driven macroeconomic growth has occurred with consequent implications for additional energy consumption in the wider economy.

We assume as a first approximation (following Antal & van den Bergh (2014) and Borenstein (2015)) that macro effect respending implies energy consumption according to the average energy intensity of the economy ( $I_E$ ). Macro rebound is therefore given by

$$Re_{macro} = \frac{k\dot{N}^*I_E}{\dot{S}_{dev}} \,. \tag{33}$$

(See Table B.6.) After some algebra (Appendix B.4.5), we arrive at an expression for macro effect rebound:

$$Re_{macro} = k(p_E I_E - Re_{cap} - Re_{OMd}). (34)$$

Another macroeconomic rebound could arise from the energy price, which could fall due to lower demand (Gillingham et al., 2016; Borenstein, 2015). The size of the energy price effect depends on the size of the energy savings from the EEU relative to the energy demand in the economy. Therefore, calculating the energy price effect requires additional assumptions about how many households adopt the new device, which we consider to be outside the scope of our core framework. However, we show how it could be incorporated by adding an assumption about EEU adoption shares and a model of the energy market to derive a rebound expression for the energy price effect in Appendix F.

<sup>&</sup>lt;sup>21</sup>The macro factor (k) appears unitless, but its units are actually \$ of economy-wide expansion created per \$ of net savings gained by the device user in the emplacement effect  $(\dot{N}^*)$ .

### 468 2.6 Rebound sum

The sum of all rebound emerges from the four rebound effects (emplacement effect, substitution effect, income effect, and macro effect). Macro effect rebound ( $Re_{macro}$  in Eq. (34)) is expressed in terms of other rebound effects. (Derivation details can be found in Appendix B.4.6.) After algebra and canceling of terms, we find

$$Re_{tot} = Re_{emb} + k(p_E I_E - Re_{cap}) + (1 - k)Re_{OMd} + Re_{dsub} + Re_{isub} + Re_{dinc} + Re_{iinc} .$$
 (35)

# 3 Discussion

### 3.1 Comparison to other rebound frameworks

We developed above a rebound framework for consumers. We note that many of its components are 475 similar to those for a producer-sided framework due to symmetries between neoclassical microeco-476 nomic producer and consumer theory. Ours is a partial equilibrium framework at the microeconomic 477 level that provides a detailed assessment of individual EEUs with tractable, easy-to-understand 478 mathematics. Partial equilibrium frameworks are easier to understand, in part, because they constrain price variation to the energy service only; all other prices remain constant (at least at the 480 microeconomic level).<sup>22</sup> In our framework, general equilibrium effects and other dynamic effects at 481 the macroeconomic level are captured by a simplified, one-dimensional rebound effect discussed in Section 2.5.4. 483 We are not the first to develop a rebound analysis framework, so it is worthwhile to compare our

We are not the first to develop a rebound analysis framework, so it is worthwhile to compare our framework to others for key features: analysis of all rebound effects; analysis of energy, expenditure, and consumption aspects of rebound; level of detail in the consumer preference model; allowance for non-marginal energy efficiency changes; and empirical application. When all of the above characteristics are present, a fuller picture of rebound can emerge. Table 2 shows our assessment of selected previous partial equilibrium frameworks (in columns) relative to the characteristics discussed above (in rows).

<sup>&</sup>lt;sup>22</sup>General equilibrium frameworks provide detail and precision on economy-wide price adjustments, but they give up specificity about individual device upgrades, make assumptions during calibration, and lose simplicity of exposition.

<sup>23</sup>See Section 2.2 of Part II for literal pictures of rebound in energy, expenditure, and consumption planes.

Table 2: Comparison among relevant rebound analysis frameworks. Empty (white) circles indicate no treatment of a subject by a framework. Partly and fully filled circles indicate partial and comprehensive treatment of a subject by a framework.

	Nässén & Holmberg (2009)	Thomas & Azevedo (2013a,b)	Borenstein (2015)	Chan & Gillingham (2015)	Wang et al. (2021)	This paper (2024)
Rebound effects  Direct emplacement effect Capital cost and embodied energy effect Maintenance and disposal effect Direct and indirect substitution effects Direct and indirect income effects Macro effect	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • •			•
Other characteristics Analysis on energy, expenditure, and consumption planes Detailed model of device user behavior and preferences Non-marginal energy service price changes Empirical application	• • •	• • •	0000	•	•	•

Because all frameworks evaluate the expected decrease in direct energy consumption from the 491 EEU, the "Direct emplacement effect" row contains ● in all columns. Three early papers (Nässén 492 & Holmberg, 2009; Thomas & Azevedo, 2013a,b) estimate rebound quantitatively, earning high 493 marks (●) in the "Empirical application" row. Both Nässén & Holmberg and Thomas & Azevedo 494 motivate their frameworks at least partially with microeconomic theory (consumer preferences and 495 substitution and income effects) but use simple linear demand functions in their empirical analyses. Thus, the connection between economic theory and empirics is tenuous, leading to intermediate 497 ratings (→ or less) in the "substitution effects," "income effects," and "Detailed model of consumer 498 preferences" rows. More recently, Chan & Gillingham (2015) and Wang et al. (2021) anchor the 499 rebound effect firmly in consumer theory, earning high ratings (●) in the "substitution effects," 500 "income effects," and "Detailed model of consumer preferences" rows. They extend their frameworks 501 to advanced topics that our framework does not presently incorporate, such as multiple fuels, energy 502 services, and nested utility functions with intermediate inputs. However, neither Chan & Gillingham 503 nor Wang et al. provide empirical applications, earning  $\bigcirc$  in the last row of Table 2. In the middle

of the table (and between the other studies in time), the framework by Borenstein (2015) touches on
nearly all important characteristics. However, the Borenstein framework cannot separate substitution
and income effects cleanly in empirical analysis, reverting to partial analyses of both, leading to a 
rating in the "Detailed model of consumer preferences" and "Empirical application" rows.

No previous framework engages fully with either the differential financial effects or the differential 509 energetic effects of the upfront purchase of the upgraded device, leading to low ratings across all 510 previous frameworks in the "Capital cost and embodied energy effect" row. In fact, except for Nässén 511 & Holmberg (2009), no framework engages with capital costs, although all note its importance. 512 (Nässén & Holmberg note that capital costs and embodied energy can have very strong effects on 513 rebound.) Thomas & Azevedo (2013a,b) provide the only framework that traces embodied energy 514 effects of every consumer good using input-output methods, but they do not analyze embodied 515 energy of the upgraded device. Borenstein (2015) notes the embodied energy of the upgraded device 516 and the embodied energy of other goods but does not integrate embodied energy or financing costs 517 into the framework for empirical analysis. Borenstein is, however, the only author to treat the financial side of embodied energy or maintenance and disposal effects. Borenstein (2015) postulates the macro effect, but does not operationalize the link between micro and macro levels, earning  $\bigcirc$ in the "Macro effect" row. No other framework even discusses the link between macro and micro 521 rebound effects, leading to  $\bigcirc$  in the "Macro effect" row for all previous frameworks (apart from 522 Borenstein (2015)). Our framework operationalizes the link between micro and macro levels, via 523 the macro factor (k), but more work can be done in this area. Thus, "This paper (2024)" earns  $\rightarrow$ 524 in the "Macro effect" row. Finally, all previous frameworks assume constant price elasticities and 525 implicitly marginal or small improvements in efficiency, excluding the numerically precise analysis 526 of important non-incremental upgrades where price elasticities are likely to vary. Therefore, all 527 previous frameworks earn  $\bigcirc$  in the "Non-marginal energy service price changes" row. 528

Table 2 shows that previous frameworks contain many key pieces, providing starting points from
which to develop our rebound analysis framework. A left-to-right reading of the table demonstrates
that previous frameworks start from microeconomic consumer theory and move towards more rigorous
theoretical treatment over time, with recent frameworks making important advanced theoretical
contributions at the expense of empirical applicability. In the end, no previous rebound analysis

framework combines all rebound effects across energy, expenditure, and consumption aspects with a 534 detailed model of consumer preferences, non-marginal energy service price changes, and empirical 535 applicability for the simplest case (understandable across disciplines) of a single fuel and a single 536 energy service. In particular, assessing the rebound implications of differential capital costs, non-537 marginal price changes, and the macro effect required conceptual development as in Section 2.5.4 538 and Appendix B.4.5. (Development of empirical applications is left for Part II.) This paper addresses 539 most of the gaps in Table 2; hence we fill the "This paper (2024)" column with filled circles (●) in 540 nearly all rows. By so doing, we help advance clarity in the field of energy rebound. 541

### 3.2 Notes on an energy price rebound effect

560

The income effect (Section 2.5.3) captures the energy and rebound implications of expanding real income at the level of the upgraded device. Our partial equilibrium framework described herein enables calculation of income effect rebound ( $Re_{inc}$ ) without regard to changes in energy price ( $p_E$ ), because the energy price is assumed exogenous.

But there are other effects at work beyond the device level and outside the boundaries of a partial equilibrium analysis. One of those effects is an energy price effect. This section (and Appendix F) shows that our partial equilibrium framework can be extended to obtain an initial estimate of the rebound implications of an energy price effect  $(Re_{p_E})$  with an analysis that remains short of full equilibrium.

The energy price effect can lead to rebound when EEUs are applied to energy conversion devices 552 at a scale that is substantial relative to the economy-wide use of energy. Examples of conditions 553 under which the energy price effect could be significant include replacing all cars in the economy by 554 hybrids and replacing all domestic electric lamps in the economy by LEDs, to use the examples from 555 Part II. With reduced energy demand throughout the economy, an energy price reduction can be 556 expected  $(p_E^{\circ} > \bar{p}_E)$  as the lower energy price leads to rebalancing of supply and demand. With the 557 now-lower energy price  $(\bar{p}_E)$ , the device owner has additional freed cash  $(\dot{G}_{p_E})$  to spend, in addition 558 to the adjustments described by the substitution and income effects. (See Sections 2.5.2 and 2.5.3.) 559

A complete analysis of the price effect would amount to introducing a full model of the energy

market and involve solving a system of simultaneous equations for the new economy-wide energy demand, the new energy price, and a new consumption bundle. But in this instance, as we desire a simple estimate of energy price rebound, we conservatively assume the device owner spends the additional freed cash (the result of the lower energy price) exclusively on other goods, with energy implications at the energy intensity of the economy ( $I_E$ ). Under these assumptions, Appendix F derives an expression for rebound from the energy price effect as

$$Re_{p_E} = \frac{\dot{G}_{p_E} I_E}{\dot{S}_{dev}},\tag{36}$$

where  $\dot{G}_{p_E}$  is the freed cash arising from the reduction in energy price due to widespread adoption of the EEU throughout the economy.

In this paper (Part I), we developed foundations of a rigorous analytical framework that includes

# 569 4 Conclusions

all rebound effects across energy, expenditure, and consumption aspects with a detailed model 571 of consumer preferences and non-marginal energy service price changes in an operational manner linking micro and macro effects for the simplest case of a single fuel and a single energy service. Furthermore, we presented approaches for exploring consumer satiation of energy service demand and for analyzing the effect of reduced energy demand on energy price to create energy price 575 rebound. With careful explication of rebound effects and clear derivation of rebound expressions, 576 we help advance the analytical foundations for empirical analyses and facilitate interdisciplinary 577 understanding of rebound phenomena toward the goal of enhancing clarity in the field of energy 578 rebound and enabling more robust rebound calculations for sound energy and climate policy. 579 Future work could be pursued in several areas. (i) Other utility models (besides the CES 580 utility model, but not a Cobb-Douglas utility model) could be explored for the substitution effect. 581 (ii) Although this is a consumer-sided framework, we demonstrated that it could be extended to 582 producer-sided effects such as the energy price rebound effect. Further work could explore additional 583 extensions to other producer-sided energy rebound effects. (iii) This framework could be extended 584 to include some of the advanced topics in Chan & Gillingham (2015) and Wang et al. (2021), such 585

as multiple fuels or energy services, more than one other consumption good, and nested utility 586 functions with intermediate inputs. (iv) This framework could be extended to include fuel-switching 587 EEUs, wherein the upgraded device uses a different fuel from the original device. (v) The greenhouse 588 gas emissions implications of energy rebound could be evaluated using this framework, provided 580 that the primary energy associated with final energy purchases were available. Borenstein (2015) 590 went some way to analyzing emissions and could provide a starting point for such work. The 591 capability to analyze fuel-switching EEUs will be important for analyzing the greenhouse gas 592 emissions implications of many EEUs that involve electrification, such as the transition to all-electric 593 vehicles and the conversion of natural gas and oil furnaces to heat pumps for home heating. 594 In Part II of this paper, we further help advance clarity in rebound analysis in three ways. First, 595

m Part II of this paper, we further help advance clarity in rebound analysis in three ways. First,
we develop a way to visualize the energy, expenditure, and consumption aspects of rebound effects.
Second, we apply the framework to two EEUs: an upgraded car and an upgraded electric lamp.
Finally, we provide results of rebound calculations for the two examples.

# 599 Competing interests

Declarations of interest: none.

# 601 Author contributions

602 Author contributions for this paper (Part I of the two-part paper) are shown in Table 3.

Table 3: Author contributions.

	MKH	GS	PEB
Conceptualization Methodology Software Validation Formal analysis Investigation Resources Data curation Writing-original draft Writing-review & editing Visualization Supervision Project administration Funding acquisition	•	•	•

# 603 Acknowledgements

Paul Brockway's time was funded by the UK Research and Innovation (UKRI) Council, supported 604 under EPSRC Fellowship award EP/R024254/1. The authors benefited from discussions with Daniele Girardi (University of Massachusetts at Amherst) and Christopher Blackburn (Bureau of Economic Analysis). The authors are grateful for comments from internal reviewers Becky 607 Haney and Jeremy Van Antwerp (Calvin University); Nathan Chan (University of Massachusetts at Amherst); and Zeke Marshall (University of Leeds). The authors appreciate the many constructive comments on a working paper version of this article from Jeroen C.J.M. van den Bergh (Vrije 610 Universiteit Amsterdam), Harry Saunders (Carnegie Institution for Science), and David Stern 611 (Australian National University). Finally, the authors thank the students of MKH's Fall 2019 612 Thermal Systems Design course (ENGR333) at Calvin University who studied energy rebound for 613 many energy conversion devices using an early version of this framework. 614

### References

- Acemoglu, D., Carvalho, V. M., Ozdaglar, A., & Tahbaz-Salehi, A. (2012). The Network Origins of Aggregate Fluctuations. *Econometrica*,
   80(5), 1977–2016.
- 618 Allen, R. G. D. (1936). Professor Slutsky's theory of consumers' choice. Review of Economic Studies, 3(2), 120–129.
- 619 Allen, R. G. D., & Lerner, A. P. (1934). The concept of arc elasticity of demand. Review of Economic Studies, 1(3), 226–230.
- Antal, M., & van den Bergh, J. C. (2014). Re-spending rebound: A macro-level assessment for OECD countries and emerging economies.
- 621 Energy Policy, 68, 585–590.
- Baqaee, D. R., & Farhi, E. (2019). The Macroeconomic Impact of Microeconomic Shocks: Beyond Hulten's Theorem. *Econometrica*,
- 623 87(4), 1155–1203.
- Berner, A., Bruns, S., Moneta, A., & Stern, D. I. (2022). Do energy efficiency improvements reduce energy use? Empirical evidence on the
- economy-wide rebound effect in Europe and the United States. Energy Economics, 110(105939), 1-9.
- 626 Birol, F., & Keppler, J. H. (2000). Prices, technology development, and the rebound elect. Energy Policy, 28, 457-469.
- Blackburn, C. J., & Moreno-Cruz, J. (2020). Energy efficiency in general equilibrium with input-output linkages. BEA Working Paper
- Series WP2020-1, Bureau of Economic Analysis.
- URL https://www.bea.gov/index.php/system/files/papers/WP2020-1.pdf
- Borenstein, S. (2015). A microeconomic framework for evaluating energy efficiency rebound and some implications. The Energy Journal,
- 631 36(1), 1–21.
- 632 Brockway, P. E., Saunders, H., Heun, M. K., Foxon, T. J., Steinberger, J. K., Barrett, J. R., & Sorrell, S. (2017). Energy rebound as a
- potential threat to a low-carbon future: Findings from a new exergy-based national-level rebound approach. Energies, 10(51), 1-24.
- 634 Brockway, P. E., Sorrell, S., Semieniuk, G., Heun, M. K., & Court, V. (2021). Energy efficiency and economy-wide rebound effects: A
- review of the evidence and its implications. Renewable and Sustainable Energy Reviews, 141(110781), 1-20.
- 636 Brookes, L. (1979). A low energy strategy for the UK. Atom, 269 (73-78).

- 637 Brookes, L. (1990). The greenhouse effect: the fallacies in the energy efficiency solution. Energy Policy, 18(2), 199–201.
- 638 Brown, M., & Herendeen, R. (1996). Embodied Energy Analysis and EMERGY Analysis: a Comparative View. Ecological Economics, 19,
- 639 219-235.
- 640 Buera, F. J., & Trachter, N. (2024). Sectoral Development Multipliers. National Bureau of Economic Research Working Paper Series, No.
- 641 32230.
- 642 Chan, N. W., & Gillingham, K. (2015). The microeconomic theory of the rebound effect and its welfare implications. Journal of the
- Association of Environmental and Resource Economists, 2(1), 133–159.
- 644 Dorner, Z. (2019). A behavioral rebound effect. Journal of Environmental Economics and Management, 98 (102257), 1–28.
- 645 Dütschke, E., Frondel, M., Schleich, J., & Vance, C. (2018). Moral licensing-Another source of rebound? Frontiers in Energy Research, 6.
- 646 Feenstra, R. C., Luck, P., Obstfeld, M., & Russ, K. N. (2018). In search of the Armington elasticity. The Review of Economics and
- 647 Statistics, 100(1), 135–150.
- 648 Foerster, A. T., Hornstein, A., Sarte, P.-D. G., & Watson, M. W. (2022). Aggregate Implications of Changing Sectoral Trends. Journal of
- 649 Political Economy, 130(12), 3286–3333.
- 650 Folbre, N. (2021). The Rise and Decline of Patriarchal Systems: An Intersectional Political Economy. London and Brooklyn: Verso.
- Foley, D. K. (2020). Information theory and behavior. The European Physical Journal Special Topics, 229(9), 1591–1602.
- Fouquet, R. (2014). Long-run demand for energy services: Income and price elasticities over two hundred years. 8(2), 186–207.
- 653 Fullerton, D., & Ta, C. L. (2020). Costs of energy efficiency mandates can reverse the sign of rebound. Journal of Public Economics, 188,
- 654 104225.
- 655 Gabaix, X. (2011). The Granular Origins of Aggregate Fluctuations. *Econometrica*, 79(3), 733–772.
- 656 Gautham, L., & Folbre, N. (2024). Parental Expenditures of Time and Money on Children in the U.S. Review of Income and Wealth, (pp.
- 657 1-26
- 658 Gechert, S., Havranek, T., Irsova, Z., & Kolcunova, D. (2021). Measuring capital-labor substitution: The importance of method choices
- and publication bias. Review of Economic Dynamics.
- 660 URL https://www.sciencedirect.com/science/article/pii/S1094202521000387
- 661 Gillingham, K., Kotchen, M. J., Rapson, D. S., & Wagner, G. (2013). The rebound effect is overplayed. Nature, 493.
- 662 Gillingham, K., Rapson, D., & Wagner, G. (2016). The rebound effect and energy efficiency policy. Review of Environmental Economics
- and Policy, 10(1), 68-88.
- 664 Gørtz, E. (1977). An identity between price elasticities and the elasticity of substitution of the utility function. The Scandinavian Journal
- of Economics, 79(4), 497–499.
- 666 Greening, L. A., Greene, D. L., & Difiglio, C. (2000). Energy efficiency and consumption—the rebound effect—a survey. Energy policy,
- 667 *28*(6-7), 389–401.
- 668 Grubb, M. (1990). Energy efficiency and economic fallacies. Energy Policy, 18(8), 783-785.
- 669 Grubb, M. (1992). Reply to Brookes. Energy Policy, (May), 392–393.
- Haberl, H., Wiedenhofer, D., Virág, D., Kalt, G., Plank, B., Brockway, P., Fishman, T., Hausknost, D., Krausmann, F., Leon-Gruchalski,
- B., Mayer, A., Pichler, M., Schaffartzik, A., Sousa, T., Streeck, J., & Creutzig, F. (2020). A systematic review of the evidence on
- decoupling of GDP, resource use and GHG emissions, Part II: synthesizing the insights. Environmental Research Letters, 15 (065003),
- 673 1-42
- 674 Hicks, J. R., & Allen, R. G. D. (1934). A reconsideration of the theory of value. Part II. A mathematical theory of individual demand
- functions. Economica, 1(2), 196-219.
- 676 International Energy Agency (2017). World Energy Outlook 2017. Paris.
- URL https://www.iea.org/weo2017/
- 678 Jenkins, J., Nordhaus, T., & Shellenberger, M. (2011). Energy emergence: Rebound and backfire as emergent phenomena. Tech. rep.,
- 679 Breakthrough Institute, Oakland, California, USA

- 680 URL https://s3.us-east-2.amazonaws.com/uploads.thebreakthrough.org/legacy/blog/Energy{\_}Emergence.pdf
- 681 Jevons, W. S. (1865). The Coal Question: An Inquiry Concerning the Progress of the Nation and the Probable Exhaustion of our Coal
- 682 Mines. London: Macmillan.
- 683 Kahn, R. F. (1931). The Relation of Home Investment to Unemployment. The Economic Journal, 41(162), 173–198.
- 684 Keynes, J. M. (1936). The General Theory of Employment, Interest and Money. London: Macmillan.
- 685 Khazzoom, J. D. (1980). Economic implications of mandated efficiency in standards for household appliances. The Energy Journal, 1(4).
- 686 Klump, R., Mcadam, P., & Willman, A. (2012). The normalized CES production function: Theory and empirics. Journal of Economic
- 687 Surveys, 26(5), 769–799.
- 688 Lange, S., Kern, F., Peuckert, J., & Santarius, T. (2021). The Jevons paradox unravelled: A multi-level typology of rebound effects and
- mechanisms. Energy Research and Social Science, 74, 101982.
- 690 Lemoine, D. (2020). General equilibrium rebound from energy efficiency innovation. European Economic Review, 125, 1-20.
- 691 Leontief, W. (1986). Input-output Economics. New York and Oxford: Oxford University Press, 2nd ed. ed.
- 692 Lovins, A. B. (1988). Energy saving resulting from the adoption of more efficient appliances: Another view. The Energy Journal, (pp.
- 693 155–162)
- 694 Madlener, R., & Turner, K. (2016). After 35 Years of Rebound Research in Economics: Where Do We Stand?, chap. 1, (pp. 17-36).
- Rethinking Climate and Energy Policies New Perspectives on the Rebound Phenomenon. Cham, Switzerland: Springer.
- 696 Magacho, G. R., & McCombie, J. S. L. (2018). A sectoral explanation of per capita income convergence and divergence: estimating
- 697 Verdoorn's law for countries at different stages of development. Cambridge Journal of Economics, 42(4), 917–934.
- 098 URL https://doi.org/10.1093/cje/bex064
- 699 Marx, K. (1867). Das Kapital: Erster Band. Hamburg: Otto Meissner.
- Nässén, J., & Holmberg, J. (2009). Quantifying the rebound effects of energy efficiency improvements and energy conserving behaviour in
- 701 Sweden. *Energy Efficiency*, 2(3), 221–231.
- 702 Nicholson, W., & Snyder, C. (2017). Microeconomic Theory: Basic Principles & Extensions. Boston: Cengage Learning.
- Paoli, L., & Cullen, J. (2020). Technical limits for energy conversion efficiency. Energy, 192, 1-12.
- Parkes, J. (1838). On the evaporation of water from steam boilers. Transactions of the Institution of Civil Engineers, 2(1), 161–179.
- 705 Quesnay, F. (1759). The 'First Edition' of the Tableau. In R. L. Meek (Ed.) translated in The Economics of Physiocracy (1962). Allen
- 706 and Unwin.
- 707 Santarius, T. (2016). Investigating meso-economic rebound effects: Production-side effects and feedback loops between the micro and
- macro level. Journal of Cleaner Production, 134, 406–413.
- 709 Saunders, H. D. (2015). Recent evidence for large rebound: Elucidating the drivers and their implications for climate change models. The
- 710 Energy Journal, 36(1), 23–48.
- 711 Saunders, H. D., Roy, J., Azevedo, I. M., Chakravart, D., Dasgupta, S., de la Rue du Can, S., Druckman, A., Fouquet, R., Grubb, M., Lin,
- B., Lowe, R., Madlener, R., McCoy, D. M., Mundaca, L., Oreszczyn, T., Sorrell, S., Stern, D., Tanaka, K., & Wei, T. (2021). Energy
- efficiency: What has research delivered in the last 40 years? Annual Review of Environment and Resources, 46, 135–165.
- 714 Sciubba, E., & Wall, G. (2007). A brief commented history of exergy from the beginnings to 2004. International Journal of Thermodynamics,
- 715 10(1), 1-26.
- 716 Slutsky, E. (1915). Sulla teoria del bilancio del consumatore. Giornale degli Economisti e Rivista di Statistica, 53(1), 1–26.
- 717 Smith, A. (1776). An Inquiry into the Wealth of Nations. London: Strahan.
- 718 Solow, R. M. (1957). Technical change and the aggregate production function. The Review of Economics and Statistics, 39(3), 312–320.
- 719 Sorrell, S. (2009). Jevons' paradox revisited: The evidence for backfire from improved energy efficiency. Energy Policy, 37(4), 1456–1469.
- 720 Sorrell, S., & Dimitropoulos, J. (2008). The rebound effect: Microeconomic definitions, limitations and extensions. Ecological Economics,
- 721 *65*(3), 636–649.
- 722 Sorrell, S., Dimitropoulos, J., & Sommerville, M. (2009). Empirical estimates of the direct rebound effect: A review. Energy Policy, 37(4),

- 723 1356–1371.
- 724 Sorrell, S., Gatersleben, B., & Druckman, A. (2020). The limits of energy sufficiency: A review of the evidence for rebound effects and
- 725 negative spillovers from behavioural change. Energy Research & Social Science, 64 (101439), 1–17.
- 726 Sousa, T., Brockway, P. E., Cullen, J. M., Henriques, S. T., Miller, J., Serrenho, A. C., & Domingos, T. (2017). The need for robust,
- 727 consistent methods in societal exergy accounting. Ecological Economics, 141, 11–21.
- 728 Spiegel, U. (1994). The case of a "Giffen Good". The Journal of Economic Education, 25(2), 137–147.
- 729 Stern, D. I. (2020). How large is the economy-wide rebound effect? Energy Policy, 147, 111870.
- 730 Temple, J. (2012). The calibration of CES production functions. Journal of Macroeconomics, 34, 294–303.
- 731 Thomas, B. A., & Azevedo, I. L. (2013a). Estimating direct and indirect rebound effects for U.S. households with input-output analysis.
- Part 1: Theoretical framework. Ecological Economics, 86, 199–210.
- 733 Thomas, B. A., & Azevedo, I. L. (2013b). Estimating direct and indirect rebound effects for U.S. households with input-output analysis.
- Part 2: Simulation. Ecological Economics, 86, 188–198.
- 735 Turner, K. (2013). "Rebound" effects from increased energy efficiency: A time to pause and reflect. The Energy Journal, 34(4), 25-42.
- 736 URL https://www.jstor.org/stable/41969250
- van den Bergh, J. C. (2017). Rebound policy in the Paris agreement: Instrument comparison and climate-club revenue offsets. Climate
- 738 Policy, 17(6), 801-813.
- van den Bergh, J. C. J. M. (2011). Energy conservation more effective with rebound policy. Environmental and Resource Economics,
- 740 48(1), 43–58.
- 741 Walnum, H. J., Aall, C., & Løkke, S. (2014). Can rebound effects explain why sustainable mobility has not been achieved? Sustainability,
- 742 6(12), 9510–9537.
- 743 Wang, J., Yu, S., & Liu, T. (2021). A theoretical analysis of the direct rebound effect caused by energy efficiency improvement of private
- consumers. Economic Analysis and Policy, 69(145), 171–181.
- 745 Williams, C. W. (1840). The combustion of coal and the prevention of smoke: Chemically and practically considered. London: J. Weale,
- 746 1st ed.

Table A.1: Symbols and abbreviations.

Symbol	Meaning [example units]
A	annualized cost [\$/yr]
a	the share parameter in the CES utility model [-]
C	cost [\$]
E	final energy [MJ]
f	expenditure share [–]
G	freed cash [\$]
g	a constant in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-] a constant in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-] energy intensity of economic activity [MJ/\$]
h	a constant in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-]
I	energy intensity of economic activity [MJ/\$]
i	summation index for present value calculations [-]
k	macro factor [-]
M	income [\$]
m	mass [kg]
3.7	an exponent in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-]
N	net savings [\$]
$\frac{n}{r}$	an exponent in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-]
P	present value [\$]
p	price [\$]
$\stackrel{q}{R}$	quantity [-]
$\stackrel{n}{Re}$	multiplicative term that accounts for discounting [–] rebound [–]
r	real monetary discount rate [1/yr]
$\overset{\prime}{S}$	energy cost savings [\$]
$\overset{\mathcal{S}}{t}$	time variable [yr]
$\overset{\iota}{u}$	utility [utils]
$\overset{a}{x}$	position [m]
z	a constant in the derivation of $\varepsilon_{\dot{q}_s,p_s,c}$ and $\varepsilon_{\dot{q}_o,p_s,c}$ [-]
~	$q_{s,p_{s,c}}$

# 747 Appendices

749

# $_{\scriptscriptstyle{748}}$ A Nomenclature

stages and rebound effects. Table A.1 shows symbols and abbreviations, their meanings, and 750 example units. Table A.2 shows Greek letters, their meanings, and example units. Table A.3 shows 751 abbreviations and acronyms. Table A.4 shows symbol decorations and their meanings. Table A.5 752 shows subscripts and their meanings. 753 Differences are indicated by the Greek letter  $\Delta$  and always signify subtraction of a quantity at an 754 earlier stage of Fig. 1 from the same quantity at the next later stage of Fig. 1. E.g.,  $\Delta \bar{X} \equiv \bar{X} - \hat{X}$ , 755 and  $\Delta \tilde{X} \equiv \tilde{X} - \bar{X}$ . Lack of decoration on a difference term indicates a difference that spans all 756 stages of Fig. 1. E.g.,  $\Delta X \equiv \tilde{X} - X^{\circ}$ .  $\Delta X$  is also the sum of differences across each stage in Fig. 1, as shown below.

Presentation of the rigorous analytical framework is aided by a nomenclature that describes energy

Table A.2: Greek letters.

Greek letter	Meaning [example units]
$\begin{array}{c} \alpha \\ \Delta \end{array}$	subscript that indicates capital cost payments at beginning of life difference (later quantity less earlier quantity, see Fig. 1)
$\varepsilon$	price or income elasticity [-]
$arepsilon_{\dot{q}_s,\dot{M}}$	income $(\dot{M})$ elasticity of energy service demand $(\dot{q}_s)$ $[-]$
$arepsilon_{\dot{q}_o,\dot{M}}$	income $(\dot{M})$ elasticity of other goods demand $(\dot{q}_o)$ $[-]$
$arepsilon_{\dot{m{q}}_s, m{p}_s}$	uncompensated energy service price $(p_s)$ elasticity of energy service demand $(\dot{q}_s)$ [-]
$arepsilon_{\dot{m{q}}_o,p_s}$	uncompensated energy service price $(p_s)$ elasticity of other goods demand $(\dot{q}_o)$ [-]
$arepsilon_{\dot{m{q}}_s,p_s,c}$	compensated energy service price $(p_s)$ elasticity of energy service demand $(q_s)$ [-]
$arepsilon_{\dot{q}_o,p_s,c}$	compensated energy service price $(p_s)$ elasticity of other goods demand $(\dot{q}_o)$ [-]
$\eta$	final-energy-to-service efficiency [vehicle-km/MJ]
$\gamma$	term in the derivation of end-of-life payment discounting [-]
$\omega$	subscript that indicates disposal cost at end of life
$\phi$	term in the derivation of beginning-of-life payment discounting [-]
$\rho$	exponent in the CES utility function, $\rho \equiv (\sigma - 1)/\sigma$ [-]
$\overset{\cdot}{\sigma}$	exponent in the CES utility function, $\rho \equiv (\sigma - 1)/\sigma$ [-] elasticity of substitution between the energy service $(\dot{q}_s^{\circ})$ and other goods $(\dot{q}_o^{\circ})$ [-]

Table A.3: Abbreviations.

Abbreviation	Meaning
CES CPE CV EEU EPSRC GDP MPC UK UKRI U.S.	constant elasticity of substitution constant price elasticity compensating variation energy efficiency upgrade engineering and physical sciences research council gross domestic product marginal propensity to consume United Kingdom UK research and innovation United States

Table A.4: Decorations.

Decoration	Meaning [example units]
$X^{\circ}$	X originally (before the emplacement effect )
	X after the emplacement effect (before the substitution effect)
$\hat{X}$	X after the substitution effect (before the income effect)
$ar{X}$	X after the income effect (before the macro effect)
$ ilde{X}$	X after the macro effect
$\stackrel{\dot{X}}{M'}$	rate of $X$ [units of $X/yr$ ] effective income [\$]

Table A.5: Subscripts.

Subscript	Meaning
c	compensated
cap	capital costs
dev	device
dempl	direct emplacement effect
d	disposal
dinc	direct income effect
dsub	direct income effect direct substitution effect
E	energy
emb	embodied
empl	emplacement effect
iempl	indirect emplacement effects
iinc	indirect income effect
inc	income effect indirect substitution effect
isub	indirect substitution effect
	lifetime
m	maintenance
macro	macro effect
OM	operations and maintenance
OMd	operations, maintenance, and disposal
0	other expenditures (besides energy) by the device user
s	service stage of the energy conversion chain
sub	substitution effect
tot	sum of all rebound effects in the framework

$$\Delta X = \Delta \tilde{X} + \Delta \bar{X} + \Delta \hat{X} + \Delta X^*$$

$$\Delta X = (\tilde{X} - \bar{X}) + (\bar{X} - \hat{X}) + (\hat{X} - X^*) + (X^* - X^\circ)$$

$$\Delta X = (\tilde{X} - \bar{X}) + (\bar{X} - \hat{X}) + (\hat{X} - X^*) + (X^* - X^\circ)$$

$$\Delta X = \tilde{X} - X^\circ$$
(37)

# B Derivation of the analytical framework

This appendix provides a detailed derivation of the analytical framework, beginning with the budget constraint for the device owner.

## 62 B.1 Budget constraint

We assume the device owner has four expense categories related to the device: capital cost  $(C_{cap})$ ,
energy service cost  $(C_s)$ , operations and maintenance cost  $(C_{OM})$ , and disposal cost  $(C_d)$ . We count
one expense category for all other goods and services  $(C_o)$ , one category for annual income (M),
and net savings (N), the difference between income and expenses. Capital (cap) and disposal (d)costs are applied at the beginning  $(\alpha)$  and end  $(\omega)$ , respectively, of the device lifetime  $(t_{life})$ . All

other budget categories are applied at the beginning of each year. A budget can be constructed for the device owner for each stage of Figure 1, leading to a different budget before emplacement ( $\circ$ ), after emplacement (\*), after the substitution effect ( $\wedge$ ), after the income effect (-), and after the macro effect ( $\sim$ ). When needed, the different budgets can be distinguished by symbol decorations shown in Table A.4. We allow the device owner to purchase the device with a loan and assume a real discount rate r. For a device not purchased on credit, r = 0 applies. The device owner may save (with real discount rate r) to pay for future disposal costs.

Each budget category is analyzed in perpetuity to allow comparisons at different rebound stages ( $\circ$ , \*, etc.) where the device lifetime ( $t_{life}$ ) may be different. The present value (P) of each expense category is obtained with an infinite sum as follows

$$P_{cap} = C_{cap} + \frac{C_{cap}}{(1+r)^{t_{life}}} + \frac{C_{cap}}{(1+r)^{2t_{life}}} + \dots + \frac{C_{cap}}{(1+r)^{i t_{life}}} + \dots = C_{cap} \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i t_{life}}}$$

$$= \phi_{t_{life}} C_{cap}$$
(38)

$$P_s = C_s + \frac{C_s}{(1+r)^{1 \text{yr}}} + \frac{C_s}{(1+r)^{2 \text{yr}}} + \dots + \frac{C_s}{(1+r)^{i \text{yr}}} + \dots = C_s \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i \text{yr}}}$$

$$= \phi_{1 \text{vr}} C_s \tag{39}$$

$$P_{OM} = C_{OM} + \frac{C_{OM}}{(1+r)^{1\,\mathrm{yr}}} + \frac{C_{OM}}{(1+r)^{2\,\mathrm{yr}}} + \ldots + \frac{C_{OM}}{(1+r)^{i\,\mathrm{yr}}} + \ldots = C_{OM} \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i\,\mathrm{yr}}}$$

$$= \phi_{1 \text{vr}} C_{OM} \tag{40}$$

$$P_d = \frac{C_d}{(1+r)^{t_{life}}} + \frac{C_d}{(1+r)^{2t_{life}}} + \ldots + \frac{C_d}{(1+r)^{i\,t_{life}}} + \ldots = C_d \sum_{i=1}^{\infty} \frac{1}{(1+r)^{i\,t_{life}}}$$

$$= \gamma_{t_{life}} C_d \tag{41}$$

$$P_o = C_o + \frac{C_o}{(1+r)^{1 \text{yr}}} + \frac{C_o}{(1+r)^{2 \text{yr}}} + \dots + \frac{C_o}{(1+r)^{i \text{yr}}} + \dots = C_o \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i \text{yr}}}$$

$$= \phi_{1 \text{vr}} C_o \tag{42}$$

$$P_M = M + \frac{M}{(1+r)^{1 \text{yr}}} + \frac{M}{(1+r)^{2 \text{yr}}} + \dots + \frac{M}{(1+r)^{i \text{yr}}} + \dots = M \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i \text{yr}}}$$

$$= \phi_{1 \text{vr}} M \tag{43}$$

$$P_{N} = N + \frac{N}{(1+r)^{1} \text{yr}} + \frac{N}{(1+r)^{2} \text{yr}} + \dots + \frac{N}{(1+r)^{i} \text{yr}} + \dots = N \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i} \text{yr}}$$
$$= \phi_{1 \text{yr}} N$$
(44)

where  $\phi_t \equiv \frac{(1+r)^t}{(1+r)^{t-1}}$  and  $\gamma_t \equiv \frac{1}{(1+r)^{t-1}}$ .

For simplicity, we desire annual values (A) with equivalent present value for each cost category. 779 Using the capital cost to illustrate, we begin with the present value equivalence of the infinite series 780 and annual costs: 781

$$P_{cap} = P_{A_{cap}} . (45)$$

Substituting expressions for present values (P) gives

$$\phi_{t_{life}}C_{cap} = \phi_{1\,yr}A_{cap} \ . \tag{46}$$

783 Rearranging gives

$$A_{cap} = \frac{\phi_{t_{life}}}{\phi_{1\,\text{yr}}} C_{cap} \ . \tag{47}$$

Further, we desire annualized rates defined as  $\dot{A} \equiv A/1 \,\text{yr}$  such that  $\dot{A}_{cap} = A_{cap}/1 \,\text{yr}$  and  $\dot{C}_{cap} \equiv$ 785  $C_{cap}/t_{life}$ . Solving for  $A_{cap}$  and  $C_{cap}$  and substituting gives

$$\dot{A}_{cap}(1 \text{ yr}) = \frac{\phi_{t_{life}}}{\phi_{1 \text{ yr}}} \dot{C}_{cap} t_{life} . \tag{48}$$

Defining  $R_{\alpha} \equiv \frac{\phi_{t_{life}}}{\phi_{1\,\mathrm{yr}}} \frac{t_{life}}{1\,\mathrm{yr}}$  (with subscript  $\alpha$  indicating payments at the beginning of each device lifetime) gives

$$\dot{A}_{cap} = R_{\alpha} \dot{C}_{cap} \ . \tag{49}$$

Similar derivations can be employed for all other budget categories.

$$\dot{A}_s = \dot{C}_s \tag{50}$$

$$\dot{A}_{OM} = \dot{C}_{OM} \tag{51}$$

$$\dot{A}_d = R_\omega \dot{C}_d \tag{52}$$

$$\dot{A}_o = \dot{C}_o \tag{53}$$

$$\dot{A}_N = \dot{N} \tag{54}$$

$$\dot{A}_M = \dot{M} \tag{55}$$

where  $R_{\omega} \equiv \frac{\gamma_{t_{life}}}{\phi_{1\,\text{yr}}} \frac{t_{life}}{1\,\text{yr}}$  (with subscript  $\omega$  indicating payments at the end of each device lifetime), and  $\dot{C}_{d} \equiv C_{d}/t_{life}$ , the annualized disposal cost without discounting.

The budget constraint expressed in annualized present-value equivalent terms is

$$\dot{A}_{M} = \dot{A}_{cap} + \dot{A}_{s} + \dot{A}_{OM} + \dot{A}_{d} + \dot{A}_{o} + \dot{A}_{N} . \tag{56}$$

792 Substituting cost rates gives

791

$$\dot{M} = R_{\alpha} \dot{C}_{cap} + \dot{C}_{s} + \dot{C}_{OM} + R_{\omega} \dot{C}_{d} + \dot{C}_{o} + \dot{N} . \tag{57}$$

Substituting  $\dot{C}_s = p_s \dot{q}_s$ ,  $\dot{C}_o = p_o \dot{q}_o$ ,  $\dot{C}_{OMd} \equiv \dot{C}_{OM} + R_\omega \dot{C}_d$ , and rearranging gives the budget constraint used in this paper.

$$\dot{M} - R_{\alpha} \dot{C}_{cap} - \dot{C}_{OMd} = p_s \dot{q}_s + p_o \dot{q}_o \tag{5}$$

The term  $R_{\alpha}$  represents the additional cost of annual interest payments when the device is purchased with a loan. When r > 0,  $R_{\alpha} > 1$ . When r = 0,  $R_{\alpha} = 1$ , as proved below (Section B.1.1). The term  $R_{\omega}$  represents the reduction of disposal costs if the device owner pays for disposal costs with money invested annually assuming real discount rate r. When r > 0,  $0 < R_{\omega} < 1$ . When r = 0,  $R_{\omega} = 1$ , as proved below (Section B.1.2).

### 800 **B.1.1 Proof:** $R_{\alpha} = 1$ when r = 0

We expect that  $R_{\alpha} = 1$  when r = 0. However, direct substitution of r = 0 into the expression for  $R_{\alpha}$  gives  $\frac{0}{0}$ , so we rather assess  $\lim_{r\to 0^+} R_{\alpha} \stackrel{?}{=} 1$ .

Substituting for  $R_{\alpha}$  gives

$$\lim_{r \to 0^+} \left( \frac{\phi_{t_{life}}}{\phi_{1 \text{yr}}} \frac{t_{life}}{1 \text{yr}} \right) \stackrel{?}{=} 1. \tag{58}$$

Substituting for  $\phi$  terms gives

$$\lim_{r \to 0^{+}} \left[ \frac{\frac{(1+r)^{t_{life}}}{(1+r)^{t_{life}} - 1}}{\frac{(1+r)^{1} \text{yr}}{(1+r)^{1} \text{yr} - 1}} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1 . \tag{59}$$

805 Distributing double-fractions gives

$$\lim_{r \to 0^+} \left[ \frac{(1+r)^{t_{life}}}{(1+r)^{1 \text{yr}}} \cdot \frac{(1+r)^{1 \text{yr}} - 1}{(1+r)^{t_{life}} - 1} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1.$$
 (60)

806 Multiplying terms in numerator and demoninator gives

$$\lim_{r \to 0^{+}} \left\{ \frac{\left[ (1+r)^{t_{life}} (1+r)^{1}^{\text{yr}} - (1+r)^{t_{life}} \right] \frac{t_{life}}{1}_{\text{yr}}}{(1+r)^{t_{life}} (1+r)^{1}^{\text{yr}} - (1+r)^{1}^{\text{yr}}} \right\} \stackrel{?}{=} 1.$$
 (61)

807 Applying L'Hôpital's rule gives

$$\lim_{r \to 0^{+}} \left( \frac{\frac{\partial}{\partial r} \left\{ \left[ (1+r)^{t_{life}} (1+r)^{1}^{\text{yr}} - (1+r)^{t_{life}} \right] \frac{t_{life}}{1} \right\}}{\frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} (1+r)^{1}^{\text{yr}} - (1+r)^{1}^{\text{yr}} \right]} \right) \stackrel{?}{=} 1.$$
 (62)

808 Applying the chain rule repeatedly gives

$$\lim_{r \to 0^{+}} \left( \frac{\frac{t_{life}}{1 \text{ yr}} \left\{ \frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} (1+r)^{1 \text{ yr}} \right] - \frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} \right] \right\}}{\frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} (1+r)^{1 \text{ yr}} \right] - \frac{\partial}{\partial r} \left[ (1+r)^{1 \text{ yr}} \right]} \right) \stackrel{?}{=} 1.$$
 (63)

Several intermediate results are helpful.

$$\lim_{r \to 0^+} \left\{ \frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} \right] \right\} = t_{life}$$
 (64)

$$\lim_{r \to 0^+} \left\{ \frac{\partial}{\partial r} \left[ (1+r)^{1 \,\text{yr}} \right] \right\} = 1 \,\text{yr} \tag{65}$$

$$\lim_{r \to 0^+} \left\{ \frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} (1+r)^{1 \,\text{yr}} \right] \right\} = t_{life} (1+r)^{1 \,\text{yr}} + 1 \,\text{yr} (1+r)^{t_{life}}$$
 (66)

Substituting the intermediate results gives

$$\lim_{r \to 0^{+}} \left\{ \frac{\frac{t_{life}}{1 \text{ yr}} \left[ (1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - t_{life} \right]}{(1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - 1 \text{ yr}} \right\} \stackrel{?}{=} 1.$$
 (67)

Setting r = 0 in the remaining terms gives

$$\frac{t_{life}}{1 \text{ yr}} \left[ (1)(t_{life}) + (1)(1 \text{ yr}) - t_{life} \right] \stackrel{?}{=} 1.$$

$$(68)$$

812 Simplifying gives

$$\frac{\left(\frac{t_{life}}{1\,\mathrm{yr}}\right)(1\,\mathrm{yr})}{t_{life}} \stackrel{?}{=} 1\tag{69}$$

$$1 \stackrel{\checkmark}{=} 1 \,, \tag{70}$$

thereby completing the proof with the expected result.

### 814 **B.1.2 Proof:** $R_{\omega} = 1$ when r = 0

We expect that  $R_{\omega} = 1$  when r = 0. However, direct substitution of r = 0 into the expression for  $R_{\omega}$  gives  $\frac{0}{0}$ , so we rather assess  $\lim_{r\to 0^+} R_{\omega} \stackrel{?}{=} 1$ .

Substituting for  $R_{\omega}$  gives

817

$$\lim_{r \to 0^+} \left( \frac{\gamma_{t_{life}}}{\phi_{1\,\text{yr}}} \frac{t_{life}}{1\,\text{yr}} \right) \stackrel{?}{=} 1 \ . \tag{71}$$

Substituting for  $\gamma$  and  $\phi$  terms gives

$$\lim_{r \to 0^{+}} \left[ \frac{\frac{1}{(1+r)^{t_{life}} - 1}}{\frac{(1+r)^{1} \text{yr}}{(1+r)^{1} \text{yr} - 1}} \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1.$$
 (72)

Distributing double-fractions gives

$$\lim_{r \to 0^+} \left[ \frac{1}{(1+r)^{1 \text{yr}}} \cdot \frac{(1+r)^{1 \text{yr}} - 1}{(1+r)^{t_{life}} - 1} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1.$$
 (73)

820 Multiplying terms in numerator and demoninator gives

$$\lim_{r \to 0^+} \left\{ \frac{\left[ (1+r)^{1 \,\text{yr}} - 1 \right] \left( \frac{t_{life}}{1 \,\text{yr}} \right)}{(1+r)^{t_{life}} (1+r)^{1 \,\text{yr}} - (1+r)^{1 \,\text{yr}}} \right\} \stackrel{?}{=} 1 \ . \tag{74}$$

821 Applying L'Hôpital's rule gives

$$\lim_{r \to 0^+} \left\{ \frac{\frac{t_{life}}{1 \text{ yr}} \frac{\partial}{\partial r} \left[ (1+r)^{1 \text{ yr}} - 1 \right]}{\frac{\partial}{\partial r} \left[ (1+r)^{t_{life}} (1+r)^{1 \text{ yr}} \right] - \frac{\partial}{\partial r} \left[ (1+r)^{1 \text{ yr}} \right]} \right\} \stackrel{?}{=} 1.$$
 (75)

822 Applying the intermediate results from Section B.1.1 yields

$$\lim_{r \to 0^{+}} \left[ \frac{\binom{t_{life}}{1 \text{ yr}} (1 \text{ yr})}{(1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - 1 \text{ yr}} \right] \stackrel{?}{=} 1.$$
 (76)

Setting r = 0 in the remaining terms gives

$$\frac{\left(\frac{t_{life}}{1 \text{ yr}}\right) (1 \text{ yr})}{(1)(t_{life}) + (1)1 \text{ yr} - 1 \text{ yr}} \stackrel{?}{=} 1.$$
 (77)

Simplifying the denominator gives

$$\frac{\left(\frac{t_{life}}{1\,\mathrm{yr}}\right)(1\,\mathrm{yr})}{t_{life}} \stackrel{?}{=} 1\tag{78}$$

$$1 \stackrel{\checkmark}{=} 1 \,, \tag{79}$$

thereby completing the proof with the expected result.

### 826 B.2 Relationships for rebound effects

For each energy rebound effect in Fig. 1, energy and financial analysis must be performed. The 827 purposes of the analyses are to determine for each effect (i) an expression for energy rebound (Re) 828 for the effect and (ii) an equation for net savings (N) remaining after the effect. 829 Analysis of each rebound effect involves a set of assumptions and constraints as shown in Table B.1. 830 In Table B.1, relationships for emplacement effect embodied energy rates  $(\dot{E}_{emb}^{\circ})$  and  $\dot{E}_{emb}^{*}$ , capital 831 expenditure rates  $(\dot{C}_{cap}^{\circ})$  and  $\dot{C}_{cap}^{*}$ , and operations, maintenance, and disposal expenditure rates 832  $(\dot{C}_{O\!M\!d}^{\circ}$  and  $\dot{C}_{O\!M\!d}^{*})$  are typical, and inequalities could switch direction for a specific EEU. Macro effect 833 relationships are given for a single device only. If the EEU is deployed at scale across the economy, 834 the energy service consumption rate  $(\tilde{q}_s)$ , device energy consumption rate  $(\tilde{E}_s)$ , embodied energy 835 rate  $(\tilde{E}_{emb})$ , capital expenditure rate  $(\tilde{C}_{cap})$ , and operations, maintenance, and disposal expenditure 836 rate  $(\dot{\tilde{C}}_{O\!M\!d})$  will all increase in proportion to the number of devices emplaced.

Table B.1: Assumptions and constraints for analysis of rebound effects.

Parameter	Emplacement Effect	Substitution Effect	Income Effect	Macro Effect
Energy price Energy service efficiency	$p_E^{\circ} = p_E^*$	$p_E^* = \hat{p}_E$	$\hat{p}_E = \bar{p}_E \ \hat{n} - \bar{n}$	$ar{p}_E =  ilde{p}_E \ ar{p}_E -  ilde{p}_E$
Energy service price	$p_s^{\circ} > p_s^{*}$	$p_{\slashed p}^* = \hat{p}_s$	$\hat{p}_s = \bar{p}_s$	$ar{ar{p}_s} = ar{ ilde{p}_s}$
Other goods price	$p_o^\circ = p_o^*$	$p_o^{\scriptscriptstyle  au} = p_o$	$\hat{p}_o = \bar{p}_o$	$ar{p}_o =  ilde{p}_o$
Energy service consumption rate	$\dot{q}_s^\circ = \dot{q}_s^*$	$\dot{q}_s^* < \hat{\dot{q}}_s$	$\dot{q}_s < \dot{q}_s$	$\dot{ar{q}}_s = \dot{ar{q}}_s$
Other goods consumption rate	$\dot{q}_o^\circ = \dot{q}_o^*$	$\dot{q}_o^* > \dot{q}_o$	$\dot{ar{q}}_o < \dot{ar{q}}_o$	$\dot{q}_o = \dot{q}_o$
Device energy consumption rate	$E_s^{\circ} > E_s^*$	$E_s^* < E_s$	$E_s < E_s$	$_{-}E_{s}=\mathop{E_{s}}\limits_{\overset{\sim}{\sim}}$
Embodied energy rate	$\dot{E}_{emb}^{\circ} < \dot{E}_{emb}^{*}$	$\dot{E}^*_{emb} = \dot{E}_{emb}$	$\dot{E}_{emb} = \dot{E}_{emb}$	$\dot{E}_{emb} = \dot{E}_{emb}$
Device lifetime	$t_{life}^{\circ} < t_{life}^{*}$	$t_{life}^{**} = \hat{t}_{life}$	$\hat{t}_{life} = \bar{t}_{life}$	$\bar{t}_{life} = \tilde{t}_{life}$
Beginning-of-life discount factor	$R_{\alpha}^{\circ} < R_{\alpha}^{*}$	$R_{\alpha}^{*} = \hat{R}_{\alpha}$	$\hat{R}_{lpha}=ar{R}_{lpha}$	$ar{R}_{lpha} =  ilde{R}_{lpha}$
End-of-life discount factor	$R_{\omega}^{\circ} > R_{\omega}^{*}$	$R_{\omega}^{*} = \hat{R}_{\omega}$	$\hat{R}_{\omega} = ar{R}_{\omega}$	$ar{R}_{\omega} = \tilde{R}_{\omega}$
Capital expenditure rate	$\dot{C}_{cap}^{\circ} < \dot{C}_{cap}^{*}$	$\dot{C}_{cap}^* = \dot{\hat{C}}_{cap}$	$\dot{C}_{cap} = \dot{C}_{cap}$	$\dot{C}_{cap} = \dot{C}_{cap}$
Ops., maint., and disp. expenditure rate	$\dot{C}^{\circ}_{O\!Md} < \dot{C}^{*}_{O\!Md}$	$\dot{C}^*_{OMd} = \dot{\dot{C}}_{OMd}$	$\dot{\hat{C}}_{OMd} = \dot{\bar{C}}_{OMd}$	$\dot{C}_{OMd} = \dot{C}_{OMd}$
Energy service expenditure rate	$\dot{C}_s^\circ > \dot{C}_s^*$	$\dot{C}_s^* < \dot{\hat{C}}_s$	$\dot{\hat{C}}_s < \bar{\dot{C}}_s$	$ar{\dot{C}}_s = ar{\dot{C}}_s$
Other goods expenditure rate	$\dot{C}_o^\circ = \dot{C}_o^*$	$\dot{C}_o^* > \dot{\hat{C}}_o$	$\dot{\hat{C}}_o < \bar{\dot{C}}_o$	$\dot{ec{C}}_o = \dot{ec{C}}_o$
Income	$\dot{M}^{\circ}=\dot{M}^{*}$	$\dot{M}^* = \hat{\dot{M}}$	$\dot{\dot{M}}=ar{\dot{M}}$	$ar{\dot{M}}= ilde{\dot{M}}$
Net savings	$0 = \dot{N}^{\circ} < \dot{N}^{*}$	$\dot{N}^* < \hat{\dot{N}}$	$\hat{\dot{N}} > \bar{\dot{N}} = 0$	$\dot{\dot{N}} = \dot{\dot{N}} = 0$

Table B.2: Justification for zeroed terms in Tables B.3–B.6.

Zeroed term	Justification (from Table B.1).
$\Delta \dot{\mathcal{C}}_{o}^{*}$	$\dot{C}_o^{\circ} = \dot{C}_o^* \ (\dot{C}_o \text{ unchanged across emplacement effect.})$
À, €	$0 = \dot{N}^{\circ}$ (Net savings are zero prior to the EEU.)
$\Delta \hat{\dot{E}}_{emb}$	$\dot{E}_{emb}^* = \dot{\hat{E}}_{emb}$ ( $\dot{E}_{emb}$ unchanged across substitution effect.)
$\Delta \hat{e}_{OMd}$	$\dot{C}_{OMd}^* = \dot{\hat{C}}_{OMd}$ ( $\dot{C}_{OMd}$ unchanged across substitution effect.)
$\Delta \dot{E}_{emb}^{0}$	$\hat{E}_{emb} = \bar{E}_{emb} \ (\dot{E}_{emb} \ \text{unchanged across income effect.})$
$\Delta \dot{ar{C}}_{OMd}^{0}$	$\hat{C}_{OMd} = \bar{C}_{OMd} \ (\dot{C}_{OMd} \ \text{unchanged across income effect.})$
$ar{oldsymbol{ar{\mathcal{N}}}}^{\circ}$	$\dot{\bar{N}}=0$ (All net savings are spent in the income effect.)

### 838 B.3 Derivations

- Derivations for rebound definitions and net savings equations are presented in Tables B.3–B.6, one
- $_{840}$  for each rebound effect in Fig. 1. Energy and financial analyses are shown side by side, because each
- 841 informs the other.
- Several terms in Tables B.3–B.6 are zeroed, e.g.  $\Delta \dot{C}_o^{*}$ . These zeroes can be traced back to
- Table B.1. Table B.2 highlights the equations in Table B.1 that justify zeroing each term.

(82)

(86)

845

 $\dot{E}^{\circ} = \dot{E}_{s}^{\circ} + \dot{E}_{emb}^{\circ} + (\dot{C}_{OMd}^{\circ} + \dot{C}_{o}^{\circ})I_{E}$ 

 $\dot{E}^* = \dot{E}_a^* + \dot{E}_{amb}^* + (\dot{C}_{OMd}^* + \dot{C}_a^*)I_E$ 

846 847

848

849 850

851

47

before  $(\circ)$ 

after (\*)

Note:  $\dot{C}_{OMd} \equiv \dot{C}_{OM} + R_{\omega}\dot{C}_{d}$ .

Take differences to obtain the change in energy consumption,  $\Delta \dot{E}^* \equiv \dot{E}^* - \dot{E}^\circ.$ 

$$\Delta \dot{E}^* = \Delta \dot{E}_s^* + \Delta \dot{E}_{emb}^* + (\Delta \dot{C}_{OMd}^* + \Delta \dot{C}_o^*) I_E$$
 (84)

Thus,

$$\Delta \dot{E}^* = \Delta \dot{E}_s^* + \Delta \dot{E}_{emb}^* + \Delta \dot{C}_{OMd}^* I_E .$$

Define

$$\dot{S}_{dev} \equiv -\Delta \dot{E}_s^*$$

(Also see Eqs. (117) and (12)). Use Eq. (1) to obtain

$$Re_{empl} = 1 - \frac{-\Delta \dot{E}^*}{\dot{S}_{dev}} = 1 - \frac{-\Delta \dot{E}_s^*}{\dot{S}_{dev}} - \frac{-\Delta \dot{E}_{emb}^*}{\dot{S}_{dev}} - \frac{-\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}} .$$
 (87)

Define 
$$Re_{dempl} \equiv 1 - \frac{-\Delta \dot{E}_{s}^{*}}{\dot{S}_{dev}} (=0)$$
,  $Re_{iempl} \equiv Re_{emb} + Re_{OMd}$ ,  $Re_{emb} \equiv \frac{\Delta \dot{E}_{emb}^{*}}{\dot{S}_{dev}}$ ,  $Re_{OMd} \equiv \frac{\Delta \dot{C}_{OMd}^{*}I_{E}}{\dot{S}_{dev}}$ ,  $Re_{OMd} = Re_{OM} + Re_{d}$ ,  $Re_{OM} \equiv \frac{\Delta \dot{C}_{OM}^{*}I_{E}}{\dot{S}_{dev}}$ , and  $Re_{d} \equiv \frac{\Delta (R_{\omega}\dot{C}_{d})^{*}I_{E}}{\dot{S}_{dev}}$  such that

$$Re_{empl} = Re_{dempl} + Re_{iempl}$$
 (88)

(80) 
$$\dot{M}^{\circ} = p_E \dot{E}_s^{\circ} + R_{\alpha}^{\circ} \dot{C}_{cap}^{\circ} + \dot{C}_{OMd}^{\circ} + \dot{C}_o^{\circ} + \dot{N}^{\circ}$$

 $\dot{M}^* = p_E \dot{E}_s^* + R_\alpha^* \dot{C}_{cap}^* + \dot{C}_{OMd}^* + \dot{C}_o^* + \dot{N}^*$ 

Use the monetary constraint  $(\dot{M}^{\circ} = \dot{M}^{*})$  and constant spending on other items  $(\dot{C}_{o}^{\circ} = \dot{C}_{o}^{*})$  to cancel terms to obtain

$$p_{E}\dot{E}_{s}^{\circ} + R_{\alpha}^{\circ}\dot{C}_{cap}^{\circ} + \dot{C}_{OMd}^{\circ} + \dot{\mathcal{P}}_{o}^{\prime} + \dot$$

(81)

(83)

(85) Solving for  $\Delta \dot{N}^* \equiv \dot{N}^* - \dot{\mathcal{N}}^*$  gives

$$\Delta \dot{N}^* = p_E (\dot{E}_s^{\circ} - \dot{E}_s^*) + R_{\alpha}^{\circ} \dot{C}_{cap}^{\circ} - R_{\alpha}^* \dot{C}_{cap}^* + \dot{C}_{OMd}^{\circ} - \dot{C}_{OMd}^* . \tag{90}$$

Rewriting with  $\Delta$  terms gives

$$\Delta \dot{N}^* = -p_E \Delta \dot{E}_s^* - \Delta (R_\alpha \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^* . \tag{91}$$

Substituting Eq. (86) gives

$$\Delta \dot{N}^* = \dot{N}^* = p_E \dot{S}_{dev} - \Delta (R_\alpha \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^*$$
 (92)

Freed cash  $(\dot{G})$  resulting from the EEU, before any energy takeback, is given by

$$\dot{G} = p_E \dot{S}_{dev} \ . \tag{93}$$

Note that Eq. (81) and  $\dot{N}^{\circ} = 0$  can be used to calculate  $\dot{C}_{o}^{\circ}$  as

$$\dot{C}_o^{\circ} = \dot{M}^{\circ} - p_E \dot{E}_s^{\circ} - R_{\alpha}^{\circ} \dot{C}_{cap}^{\circ} - \dot{C}_{OMd}^{\circ} . \tag{94}$$

853

Energy analysis

Financial analysis

854 855

before (\*)856

$$\dot{E}^* = \dot{E}_s^* + \dot{E}_{emb}^* + (\dot{C}_{OMd}^* + \dot{C}_o^*)I_E$$

(82)

(95)

$$\dot{M}^* = p_E \dot{E}_s^* + R_\alpha^* \dot{C}_{cap}^* + \dot{C}_{OMd}^* + \dot{C}_o^* + \dot{N}^*$$
 (83)

857 858

859

after  $(\land)$ 

$$\hat{E} = \hat{E}_s + \hat{E}_{emb} + (\hat{C}_{OMd} + \hat{C}_o)I_E$$

 $\hat{M} = p_E \hat{E}_s + \hat{R}_\alpha \hat{C}_{cap} + \hat{C}_{OMd} + \hat{C}_\alpha + \hat{N}$ (96)

Take differences to obtain the change in energy consumption,  $\Delta \hat{E} \equiv \hat{E} - \dot{E}^*.$ 

$$\Delta \hat{E} = \Delta \hat{E}_s + \Delta \hat{E}_{emb} + (\Delta \hat{C}_{OMd} + \Delta \hat{C}_o) I_E$$
 (97)

Thus,

$$\Delta \hat{E} = \Delta \hat{E}_s + \Delta \hat{C}_o I_E \ . \tag{98}$$

All terms are energy takeback rates. Divide by  $\dot{S}_{dev}$  to create rebound terms.

$$\frac{\Delta \hat{E}}{\dot{S}_{dev}} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}} + \frac{\Delta \hat{C}_o I_E}{\dot{S}_{dev}} \tag{99}$$

$$Re_{sub} = Re_{dsub} + Re_{isub} . (100)$$

Use the monetary constraint  $(\dot{M}^* = \dot{M})$  to obtain

$$p_{E}\dot{E}_{s}^{*} + \underline{R}_{o}^{*}\dot{C}_{cap}^{*} + \dot{C}_{OMd}^{*} + \dot{C}_{o}^{*} + \dot{N}^{*}$$

$$= p_{E}\dot{E}_{s} + \hat{R}_{o}\dot{\hat{C}}_{cap} + \dot{\hat{C}}_{OMd} + \dot{\hat{C}}_{o} + \dot{\hat{N}}.$$
(101)

For the substitution effect, there is no change in capital or operations, maintenance, and disposal costs  $(R_{\alpha}^*\dot{C}_{cap}^* = \hat{R}_{\alpha}\hat{C}_{cap}$  and  $\dot{C}_{OMd}^* = \hat{C}_{OMd}$ ). Solving for  $\Delta \hat{N} \equiv \hat{N} - \hat{N}^*$  gives

$$\Delta \hat{N} = -p_E \Delta \hat{E}_s - \Delta \hat{C}_o . \tag{102}$$

Define  $Re_{sub} \equiv \frac{\Delta \hat{E}}{\hat{S}_{dev}}$ ,  $Re_{dsub} \equiv \frac{\Delta \hat{E}_s}{\hat{S}_{dev}}$ , and  $Re_{isub} \equiv \frac{\Delta \hat{C}_o I_E}{\hat{S}_{dev}}$ , such that  $\hat{N} = \hat{N}^* + \Delta \hat{N}$ . Substituting Eqs. (92), (93), and (102) yields

$$\hat{N} = \dot{G} - \Delta (R_{\alpha} \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^* - p_E \Delta \dot{\hat{E}}_s - \Delta \dot{\hat{C}}_o. \tag{103}$$

48

861

Table B.5. **Income Effect** 

#### Energy analysis

#### Financial analysis

862 863

before 
$$(\land)$$

$$\hat{E} = \hat{E}_s + \hat{E}_{emb} + (\hat{C}_{OMd} + \hat{C}_o)I_E$$

(104)

$$\hat{M} = p_E \hat{E}_s + \hat{R}_\alpha \hat{C}_{cap} + \hat{C}_{OMd} + \hat{C}_o + \hat{N}$$
(96)

865 after (-)866

$$\dot{\bar{E}} = \dot{\bar{E}}_s + \dot{\bar{E}}_{emb} + (\dot{\bar{C}}_{OMd} + \dot{\bar{C}}_o)I_E$$

$$\dot{\dot{M}} = p_E \dot{\dot{E}}_s + \bar{R}_\alpha \dot{\dot{C}}$$

$$\dot{\bar{M}} = p_E \dot{\bar{E}}_s + \bar{R}_\alpha \dot{\bar{C}}_{cap} + \dot{\bar{C}}_{OMd} + \dot{\bar{C}}_o + \dot{\bar{N}}$$
 (105)

867

49

864

Take differences to obtain the change in energy consumption,  $\Delta \dot{\bar{E}} \equiv \dot{\bar{E}} - \dot{\bar{E}}.$ 

$$\Delta \dot{\bar{E}} = \Delta \dot{\bar{E}}_s + \Delta \dot{\bar{E}}_{emb}^{0} + (\Delta \dot{\bar{C}}_{OMd}^{0} + \Delta \dot{\bar{C}}_o) I_E$$
 (106)

Thus,

$$\Delta \dot{\bar{E}} = \Delta \dot{\bar{E}}_s + \Delta \dot{\bar{C}}_o I_E \tag{107}$$

All terms are energy takeback rates. Divide by  $\dot{S}_{dev}$  to create rebound terms.

$$\frac{\Delta \dot{\bar{E}}}{\dot{S}_{dev}} = \frac{\Delta \dot{\bar{E}}_s}{\dot{S}_{dev}} + \frac{\Delta \dot{\bar{C}}_o I_E}{\dot{S}_{dev}} \tag{108}$$

Define  $Re_{inc} \equiv \frac{\Delta \tilde{E}}{\dot{S}_{dev}}$ ,  $Re_{dinc} \equiv \frac{\Delta \tilde{E}_s}{\dot{S}_{dev}}$ , and  $Re_{iinc} \equiv \frac{\Delta \tilde{C}_o I_E}{\dot{S}_{dev}}$ , such that

$$Re_{inc} = Re_{dinc} + Re_{iinc} . (109)$$

Use the monetary constraint  $(\dot{M} = \dot{M})$  to obtain

$$p_{E}\dot{\hat{E}}_{s} + \hat{R}_{\alpha}\dot{\hat{C}}_{cap} + \dot{\hat{C}}_{OMd} + \dot{\hat{C}}_{o} + \dot{\hat{N}}$$

$$= p_{E}\dot{\bar{E}}_{s} + \bar{R}_{\alpha}\dot{\bar{C}}_{cap} + \dot{\bar{C}}_{OMd} + \dot{\bar{C}}_{o} + \dot{\bar{N}}$$
(110)

(107) For the income effect, there is no change in capital or maintainance, opoerations, and disposal costs  $(\hat{R}_{\alpha}\dot{C}_{cap} = \bar{R}_{\alpha}\dot{C}_{cap})$  and  $\dot{C}_{OMd} = \dot{C}_{OMd}$ . Notably,  $\dot{N} = 0$ , because it is assumed that all net monetary savings (108) after the substitution effect  $(\dot{N})$  are spent on more energy service  $(\hat{E}_s < \bar{E}_s)$  and additional purchases in the economy  $(\hat{C}_o < \bar{C}_o)$ . Solving for  $\dot{N}$  gives

$$\hat{\dot{N}} = p_E \Delta \bar{\dot{E}}_s + \Delta \bar{\dot{C}}_o \,, \tag{111}$$

the budget constraint for the income effect. By construction, Eq. (111) ensures spending of net savings (N) on (i) additional energy services  $(\Delta \dot{E}_s)$  and (ii) additional purchases of other goods in the economy  $(\Delta \dot{C}_o)$  only.

(112)

(113)

869

#### Energy analysis

 $\dot{\dot{E}}$ 

#### Financial analysis

> 874 875

before (-)
873

after  $(\sim)$ 

 $ilde{\dot{E}}$ 

Take differences to obtain the change in energy consumption,

$$\Delta \tilde{\dot{E}} \equiv \tilde{\dot{E}} - \bar{\dot{E}} \ . \tag{114}$$

The energy change due to the macro effect  $(\Delta \tilde{E})$  is a scalar multiple (k) of net savings  $(\dot{N}^*)$ , assumed to be spent at the energy intensity of the economy  $(I_E)$ .

$$\Delta \tilde{\dot{E}} = k \dot{N}^* I_E \tag{115}$$

All terms are energy takeback rates. Divide by  $\dot{S}_{dev}$  to create rebound terms.

$$\frac{\Delta \tilde{E}}{\dot{S}_{dev}} = \frac{k \dot{N}^* I_E}{\dot{S}_{dev}} \tag{116}$$

Define  $Re_{macro} \equiv \frac{\Delta \tilde{E}}{\dot{S}_{dev}}$ , such that

$$Re_{macro} = \frac{k\dot{N}^*I_E}{\dot{S}_{dev}} \ . \tag{33}$$

N/A

50

### 876 B.4 Rebound expressions

All that remains is to determine expressions for each rebound effect. We begin with the device-level expected energy savings rate  $(\dot{S}_{dev})$ , which appears in the denominator of all rebound expressions.

### 879 B.4.1 Expected energy savings $(\dot{S}_{dev})$

 $\dot{S}_{dev}$  is the reduction of energy consumption rate by the device due to the EEU. No other effects are considered.

$$\dot{S}_{dev} \equiv \dot{E}_s^{\circ} - \dot{E}_s^* \tag{117}$$

The final energy consumption rates  $(\dot{E}_s^{\circ} \text{ and } \dot{E}_s^{*})$  can be written as Eq. (6) in the forms  $\dot{E}_s^{\circ} = \dot{q}_s^{\circ}/\eta^{\circ}$  and  $\dot{E}_s^{*} = \dot{q}_s^{*}/\eta^{*}$ .

$$\dot{S}_{dev} = \frac{\dot{q}_s^{\circ}}{\eta^{\circ}} - \frac{\dot{q}_s^*}{\eta^*} \tag{118}$$

With reference to Table B.1, we use  $\dot{q}_s^*=\dot{q}_s^\circ$  and  $\eta^*=\tilde{\eta}$  to obtain

$$\dot{S}_{dev} = \frac{\dot{q}_s^{\circ}}{\eta^{\circ}} - \frac{\dot{q}_s^{\circ}}{\tilde{\eta}} \ . \tag{119}$$

When the EEU increases efficiency such that  $\eta^{\circ} < \tilde{\eta}$ , expected energy savings grows  $(\dot{S}_{dev} > 0)$  as the rate of final energy consumption declines, as expected. As  $\tilde{\eta} \to \infty$ , all final energy consumption is eliminated  $(\dot{E}_s^* \to 0)$ , and  $\dot{S}_{dev} = \dot{q}_s^{\circ}/\eta^{\circ} = \dot{E}_s^{\circ}$ . (Of course,  $\tilde{\eta} \to \infty$  is impossible. See Paoli & Cullen (2020) for a recent discussion of upper limits to device efficiencies.)

After rearrangement and using  $\dot{E}_s^{\circ} = \dot{q}_s^{\circ}/\eta^{\circ}$ , we obtain a convenient form

$$\dot{S}_{dev} = \left(\frac{\tilde{\eta}}{\eta^{\circ}} - 1\right) \frac{\eta^{\circ}}{\tilde{\eta}} \dot{E}_{s}^{\circ} . \tag{12}$$

### B.4.2 Emplacement effect

889

The emplacement effect accounts for performance of the EEU only. No behavior changes occur.

The direct emplacement effect of the EEU is device energy savings and energy cost savings. The indirect emplacement effects of the EEU produce changes in the embodied energy rate and the

maintenance and disposal expenditure rates. By definition, the direct emplacement effect has no rebound. However, indirect emplacement effects may cause energy rebound. Both direct and indirect emplacement effects are discussed below.

Direct emplacement effect rebound expression ( $Re_{dempl}$ ) As shown in Table B.3, the direct rebound from the emplacement effect is  $Re_{dempl} \equiv 0$ . This result is expected, because in the absence of embodied energy, maintenance and disposal cost, or behavioral changes, there is no takeback of energy savings at the upgraded device.

Indirect emplacement effect rebound expression ( $Re_{iempl}$ ) Indirect emplacement rebound effects can occur at any point in the life cycle of an energy conversion device, from manufacturing and distribution to the use phase (maintenance), and finally to disposal. For simplicity, we group maintenance with disposal to form two distinct indirect emplacement rebound effects: (i) an embodied energy effect ( $Re_{emb}$ ) and (ii) a maintenance and disposal effect ( $Re_{md}$ ).

Embodied energy effect rebound expression ( $Re_{emb}$ ) The first component of indirect emplacement effect rebound involves embodied energy. We define embodied energy consistent with the energy analysis literature to be the sum of all final energy consumed in the production of the energy conversion device. The EEU causes the embodied final energy of the device to change from  $\dot{E}_{emb}^{\circ}$  to  $\dot{E}_{emb}^{*}$ .

Energy is embodied in the device within manufacturing and distribution supply chains prior to consumer acquisition of the device. For simplicity, we spread all embodied energy over the lifetime of the device, an equal amount assigned to each period.

Thus, we allocate embodied energy over the life of the original and upgraded devices  $(t_{life}^{\circ})$  and  $t_{life}^{*}$  respectively) without discounting to obtain embodied energy rates, such that  $\dot{E}_{emb}^{\circ} = E_{emb}^{\circ}/t_{life}^{\circ}$  and  $\dot{E}_{emb}^{*} = E_{emb}^{*}/t_{life}^{*}$ . The change in embodied final energy due to the EEU (expressed as a rate) is given by  $\dot{E}_{emb}^{*} - \dot{E}_{emb}^{\circ}$ . After substitution and algebraic rearrangement, the change in embodied energy rate due to the EEU can be expressed as  $[(E_{emb}^{*}/E_{emb}^{\circ})(t_{life}^{\circ}/t_{life}^{*}) - 1]\dot{E}_{emb}^{\circ}$ , a term that represents energy savings taken back due to embodied energy effects. Thus, Eq. (3) can be employed to write

embodied energy rebound as

$$Re_{emb} = \frac{\left(\frac{E_{emb}^*}{E_{emb}^o} \frac{t_{life}^o}{t_{life}^*} - 1\right) \dot{E}_{emb}^\circ}{\dot{S}_{dev}} . \tag{14}$$

Embodied energy rebound can be either positive or negative, depending on the sign of the term  $(E_{emb}^*/E_{emb}^\circ)(t_{life}^\circ/t_{life}^*) - 1$ . Rising energy efficiency can be associated with increased device complexity and more embodied energy, such that  $E_{emb}^* > E_{emb}^\circ$  and  $Re_{emb} > 0$ . However, if the upgraded device has longer life than the original device  $(t_{life}^* > t_{life}^\circ)$ ,  $\dot{E}_{emb}^* - \dot{E}_{emb}^\circ$  can be negative, meaning that the upgraded device has a lower embodied energy rate than the original device.

Operations, maintenance, and disposal effect rebound expression  $(Re_{OMd})$  In addition to embodied energy effects, indirect emplacement rebound can be associated with energy demanded by operations, maintenance, and disposal expenditures. We apply discounting to end-of-life disposal expenditures to form expenditure rates such that  $\dot{C}_{OMd}^{\circ} = \dot{C}_{OM}^{\circ} + R_{\omega}^{\circ} \dot{C}_{d}^{\circ}$  and  $\dot{C}_{OMd}^{*} = \dot{C}_{OM}^{*} + R_{\omega}^{*} \dot{C}_{d}^{*}$ , with  $\dot{C}_{d} \equiv C_{d}/t_{life}$ . (For details, see Appendix B.1.)

We assume, for simplicity, that operations, maintenance, and disposal expenditures indicate energy consumption elsewhere in the economy at its energy intensity  $(I_E)$ . Therefore, the change in energy consumption rate caused by a change in operations, maintenance, and disposal expenditures is given by  $\Delta \dot{C}_{OMd}^* I_E$ . This term is an energy takeback rate, so maintenance and disposal rebound is given by

$$Re_{OMd} = \frac{\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}} \,, \tag{120}$$

as shown in Table B.3. Slight rearrangement gives

$$Re_{OMd} = \frac{\left(\frac{\dot{C}_{OMd}^*}{\dot{C}_{OMd}^o} - 1\right)\dot{C}_{OMd}^\circ I_E}{\dot{S}_{dev}} \ . \tag{15}$$

Rebound from operations, maintenance, and disposal can be positive or negative, depending on the sign of the term  $\dot{C}_{OMd}^*/\dot{C}_{OMd}^\circ - 1$ .

#### 939 B.4.3 Substitution effect

This section derives expressions for substitution effect rebound. Two terms comprise substitution effect rebound, direct substitution rebound  $(Re_{dsub})$  and indirect substitution rebound  $(Re_{isub})$ .

Assuming that conditions after the emplacement effect (\*) are known, both the rate of energy service consumption  $(\hat{q}_s)$  and the rate of other goods consumption  $(\hat{C}_o)$  must be determined as a result of the substitution effect (the  $\wedge$  point).

The EEU's energy efficiency increase  $(\eta^{\circ} < \tilde{\eta})$  causes the price of the energy service provided by the device to fall  $(p_s^{\circ} > \tilde{p}_s)$ . The substitution effect quantifies the amount by which the device user, in response, increases the consumption rate of the energy service  $(\dot{q}_s^* < \hat{q}_s)$  and decreases the consumption rate of other goods  $(\dot{q}_o^* > \hat{q}_o)$ .

The increase in consumption of the energy service substitutes for consumption of other goods in the economy, subject to a utility constraint. The reduction in spending on other goods in the economy is captured by indirect substitution rebound  $(Re_{isub})$ .

We begin by deriving an expression for direct and indirect substitution effect rebound ( $Re_{dsub}$ ) and  $Re_{isub}$ , respectively). Thereafter, we develop a constant price elasticity (CPE) utility model and a constant elasticity of substitution (CES) utility model for determining the post-substitution point ( $\hat{q}_s$  and  $\hat{C}_o$ ).

Direct substitution effect rebound expression Direct substitution effect rebound  $(Re_{dsub})$  is given by

$$Re_{dsub} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}} = \frac{\hat{E}_s - \dot{E}_s^*}{\dot{S}_{dev}} \,. \tag{17}$$

Substituting the typical relationship of Eq. (6) in the form  $\dot{E}_s = \dot{q}_s/\eta$  gives

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\tilde{\eta}} - \frac{\dot{q}_s^*}{\tilde{\eta}}}{\dot{S}_{dev}}.$$
 (121)

959 Rearranging produces

$$Re_{dsub} = \frac{\left(\frac{\hat{q}_s}{\hat{q}_s^\circ} - \frac{\hat{q}_s^*}{\hat{q}_s^\circ}\right) \frac{\hat{q}_s^\circ}{\hat{\eta}}}{\dot{S}_{dev}} \ . \tag{122}$$

Recognizing that the rate of energy service consumption  $(\dot{q}_s)$  is unchanged across the emplacement effect leads to  $\dot{q}_s^*/\dot{q}_s^\circ = 1$ . Furthermore,  $\dot{q}_s^\circ/\tilde{\eta} = (\dot{q}_s^\circ/\eta^\circ)(\eta^\circ/\tilde{\eta}) = \dot{E}_s^\circ(\eta^\circ/\tilde{\eta})$ , such that

$$Re_{dsub} = \left(\frac{\hat{q}_s}{\dot{q}_s^{\circ}} - 1\right) \frac{\dot{E}_s^{\circ} \frac{\eta^{\circ}}{\tilde{\eta}}}{\dot{S}_{dev}} . \tag{123}$$

962 Substituting Eq. (12) for  $\dot{S}_{dev}$  and rearranging gives

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\hat{q}_s^\circ} - 1}{\frac{\tilde{\eta}}{\eta^\circ} - 1} \left( \frac{\dot{\cancel{E}}_s^{\delta} \frac{\eta^{\circ}}{/\tilde{\eta}}}{\frac{\eta^{\circ}}{/\tilde{\eta}} \dot{\cancel{E}}_s^{\delta}} \right) . \tag{124}$$

963 Canceling terms yields

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\hat{q}_s^o} - 1}{\frac{\tilde{\eta}}{\eta^o} - 1} \ . \tag{18}$$

Eq. (18) is the basis for developing expressions for  $Re_{dsub}$  under both the CPE and the CES utility models.

Indirect substitution effect rebound expression Indirect substitution effect rebound ( $Re_{isub}$ )
is given by

$$Re_{isub} = \frac{\Delta \hat{C}_o I_E}{\dot{S}_{dev}} = \frac{(\hat{C}_o - \dot{C}_o^*) I_E}{\dot{S}_{dev}} . \tag{19}$$

968 Rearranging gives

$$Re_{isub} = \frac{\left(\frac{\hat{C}_o}{\dot{C}_o^*} - \frac{\dot{C}_o^*}{\dot{C}_o^*}\right) \dot{C}_o^* I_E}{\dot{S}_{dev}} \ . \tag{125}$$

Recognizing that expenditures on other goods are constant across the emplacement effect gives  $\dot{C}_o^*/\dot{C}_o^\circ=1$  and

$$Re_{isub} = \left(\frac{\dot{C}_o}{\dot{C}_o^{\circ}} - 1\right) \frac{\dot{C}_o^{\circ} I_E}{\dot{S}_{dev}} . \tag{126}$$

971 Substituting Eq. (12) for  $\dot{S}_{dev}$  and rearranging gives

$$Re_{isub} = \frac{\frac{\hat{C}_o}{\dot{C}_o^{\circ}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \frac{\tilde{\eta}}{\eta^{\circ}} \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} . \tag{20}$$

Eq. (20) is the basis for developing expressions for  $Re_{isub}$  under both the CPE and the CES utility models.

Determining the post-substitution effect conditions requires reference to a consumer utility model.

We first show the CPE utility model, often used in the literature. Second, we use a constant elasticity

of substitution (CES) utility model. The CES utility model is used for nearly all calculations and

graphs in this paper.

Constant price elasticity (CPE) utility model In the literature, a constant price elasticity (CPE) utility model has been used to determine conditions after the substitution effect ( $\land$ ) (Borenstein, 2015, p. 17, footnote 43). However, the CPE model does not produce precisely utility-preserving preferences, thus it cannot calculate the actual substitution effect. We discuss the CPE utility model here for comparison purposes only.

Borenstein's CPE utility model uses the reduced form relationship between energy service price  $(p_s)$  and energy service consumption rate  $(\dot{q}_s)$ , namely the observed, uncompensated own price elasticity of energy service demand  $(\varepsilon_{\dot{q}_s,p_s})$ , such that

$$\frac{\hat{q}_s}{\dot{q}_s^*} = \left(\frac{\tilde{p}_s}{p_s^\circ}\right)^{\varepsilon_{\dot{q}_s, p_s}} . \tag{127}$$

Note that the uncompensated own price elasticity of energy service demand  $(\varepsilon_{\dot{q}_s,p_s})$  is assumed constant in the CPE utility model. A negative value for the uncompensated own price elasticity of energy service demand is expected  $(\varepsilon_{\dot{q}_s,p_s}<0)$ , such that when the energy service price decreases  $(p_s^*>\tilde{p}_s)$ , the rate of energy service consumption increases  $(\dot{q}_s^*<\dot{q}_s)$ .

Substituting Eq. (7) in the form  $p_s^{\circ} = p_E^{\circ}/\eta^{\circ}$  and  $\tilde{p}_s = p_E^{\circ}/\tilde{\eta}$  and noting that  $\dot{q}_s^{\circ} = \dot{q}_s^*$  gives

990

$$\frac{\hat{q}_s}{\dot{q}_s^{\circ}} = \left(\frac{\tilde{\eta}}{\eta^{\circ}}\right)^{-\varepsilon_{\dot{q}_s, p_s}} . \tag{128}$$

Again, note that the compensated own price elasticity of energy service demand is negative  $(\varepsilon_{\dot{q}_s,p_s} < 0)$ , so that as energy service efficiency increases  $(\eta^{\circ} < \tilde{\eta})$ , the energy service consumption rate increases  $(\dot{q}_s^{\circ} = \dot{q}_s^* < \dot{\hat{q}}_s)$  as well.

Substituting Eq. (128) into Eq. (18) yields the CPE model's expression for direct substitution rebound

$$Re_{dsub} = \frac{\left(\frac{\tilde{\eta}}{\eta^{\circ}}\right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} , \qquad (129)$$

such that, e.g.,  $\varepsilon_{\dot{q}_s p_s} = -0.2$  and  $\tilde{\eta}/\eta^{\circ} = 2$  yields  $Re_{dsub} = 0.15$ .

As long as  $\varepsilon_{q_s,p_s} \in (-1,0)$ , the CPE utility model indicates that direct substitution rebound will be below 1. At  $\varepsilon_{q_s,p_s} = 1$ , the effect would be the same as the Cobb-Douglas utility model (see footnote 16) and the sum of substitution and income rebound effects would be exactly 100%.

To quantify the substitution effect on other purchases in the CPE utility model, expenditure on other goods is reduced by the same dollar amount as expenditure on the energy service increased due to the direct substitution effect: expenditure is held constant. Thus,

$$\Delta \hat{C}_o = -\Delta \hat{C}_s \ . \tag{130}$$

The advantage of this approach is that no cross price elasticity is needed. The disadvantage is that it does not adhere to the definition of the substitution effect, which assumes that utility, not expenditure, is held constant.

Solving for  $\hat{C}_o/\hat{C}_o^*$ , substituting an expression for the change in expenditure on the energy service  $(\Delta \hat{C}_s)$ , namely

$$\Delta \hat{C}_s = \frac{p_E \left(\hat{q}_s - \dot{q}_s^*\right)}{\tilde{\eta}} \,, \tag{131}$$

and substituting Eq. (128) gives

$$\frac{\hat{C}_o}{\dot{C}_o^*} = 1 - \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_o^*} \left[ \left( \frac{\tilde{\eta}}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]$$
 (132)

Substituting Eq. (132) into Eq. (20) gives

$$Re_{isub} = -\frac{\frac{p_E \dot{q}_s^*}{\tilde{\eta} \dot{C}_o^*} \left[ \left( \frac{\tilde{\eta}}{\eta^{\circ}} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \frac{\tilde{\eta}}{\eta^{\circ}} \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} . \tag{133}$$

Rearranging and substituting Eq. (129) gives the expression for indirect substitution rebound under the CPE utility model.

$$Re_{isub} = -\frac{\dot{q}_s^* \dot{C}_o^{\circ} p_E I_E}{\eta^{\circ} \dot{C}_o^{\circ} \dot{E}_s^{\circ}} Re_{dsub}$$
(134)

Because (i) the compensated cross price elasticity of other goods consumption is positive  $(\varepsilon_{\dot{q}_o,p_s,c}>0)$ , i.e., we exclude Giffen goods (Spiegel, 1994) whose consumption declines as their price declines and (ii) the energy service efficiency ratio is greater than  $1 \ (\eta^{\circ} < \tilde{\eta})$ , direct substitution rebound will be positive always  $(Re_{dsub}>0)$  and indirect substitution rebound will be negative always  $(Re_{isub}<0)$ , as expected, under the CPE utility model. Negative rebound indicates that indirect substitution effects reduce the energy takeback rate by direct substitution effects.

CES utility model The CPE utility model assumes that the compensated own price elasticity of energy service demand ( $\varepsilon_{\dot{q}_s,p_s,c}$ ) is constant along an indifference curve, an assumption that holds only for infinitesimally small energy service price changes ( $\Delta p_s^* \equiv p_s^* - p_s^\circ \approx 0$ ). The CPE utility model provides reasonable approximations for a 1–2% change in energy efficiency. However, in the case of an energy efficiency upgrade (EEU), the energy service price change is neither infinitesimal nor confined to single-digit percentages. Rather,  $\Delta p_s^*$  is finite and may be very large in percentage terms.

To determine the new consumption bundle after the substitution effect  $(\hat{q}_s \text{ and } \hat{C}_o)$  and, ultimately, 1025 to quantify the direct and indirect substitution rebound effects  $(Re_{dsub})$  and  $Re_{isub}$  exactly, we remove 1026 the restriction that energy service price elasticity  $(\varepsilon_{\dot{q}_s,p_s})$  must be constant along an indifference curve 1027 (as in the CPE utility model). Instead, we require constancy of only the elasticity of substitution  $(\sigma)$ 1028 between the consumption rate of the energy service  $(\dot{q}_s)$  and the expenditure rate for other goods 1029  $(C_o)$  across the substitution effect. Thus, we employ a CES utility model in our framework. Figs. 4 1030 and 7 in Part II (especially segments \*—c and c— $\wedge$ ) illustrates features of the CES utility model 1031 for determining the new consumption bundle. 1032

Two equations are helpful for this analysis. First, the slope at any point on indifference curve (the i°—i° curve in Figs. 4 and 7 of Part II) is given by Eq. (163) with  $\dot{u}/\dot{u}$ ° = 1 and the share parameter (a) replaced by  $f_{C_a}^{\circ}$ , as discussed in Appendix C.

$$\frac{\partial (\dot{C}_o/\dot{C}_o^{\circ})}{\partial (\dot{q}_s/\dot{q}_s^{\circ})} = -\frac{f_{\dot{C}_s}^{\circ}}{1 - f_{\dot{C}_s}^{\circ}} \left(\frac{\dot{q}_s}{\dot{q}_s^{\circ}}\right)^{(\rho - 1)} \times \left[\left(\frac{1}{1 - f_{\dot{C}_s}^{\circ}}\right) - \left(\frac{f_{\dot{C}_s}^{\circ}}{1 - f_{\dot{C}_s}^{\circ}}\right) \left(\frac{\dot{q}}{\dot{q}_s^{\circ}}\right)^{\rho}\right]^{(1 - \rho)/\rho} . \tag{135}$$

Second, the equation of the pre-substitution-effect expenditure line (\*—\* in Figs. 4 and 7 of Part II)

is

$$\frac{\dot{C}_o}{\dot{C}_o^{\circ}} = -\frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \left(\frac{\dot{q}_s}{\dot{q}_s^{\circ}}\right) + \frac{1}{\dot{C}_o^{\circ}} (\dot{M} - R_\alpha^{\circ} \dot{C}_{cap}^{\circ} - \dot{C}_{OMd}^{\circ} - \dot{G}) . \tag{136}$$

To find the rate of energy service consumption after the substitution effect  $(\hat{q}_s)$ , we set the slope of the expenditure line (Eq. (136) and line \*—\* in Figs. 4 and 7 of Part II) equal to the slope of the indifference curve (i°—i° in Figs. 4 and 7 of Part II) at the original utility rate of  $\dot{u}/\dot{u}^\circ = 1$  (Eq. (135)).

$$-\frac{\tilde{p}_{s}\dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} = -\frac{f_{\dot{C}_{s}}^{\circ}}{1 - f_{\dot{C}_{s}}^{\circ}} \left(\frac{\dot{q}_{s}}{\dot{q}_{s}^{\circ}}\right)^{(\rho - 1)} \left[ \left(\frac{1}{1 - f_{\dot{C}_{s}}^{\circ}}\right) - \left(\frac{f_{\dot{C}_{s}}^{\circ}}{1 - f_{\dot{C}_{s}}^{\circ}}\right) \left(\frac{\dot{q}}{\dot{q}_{s}^{\circ}}\right)^{\rho} \right]^{(1 - \rho)/\rho}$$
(137)

Solving for  $\dot{q}_s/\dot{q}_s^\circ$  gives  $\dot{\hat{q}}_s/\dot{q}_s^\circ$  as

$$\frac{\dot{q}_s}{\dot{q}_s^{\circ}} = \left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho} .$$
(21)

Eq. (21) can be substituted directly into Eq. (18) to obtain an estimate for direct substitution rebound ( $Re_{dsub}$ ) via the CES utility model.

$$Re_{dsub} = \frac{\left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(1 - \rho)} \right\}^{-1/\rho}}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1}$$
(23)

The rate of other goods consumption after the substitution effect  $(\hat{C}_o)$  can be found by substituting Eq. (21) and  $\dot{u}/\dot{u}^\circ = 1$  into the functional form of the CES utility model (Eq. (162)) to obtain

$$\frac{\dot{\hat{C}}_{o}}{\dot{C}_{o}^{\circ}} = \left( \left( \frac{1}{1 - f_{\dot{C}_{s}}^{\circ}} \right) - \left( \frac{f_{\dot{C}_{s}}^{\circ}}{1 - f_{\dot{C}_{s}}^{\circ}} \right) \left\{ f_{\dot{C}_{s}}^{\circ} + (1 - f_{\dot{C}_{s}}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}} \right) \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} \right]^{\frac{\rho}{1 - \rho}} \right\}^{-1} \right)^{1/\rho} .$$
(138)

Simplifying gives

$$\frac{\dot{\hat{C}}_o}{\dot{C}_o^{\circ}} = \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho} .$$
(22)

Eq. (22) can be substituted into Eq. (20) to obtain an expression for indirect substitution rebound  $(Re_{isub})$  via the CES utility model.

$$Re_{isub} = \frac{\left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho}}{\frac{\tilde{\eta}}{\eta^{\circ}} \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}}}$$
(24)

#### 1050 B.4.4 Income effect

Rebound from the income effect rebound quantifies the rate of additional energy demand that 1051 arises because the user of the energy conversion device spends net savings from the EEU. The 1052 income rate of the device user is  $\dot{M}^{\circ}$ , which remains unchanged across the rebound effects, such 1053 that  $\dot{M}^{\circ} = \dot{M}^{*} = \dot{M} = \dot{M} = \dot{M} = \dot{M}$ . Freed cash from the EEU is given by Eq. (93) as  $\dot{G} = p_{E} \dot{S}_{dev}$ . 1054 In combination, the emplacement effect and the substitution effect leave the device user with net 1055 savings  $(\hat{N})$  from the EEU, as shown in Eq. (103). Derivations of expressions for freed cash from the 1056 emplacement effect  $(\dot{G})$  and net savings after the substitution effect  $(\dot{N})$  are presented in Tables B.3 1057 and B.4. 1058

In this framework, all net savings  $(\hat{N})$  are spent on either (i) additional energy service  $(\hat{q}_s < \bar{q}_s)$  or (ii) additional other goods  $(\hat{q}_o < \bar{q}_o)$ . The income elasticity of energy service demand and the income elasticity of other goods demand  $(\varepsilon_{\dot{q}_s,\dot{M}})$  and  $\varepsilon_{\dot{q}_o,\dot{M}}$ , respectively) quantify the income preferences of the device user according to the following expressions:

$$\frac{\dot{\bar{q}}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s,\dot{M}}} \tag{25}$$

1063 and

$$\frac{\bar{q}_o}{\hat{q}_o} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o,\dot{M}}},\tag{29}$$

where effective income  $(\hat{M}')$  is

$$\hat{M}' \equiv \dot{M}^{\circ} - R_{\alpha}^{*} \dot{C}_{cap}^{*} - \dot{C}_{OMd}^{*} - \dot{N} .$$
(26)

Homotheticity means that  $\varepsilon_{\dot{q}_{s},\dot{M}}=1$  and  $\varepsilon_{\dot{q}_{o},\dot{M}}=1$ .

The budget constraint across the income effect (Eq. (111)) ensures that all net savings available after the substitution effect  $(\hat{N})$  is re-spent across the income effect, such that  $\bar{N}=0$ . Appendix D proves that the income preference equations (Eqs. (25) and (29)) satisfy the budget constraint (Eq. (111)).

The purpose of this section is derivation of expressions for (i) direct income rebound  $(Re_{dinc})$  arising from increased consumption of the energy service  $(\hat{q}_s < \bar{q}_s)$  and (ii) indirect income rebound  $(Re_{iinc})$  arising from increased consumption of other goods  $(\hat{q}_o < \bar{q}_o)$ .

But first, we derive an expression for device energy consumption rate prior to the income effect  $(\hat{E}_s)$ . This expression will be helpful later.

Derivation of expression for  $\hat{E}_s$  An expression for  $\hat{E}_s$  that will be helpful later begins with

$$\hat{E}_s = \left(\frac{\hat{E}_s}{\dot{E}_s^*}\right) \left(\frac{\dot{E}_s^*}{\dot{E}_s^\circ}\right) \dot{E}_s^\circ . \tag{139}$$

Substituting Eq. (6) and noting efficiency  $(\eta)$  equalities from Table B.1 gives

$$\hat{E}_s = \left(\frac{\hat{q}_s/\tilde{\eta}}{\dot{q}_s^*/\tilde{\eta}}\right) \left(\frac{\dot{q}_s^*/\tilde{\eta}}{\dot{q}_s^\circ/\eta^\circ}\right) \dot{E}_s^\circ . \tag{140}$$

1077 Canceling terms yields

$$\hat{E}_s = \left(\frac{\hat{q}_s}{\hat{q}_s^*}\right) \left(\frac{\dot{q}_s^*}{\dot{q}_s^*}\right) \left(\frac{\eta^\circ}{\tilde{\eta}}\right) \dot{E}_s^\circ . \tag{141}$$

Noting energy service consumption rate equalities from Table B.1  $(\dot{q}_s^* = \dot{q}_s^\circ)$  gives

$$\hat{E}_s = \frac{\hat{q}_s}{\hat{q}_s^*} \frac{\eta^{\circ}}{\tilde{\eta}} \dot{E}_s^{\circ} . \tag{142}$$

The next step is to develop an expression for  $Re_{dinc}$  using the income preference for energy service consumption.

Derivation of expression for  $Re_{dinc}$  As shown in Table B.5, direct income rebound is defined as

$$Re_{dinc} \equiv \frac{\Delta \dot{\bar{E}}_s}{\dot{S}_{dev}}$$
 (27)

Expanding the difference and rearranging gives

$$Re_{dinc} = \frac{\dot{\bar{E}}_s - \dot{\bar{E}}_s}{\dot{S}_{dev}} \,, \tag{143}$$

1083 and

$$Re_{dinc} = \frac{\left(\frac{\bar{E}_s}{\hat{E}_s} - 1\right)\hat{E}_s}{\dot{S}_{dev}} \ . \tag{144}$$

Substituting Eq. (6) as  $\dot{\bar{E}}_s = \frac{\bar{q}_s}{\bar{\eta}}$  and  $\dot{\bar{E}}_s = \frac{\hat{q}_s}{\bar{\eta}}$  gives

$$Re_{dinc} = \frac{\left(\frac{\bar{q}_s/\tilde{p}}{\hat{q}_s/\tilde{p}} - 1\right)\hat{E}_s}{\dot{S}_{dev}} \ . \tag{145}$$

Eliminating terms and substituting Eq. (12) for  $\dot{S}_{dev}$  and Eq. (25) for  $\bar{q}_s/\hat{q}_s$  gives

$$Re_{dinc} = \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s,\dot{M}}} - 1\right] \dot{E}_s}{\left(\frac{\tilde{\eta}}{\eta^{\circ}} - 1\right) \frac{\eta^{\circ}}{\tilde{\eta}} \dot{E}_s^{\circ}} . \tag{146}$$

Substituting Eq. (142) for  $\hat{E}_s$  gives

$$Re_{dinc} = \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s,\dot{M}}} - 1\right] \frac{\hat{q}_s}{\hat{q}_s^*} \frac{\eta^{\diamond}}{/\tilde{\eta}} \dot{\cancel{E}}_s^{\delta}}{\left(\frac{\tilde{\eta}}{\eta^{\circ}} - 1\right) \frac{\eta^{\diamond}}{/\tilde{\eta}} \dot{\cancel{E}}_s^{\delta}} . \tag{147}$$

Eliminating terms, recognizing that  $\dot{q}_s^{\circ}=\dot{q}_s^*$ , and substituting Eq. (21), which assumes the CES utility model, gives

$$Re_{dinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_{s},\dot{M}}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \left\{ f_{\dot{C}_{s}}^{\circ} + (1 - f_{\dot{C}_{s}}^{\circ}) \left[ \left(\frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}}\right) \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} \right]^{\rho/(1 - \rho)} \right\}^{-1/\rho} . \tag{28}$$

If there is no net savings  $(\hat{N} = 0)$ , direct income effect rebound is zero  $(Re_{dinc} = 0)$ , as expected.

The next step is to develop an expression for  $Re_{iinc}$  using the income preference for other goods consumption.

Derivation of expression for  $Re_{iinc}$  As shown in Table B.5, indirect income rebound is defined

1093 as

$$Re_{iinc} \equiv \frac{\Delta \dot{\bar{C}}_o I_E}{\dot{S}_{dev}} \ . \tag{31}$$

Expanding the difference and rearranging gives

$$Re_{iinc} = \frac{(\dot{\bar{C}}_o - \dot{\bar{C}}_o)I_E}{\dot{S}_{dev}} , \qquad (148)$$

1095 and

$$Re_{iinc} = \frac{\left(\frac{\dot{C}_o}{\dot{C}_o} - 1\right)\dot{C}_o I_E}{\dot{S}_{dev}} \ . \tag{149}$$

Substituting  $\dot{\bar{C}}_o = p_o \dot{\bar{q}}_o$  and  $\dot{\bar{C}}_o = p_o \dot{q}_o$  and cancelling terms gives

$$Re_{iinc} = \frac{\left(\frac{\bar{q}_o}{\hat{q}_o} - 1\right)\hat{C}_o I_E}{\dot{S}_{dev}} \ . \tag{150}$$

Substituting the income preference equation for other goods consumption (Eq. (29) for  $\dot{\bar{q}}_o/\hat{q}_o$  and Eq. (12) for  $\dot{S}_{dev}$  yields

$$Re_{iinc} = \frac{\left[ \left( 1 + \frac{\hat{N}}{\hat{M}'} \right)^{\varepsilon_{\dot{q}_o, \dot{M}}} - 1 \right] \hat{C}_o I_E}{\left( \frac{\tilde{\eta}}{\eta^{\circ}} - 1 \right) \frac{\eta^{\circ}}{\tilde{\eta}} \dot{E}_s^{\circ}} . \tag{151}$$

Sutstituting  $(\dot{C}_o/\dot{C}_o^{\circ})\dot{C}_o^{\circ}$  for  $\dot{C}_o$ , recognizing that  $\dot{C}_o^*=\dot{C}_o^{\circ}$ , and simplifying gives

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o,\dot{M}}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \left(\frac{\tilde{\eta}}{\eta^{\circ}}\right) \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} \left(\frac{\dot{\hat{C}}_o}{\dot{C}_o^{\circ}}\right) . \tag{152}$$

Substituting Eq. (22) for  $\hat{C}_o/\dot{C}_o^{\circ}$ , thereby assuming the CES utility model, gives the final form of the indirect income rebound expression:

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o,\dot{M}}} - 1}{\frac{\tilde{\eta}}{\eta^{\circ}} - 1} \left(\frac{\tilde{\eta}}{\eta^{\circ}}\right) \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}}\right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}}\right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho} . \quad (32)$$

If there is no net savings  $(\hat{N} = 0)$ , indirect income effect rebound is zero  $(Re_{iinc} = 0)$ , as expected.

Income effect rebound under the CPE utility model Following Borenstein (2015), under CPE utility model all freed cash is spent on other goods, as in the fully satiated case discussed in Section 2.5.3. However, because the substitution effect under the CPE utility model does not alter freed cash, the income effect involves the product of the energy intensity of the economy  $(I_E)$  and  $\dot{N}^*$  (instead of  $\dot{N}$ ).

### 1108 B.4.5 Macro effect

Macro rebound ( $Re_{macro}$ ) is given by Eq. (33). Substituting Eq. (92) for net savings ( $\dot{N}^*$ ) gives

$$Re_{macro} = \frac{k(p_E \dot{S}_{dev} - \Delta(R_\alpha \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^*)I_E}{\dot{S}_{dev}} . \tag{153}$$

1110 Separating terms gives

$$Re_{macro} = \frac{kp_E \dot{S}_{dev} I_E}{\dot{S}_{dev}} - \frac{k\Delta (R_\alpha \dot{C}_{cap})^* I_E}{\dot{S}_{dev}} - \frac{k\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}} . \tag{154}$$

Canceling terms, substituting Eq. (120) to obtain  $Re_{OMd}$ , and defining  $Re_{cap}$  as

$$Re_{cap} \equiv \frac{\Delta (R_{\alpha} \dot{C}_{cap})^* I_E}{\dot{S}_{dev}} \tag{155}$$

1112 gives

$$Re_{macro} = k(p_E I_E - Re_{cap} - Re_{OMd}). (34)$$

#### 1113 B.4.6 Rebound sum

1114 The sum of the four rebound effects is

$$Re_{tot} = Re_{empl} + Re_{sub} + Re_{inc} + Re_{macro}. {156}$$

Substituting Eqs. (88), (100), and (109) gives

$$Re_{tot} = Re_{emb} + Re_{OMd}$$
 emplacement effect 
$$+ Re_{dsub} + Re_{isub}$$
 substitution effect 
$$+ Re_{dinc} + Re_{iinc}$$
 income effect 
$$+ Re_{macro}$$
 macro effect (157)

Macro effect rebound ( $Re_{macro}$ , Eq. (34)) can be expressed in terms of other rebound effects.

Substituting Eq. (34) gives

$$Re_{tot} = Re_{emb} + Re_{OMd}$$
 emplacement effect 
$$+ Re_{dsub} + Re_{isub}$$
 substitution effect 
$$+ Re_{dinc} + Re_{iinc}$$
 income effect 
$$+ kp_E I_E - kRe_{cap} - kRe_{OMd} .$$
 macro effect (158)

Rearranging distributes macro effect terms to emplacement and substitution effect terms. This last rearrangement gives the final expression for total rebound.

$$Re_{tot} = Re_{emb} + k(p_E I_E - Re_{cap}) + (1 - k)Re_{OMd} + Re_{dsub} + Re_{isub} + Re_{dinc} + Re_{iinc}$$
 (35)

Eq. (35) shows that determining seven rebound values,

- $Re_{emb}$  (Eq. (14)),
- $Re_{cap}$  (Eq. (155)),
- $Re_{OMd}$  (Eq. (15)),
- $Re_{dsub}$  (Eq. (23)),
- $Re_{isub}$  (Eq. (24)),
- $Re_{dinc}$  (Eq. (28)), and
- $Re_{iinc}$  (Eq. (32)),

is sufficient to calculate total rebound, provided that the macro factor (k), the price of energy  $(p_E)$ , and the energy intensity of the economy  $(I_E)$  are known. 1129

#### Utility models and elasticities 1130

1141

1142

1145

1147

1148

As discussed in Section 2.5.2 and Appendix B.4.3, the substitution effect requires a model for 1131 device user behavior. Behavior is typically represented by a model of utility that is maximized with 1132 arguments of consuming the energy service  $(\dot{q}_s)$  and other goods and services  $(\dot{q}_o)$  and subject to 1133 income and price constraints. In this appendix, we describe two utility models. The first utility 1134 model is a constant price elasticity (CPE) utility model, which allows an easy calculation of price-1135 demand relationships as Appendix B.4.3 illustrates. It gives a good approximation of the behavioral 1136 response for very small changes in energy efficiency and energy service price, such that  $\Delta \eta^* \approx 0$ 1137 and  $\Delta p_s^* \approx 0$ . The CPE utility model is discussed for continuity with the literature only. (See, for 1138 example, Borenstein (2015, p. 17, footnote 43).) 1139

We note that larger and non-marginal efficiency gains cause greater rebound (measured in 1140 joules) than small and marginal efficiency gains. Thus, any rebound analysis framework needs to accommodate large, non-marginal efficiency changes. Since price elasticities are point-measures in analytical utility models, a version of the framework amenable to empirical applications should account for the changing price elasticity along an indifference curve.<sup>24</sup> The second utility model discussed in this appendix is the Constant Elasticity of Substitution (CES) utility model which does, in fact, accommodate large, non-marginal energy efficiency and energy service price changes. 1146 The CES utility model underlies the substitution effect in this framework. (See Section 2.5.2.) Furthermore, the CES utility model is needed for the example energy efficiency upgrades (EEUs) in Part II, which have large, non-marginal percentage increases in energy efficiency. 1149

In addition to the substitution effect, the income effect requires income elasticities to describe 1150 consumer behavior. Elasticities for both the substitution effect and the income effect are discussed 1151 below, after we lay out the CPE and CES utility models. 1152

<sup>&</sup>lt;sup>24</sup>In principle, calculated arc elasticities could describe the relationship between price and quantity changes for any EEU by representing the percentage price and quantity changes between any two known consumption bundles (Allen & Lerner, 1934). However, we do not know the new consumption bundle and instead determine it with the CES utility function whose price elasticities vary along the indifference curve.

Before proceeding with the utility models and elasticities, we note briefly that the rate of other goods consumption  $(\dot{q}_o)$  is not known independently from the prices of other goods  $(p_o)$ . With the assumption that the prices of other goods do not change across rebound effects (i.e.,  $p_o$  is exogenous), the ratio of other goods consumption is equal to the ratio of other goods spending, such that

$$\frac{\dot{q}_o}{\dot{q}_o^{\circ}} = \frac{\dot{C}_o/p_o}{\dot{C}_o^{\circ}/p_o} = \frac{\dot{C}_o}{\dot{C}_o^{\circ}} \tag{159}$$

at all rebound stages. (See Appendix E for details.)

1158

### C.1 Utility models for the substitution effect

A utility model gives the ratio of energy service consumption rate and other goods consumption rates across the substitution effect  $(\hat{q}_s/\dot{q}_s^*)$  and  $\hat{q}_o/\dot{q}_o^*$ , respectively). In so doing, utility models quantify the decrease in other goods consumption  $(\hat{q}_o/\dot{q}_o^*)$  caused by the increase of energy service consumption  $(\hat{q}_s/\dot{q}_s^*)$  resulting from the decrease of the energy service price  $(p_s^* < p_s^*)$  under the constraint of constant device user utility. Across the substitution effect, the utility increase of the larger energy service consumption rate must be exactly offset by the utility decrease of the smaller other goods consumption rate.

#### 1166 C.1.1 Constant price elasticity (CPE) utility model

The constant price elasticity (CPE) utility model is given by Eqs. (128) and (132). The equations for the approximate utility model are repeated here for convenience.

$$\frac{\hat{q}_s}{\dot{q}_s^{\circ}} = \left(\frac{\tilde{\eta}}{\eta^{\circ}}\right)^{-\varepsilon_{\hat{q}_s, p_s, c}} \tag{128}$$

$$\frac{\dot{C}_o}{\dot{C}_o^*} = 1 - \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_o^*} \left[ \left( \frac{\tilde{\eta}}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]$$
 (132)

#### 1169 C.1.2 CES utility model

The CES utility model is given by Eq. (16). Here, its derivation is shown. Throughout the derivation, references to Part II are provided for visual representations of several important concepts. Those

concepts (equilibrium tangency requirements, e.g.) are best visualized in rebound planes that are introduced in Section 2.2 of Part II.

The CES utility model is normalized by (indexed to) conditions prior to emplacement:

1174

$$\frac{\dot{u}}{\dot{u}^{\circ}} = \left[ a \left( \frac{\dot{q}_s}{\dot{q}_s^{\circ}} \right)^{\rho} + (1 - a) \left( \frac{\dot{q}_o}{\dot{q}_o^{\circ}} \right)^{\rho} \right]^{(1/\rho)} , \tag{160}$$

where  $\rho \equiv (\sigma - 1)/\sigma$ , a is a share parameter (determined below), and  $\sigma$  is the elasticity of substitution between the normalized consumption rate of the energy service  $(\dot{q}_s)$  and the normalized consumption rate of other goods  $(\dot{q}_o)$ .<sup>25</sup> By definition,  $\sigma$  is assumed constant such that  $\sigma^\circ = \sigma^* = \hat{\sigma} = \bar{\sigma} = \sigma$ . With the assumption of exogenous other goods prices in Eq. (159), we find

$$\frac{\dot{u}}{\dot{u}^{\circ}} = \left[ a \left( \frac{\dot{q}_s}{\dot{q}_s^{\circ}} \right)^{\rho} + (1 - a) \left( \frac{\dot{C}_o}{\dot{C}_o^{\circ}} \right)^{\rho} \right]^{(1/\rho)} . \tag{161}$$

Eq. (161) is the functional form of the CES utility model, whose share parameter (a) is yet to 1179 be determined. The correct expression for the share parameter (a) is found from the equilibrium 1180 requirement, namely that the expenditure curve is tangent to the indifference curve in the  $\dot{C}_o/\dot{C}_o^{\circ}$  vs. 1181  $\dot{q}_s/\dot{q}_s^{\circ}$  plane (the "consumption plane" in Part II) prior to the EEU. For example, the  $\circ$ — $\circ$  line is 1182 tangent to the constant-utility indifference curve i°—i° at point o in Figs. 4 and 7 of Part II. To find the slope at any point on the indifference curve (i°—i° in Figs. 4 and 7 of Part II), 1184 Eq. (161) can be rearranged to give the normalized consumption rate of other goods  $(\dot{C}_o/\dot{C}_o^{\circ})$  as a 1185 function of the normalized consumption rate of the energy service  $(\dot{q}_s/\dot{q}_s^\circ)$  and the normalized utility 1186 rate  $(\dot{u}/\dot{u}^{\circ})$ : 1187

$$\frac{\dot{C}_o}{\dot{C}_o^\circ} = \left[ \frac{1}{1-a} \left( \frac{\dot{u}}{\dot{u}^\circ} \right)^\rho - \frac{a}{1-a} \left( \frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1/\rho)} , \tag{162}$$

a form convenient for drawing constant utility rate  $(\dot{u}/\dot{u}^{\circ})$  indifference curves on a graph of  $\dot{C}_o/\dot{C}_o^{\circ}$ vs.  $\dot{q}_s/\dot{q}_s^{\circ}$  (the consumption plane of Figs. 4 and 7 in Part II). In the consumption plane, the slope of an indifference curve is found by taking the first partial derivative of  $\dot{C}_o/\dot{C}_o^{\circ}$  with respect to  $\dot{q}_s/\dot{q}_s^{\circ}$ , starting from Eq. (162) and using the chain rule repeatedly. The result is

<sup>&</sup>lt;sup>25</sup>In the international trade literature, where the CES utility model is often used, the elasticity of substitution is also called the Armington elasticity (Feenstra et al., 2018).

$$\frac{\partial (\dot{C}_o/\dot{C}_o^{\circ})}{\partial (\dot{q}_s/\dot{q}_s^{\circ})} = -\frac{a}{1-a} \left(\frac{\dot{q}_s}{\dot{q}_s^{\circ}}\right)^{(\rho-1)} \times \left[ \left(\frac{1}{1-a}\right) \left(\frac{\dot{u}}{\dot{u}^{\circ}}\right)^{\rho} - \left(\frac{a}{1-a}\right) \left(\frac{\dot{q}}{\dot{q}_s^{\circ}}\right)^{\rho} \right]^{(1-\rho)/\rho} .$$
(163)

The budget constraint is the starting point for finding the slope of an expenditure line in the consumption plane. (Example expenditure lines include the  $\circ$ — $\circ$ , \*—\*,  $\wedge$ — $\wedge$ , and ——— lines in Figs. 4 and 7 of Part II.) The following equation is a generic version of Eqs. (81), (83), (96), and (105) with  $p_s\dot{q}_s$  substituted for  $p_E\dot{E}_s$ .

$$\dot{M} = p_s \dot{q}_s + R_\alpha \dot{C}_{cap} + \dot{C}_{OMd} + \dot{C}_o + \dot{N} \tag{164}$$

In a manner similar to derivations in Appendix B.3.1 of Part II, we solve for  $\dot{C}_o$  and judiciously multiply by  $\dot{C}_o^{\circ}/\dot{C}_o^{\circ}$  and  $\dot{q}_s^{\circ}/\dot{q}_s^{\circ}$  to obtain

$$\frac{\dot{C}_{o}}{\dot{C}_{o}^{\circ}}\dot{C}_{o}^{\circ} = -p_{s}\frac{\dot{q}_{s}}{\dot{q}_{s}^{\circ}}\dot{q}_{s}^{\circ} + \dot{M} - R_{\alpha}\dot{C}_{cap} - \dot{C}_{OMd} - \dot{N} . \tag{165}$$

Solving for  $\dot{C}_o/\dot{C}_o^\circ$  and rearranging gives

$$\frac{\dot{C}_o}{\dot{C}_o^{\circ}} = -\frac{p_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \left(\frac{\dot{q}_s}{\dot{q}_s^{\circ}}\right) + \frac{1}{\dot{C}_o^{\circ}} (\dot{M} - R_\alpha \dot{C}_{cap} - \dot{C}_{OMd} - \dot{N}) , \qquad (166)$$

from which the slope of the indifference curve in the consumption plane is taken by inspection to be

$$\frac{\partial (\dot{C}_o/\dot{C}_o^{\circ})}{\partial (\dot{q}_s/\dot{q}_s^{\circ})} = -\frac{p_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \,. \tag{167}$$

At any equilibrium point, the expenditure line must be tangent to its indifference curve, or, as economists say, the ratio of prices must be equal to the marginal rate of substitution. Applying the tangency requirement before emplacement enables solving for the correct expression for a, the share parameter in the CES utility model. Setting the slope of the expenditure line (Eq. (167)) equal to the slope of the indifference curve (Eq. (163)) gives

$$-\frac{p_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} = -\frac{a}{1-a} \left(\frac{\dot{q}_s}{\dot{q}_s^{\circ}}\right)^{(\rho-1)} \times \left[\left(\frac{1}{1-a}\right) \left(\frac{\dot{u}}{\dot{u}^{\circ}}\right)^{\rho} - \left(\frac{a}{1-a}\right) \left(\frac{\dot{q}}{\dot{q}_s^{\circ}}\right)^{\rho}\right]^{(1-\rho)/\rho} . \tag{168}$$

For the equilibrium point prior to emplacement (point  $\circ$  in Figs. 4 and 7 of Part II),  $\dot{q}_s/\dot{q}_s^\circ=1$ ,  $\dot{u}/\dot{u}^\circ=1$ , and  $p_s=p_s^\circ$ , which reduces Eq. (168) to

$$-\frac{p_s^{\circ}\dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} = -\frac{a}{1-a}(1)^{(\rho-1)} \left[ \left( \frac{1}{1-a} \right) (1)^{\rho} - \left( \frac{a}{1-a} \right) (1)^{\rho} \right]^{(1-\rho)/\rho} . \tag{169}$$

1207 Simplifying gives

$$\frac{p_s^{\circ}\dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} = \frac{a}{1-a} \ . \tag{170}$$

Recognizing that  $p_s^{\circ}\dot{q}_s^{\circ}=\dot{C}_s^{\circ}$  and solving for a gives

$$a = \frac{\dot{C}_s^{\circ}}{\dot{C}_s^{\circ} + \dot{C}_o^{\circ}} \,, \tag{171}$$

which is called  $f_{\dot{C}_s}^{\circ}$ , the share of energy service expenditure  $(\dot{C}_s^{\circ})$  relative to the sum of energy service and other goods expenditures  $(\dot{C}_s^{\circ} + \dot{C}_o^{\circ})$  before emplacement of the EEU. Thus, the CES utility equation (Eq. (161)) becomes

$$\frac{\dot{u}}{\dot{u}^{\circ}} = \left[ f_{\dot{C}_s}^{\circ} \left( \frac{\dot{q}_s}{\dot{q}_s^{\circ}} \right)^{\rho} + (1 - f_{\dot{C}_s}^{\circ}) \left( \frac{\dot{C}_o}{\dot{C}_o^{\circ}} \right)^{\rho} \right]^{(1/\rho)} , \tag{16}$$

1212 with

$$f_{\dot{C}_s}^{\circ} \equiv \frac{\dot{C}_s^{\circ}}{\dot{C}_s^{\circ} + \dot{C}_o^{\circ}} \,. \tag{172}$$

### 1213 C.2 Elasticities for the substitution effect

Calculating the change in consumer preferences across the substitution effect requires a utility model, two of which are described in the section above: the constant price elasticity (CPE) model and the constant elasticity of substitution (CES) model. Within those utility models, price ( $\varepsilon$ ) and substitution ( $\sigma$ ) elasticities describe consumer preferences.

Own and cross price elasticities describe consumer preferences for consumption of the energy service  $(\dot{q}_s)$  and other goods  $(\dot{q}_o)$  as the price of the energy service  $(p_s)$  changes due to the EEU.

Thus, there are four price elasticities: (i) the uncompensated own price elasticity of energy service consumption  $(\varepsilon_{\dot{q}_s,p_s})$ , (ii) the uncompensated cross price elasticity of other goods consumption

 $(\varepsilon_{\dot{q}_o,p_s})$ , (iii) the compensated own price elasticity of energy service consumption  $(\varepsilon_{\dot{q}_o,p_s,c})$ , and (iv) the compensated cross price elasticity of other goods consumption  $(\varepsilon_{\dot{q}_o,p_s,c})$ .

The elasticity of substitution ( $\sigma$ ) describes the willingness of consumers to substitute one good for another. In the context of rebound from an EEU, substitution is considered between consumption of the energy service ( $\dot{q}_s$ ) and comsumption of the basket of other goods ( $\dot{q}_o$ ).

#### 1227 C.2.1 Original, pre-EEU (o) elasticities

Economists use surveys, statistical data, and other means to estimate values for the uncompensated own price price elasticity of energy service consumption  $(\varepsilon_{\dot{q}_s,p_s}^{\circ})$  prior to the EEU. With  $\varepsilon_{\dot{q}_s,p_s}^{\circ}$  in hand, calculation of all other elasticities is possible.

Elasticity of substitution ( $\sigma$ ) For the constant price elasticity (CPE) utility model, there is no analytical expression for the elasticity of substitution ( $\sigma$ ) and values are most likely taken from estimation, if they are obtained at all. As we show in Tables 12 and 13 of Part II, not all rebounds are typically calculated, so not all elasticities are needed.

For the constant elasticity of substitution (CES) utility model, Gørtz (1977) shows that the elasticity of substitution prior to the EEU ( $\sigma^{\circ}$ ) can be computed by

$$\sigma^{\circ} = \frac{f_{\dot{C}_s}^{\circ} + \varepsilon_{\dot{q}_s, p_s}^{\circ}}{f_{\dot{C}_s}^{\circ} - 1} \ . \tag{173}$$

Thus, the original elasticity of substitution ( $\sigma^{\circ}$ ) can be determined from two pieces of readily available information: (i) the original uncompensated own price elasticity ( $\varepsilon_{\dot{q}_s p_s}^{\circ}$ ) and (ii) the share of income spent on the energy service prior to the EEU ( $f_{\dot{C}_s}^{\circ}$  from Eq. (172)). In the CES utility model,  $\sigma^{\circ}$  is assumed invariant and given the undecorated symbol  $\sigma$  to indicate that it applies across all rebound effects.

For the rest of the pre-EEU elasticities  $(\varepsilon_{\dot{q}_o,p_s}^{\circ}, \varepsilon_{\dot{q}_s,p_s,c}^{\circ}, \text{ and } \varepsilon_{\dot{q}_o,p_s,c}^{\circ})$ , there is no difference for the CPE utility model or the CES utility model.

Uncompensated cross price elasticity ( $\varepsilon_{\dot{q}_{o}p_{s}}^{\circ}$ ) From Hicks & Allen (1934), we note that the pre-EEU uncompensated cross price elasticity ( $\varepsilon_{\dot{q}_{o}p_{s}}^{\circ}$ ) can be expressed as

$$\varepsilon_{\dot{q}_0 p_s}^{\circ} = f_{\dot{C}_s}^{\circ} (\sigma - \varepsilon_{\dot{q}_0 \dot{M}}) . \tag{174}$$

Compensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s,c}^{\circ}$ ) An expression for the pre-EEU compensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s,c}^{\circ}$ ) can be derived using the Slutsky equation, whereby the uncompensated own price elasticity of the energy service ( $\varepsilon_{\dot{q}_s,p_s}^{\circ}$ ) is decomposed into the compensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s,c}^{\circ}$ ) and the income elasticity ( $\varepsilon_{\dot{q}_s,\dot{M}}$ ) as follows:

$$\varepsilon_{\dot{q}_s,p_s}^{\circ} = \varepsilon_{\dot{q}_s,p_s,c}^{\circ} - f_{\dot{C}_s}^{\circ} \varepsilon_{\dot{q}_s,\dot{M}} , \qquad (175)$$

where  $f_{\dot{C}_s}^{\circ}$  is given by Eq. (172), and the income elasticity  $(\varepsilon_{\dot{q}_s,\dot{M}})$  is given in Section C.3. Solving for the compensated price elasticity prior to the EEU  $(\varepsilon_{\dot{q}_s,p_s,c}^{\circ})$  gives

$$\varepsilon_{\dot{q}_s,p_s,c}^{\circ} = \varepsilon_{\dot{q}_s,p_s}^{\circ} + f_{\dot{C}_s}^{\circ} \varepsilon_{\dot{q}_s,\dot{M}} . \tag{176}$$

Compensated cross price elasticity ( $\varepsilon_{\dot{q}_o,p_s,c}^{\circ}$ ) The cross price version of the Slutsky equation is
the starting point for deriving the pre-EEU compensated cross price elasticity ( $\varepsilon_{\dot{q}_o,p_s,c}^{\circ}$ ):

$$\varepsilon_{\dot{q}_{\alpha}p_{s}}^{\circ} = \varepsilon_{\dot{q}_{\alpha}p_{s}c}^{\circ} - f_{\dot{C}_{c}}^{\circ} \varepsilon_{\dot{q}_{\alpha}\dot{M}} . \tag{177}$$

The income elasticity of other goods consumption  $(\varepsilon_{\dot{q}_o,\dot{M}})$  is given in Section C.3. Solving for  $\varepsilon_{\dot{q}_o,p_{s,c}}^{\circ}$  gives

$$\varepsilon_{\dot{q}_o,p_s,c}^{\circ} = \varepsilon_{\dot{q}_o,p_s}^{\circ} + f_{\dot{C}_s}^{\circ} \varepsilon_{\dot{q}_o,\dot{M}} . \tag{178}$$

An alternative formulation can be derived by setting Eq. (174) equal to Eq. (177) to obtain

$$f_{\dot{C}_{c}}^{\circ}(\sigma - \varepsilon_{\dot{q}_{\alpha}\dot{M}}) = \varepsilon_{\dot{q}_{\alpha}p_{s}c}^{\circ} - f_{\dot{C}_{c}}^{\circ}\varepsilon_{\dot{q}_{\alpha}\dot{M}}. \tag{179}$$

Solving for  $\varepsilon_{\dot{q}_o,p_s,c}^{\circ}$  gives

$$\varepsilon_{\dot{q}_o p_{s}c}^{\circ} = f_{\dot{C}_s}^{\circ} \sigma . \tag{180}$$

Substituting  $\sigma$  from Eq. (173) gives

$$\varepsilon_{\dot{q}_o,p_s,c}^{\circ} = \frac{f_{\dot{C}_s}^{\circ} (f_{\dot{C}_s}^{\circ} + \varepsilon_{\dot{q}_s,p_s}^{\circ})}{f_{\dot{C}_s}^{\circ} - 1} . \tag{181}$$

Assuming a known value for the original uncompensated own price elasticity  $(\varepsilon_{\dot{q}_s p_s}^{\circ})$ , all other pre-EEU elasticities can be calculated from Eqs. (173), (174), (176), and (178) or (181).

Note that the rebound framework in this paper uses the CES utility model and needs only the uncompensated own price elasticity ( $\varepsilon_{\dot{q}_s,p_s}^{\circ}$ ) and the derived elasticity of substitution ( $\sigma$ ) to calculate rebound values. The other price elasticities ( $\varepsilon_{\dot{q}_s,p_s}^{\circ}$ ,  $\varepsilon_{\dot{q}_s,p_s,c}^{\circ}$ , and  $\varepsilon_{\dot{q}_o,p_s,c}^{\circ}$ ) are not necessary for the model. However, they are helpful for elucidating results derived from the framework, a task left for Part II.

#### 1265 C.2.2 Post substitution effect ( $\wedge$ ) elasticities

The stage after the substitution effect ( $\land$ ) represents utility-maximizing behavior after the energy service price drop caused by the EEU and the compensating variation. Post-EEU, elasticities may be different from the original condition, because the consumption bundle has changed (due to a move along the indifference curve). This section derives expressions for elasticities at the  $\land$  stage. Elasticities at the  $\land$  stage are different for the CPE utility model and the CES utility model.

1271 **CPE utility model** By definition, the uncompensated own-price elasticity is assumed unchanged 1272 from their original values across the substitution effect in the constant price elasticity (CPE) utility 1273 model. Thus,

$$\varepsilon_{\dot{q}_s,p_s}^{\circ} = \hat{\varepsilon}_{\dot{q}_s,p_s} \ . \tag{182}$$

CES utility model The CES utility model is rather different to the CPE model with respect to
the behavior of elasticities across the substitution effect. In the CES utility model, price elasticities
( $\varepsilon$ ) are different after the substitution effect ( $\wedge$ ) compared to the original ( $\circ$ ).

Elasticity of substitution ( $\sigma$ ) Be definition, the elasticity of substitution ( $\sigma$ ) is constant across the substitution effect for the CES utility model. Thus,

$$\sigma^{\circ} = \hat{\sigma} . \tag{183}$$

Because the elasticity of substitution is unchanged, we refer to  $\sigma$  without decoration for the CES utility model. The constancy of  $\sigma$  means that the price elasticities ( $\varepsilon$ ) will vary with the energy service price ( $\tilde{p}_s$ ) across the substitution effect.

Compensated own price elasticity ( $\hat{\varepsilon}_{\dot{q}_sp_s,c}$ ) The compensated own price elasticity of energy service demand ( $\hat{\varepsilon}_{\dot{q}_sp_s,c}$ ) gives the percentage change of the consumption rate of the energy service ( $\dot{q}_s$ ) across the substitution effect due to a unit percentage change in the energy service price ( $\tilde{p}_s$ ) resulting from the EEU under the constraint that utility is unchanged ( $\dot{u}^* = \dot{u}$ ). In contrast to the CPE utility model above, the compensated own price elasticity of energy service demand ( $\hat{\varepsilon}_{\dot{q}_sp_s,c}$ ) is not constant in the CES utility model. Rather,  $\hat{\varepsilon}_{\dot{q}_sp_s,c}$  is a function of the post-EEU energy service price ( $\tilde{p}_s$ ). The definition of  $\hat{\varepsilon}_{\dot{q}_sp_s,c}$  is

$$\hat{\varepsilon}_{\dot{q}_{s}p_{s},c} \equiv \frac{\tilde{p}_{s}}{\hat{q}_{s}} \left. \frac{\partial \hat{q}_{s}}{\partial \tilde{p}_{s}} \right|_{\dot{u} = \dot{u}^{*} = \hat{u}} . \tag{184}$$

To find an expression for  $\hat{\varepsilon}_{\dot{q}_s,p_s,c}$  for the CES utility function, we need to first find the partial derivative of the rate of energy service consumption  $(\hat{q}_s)$  with respect to the post-EEU energy service price  $\tilde{p}_s$  at constant utility  $(\dot{u} = \dot{u}^* = \dot{u})$  across the substitution effect. This derivation of an expression for  $\hat{\varepsilon}_{\dot{q}_s,p_s,c}$  for the CES utility model commences with Eq. (21), which was derived for constant utility across the substitution effect.

$$\frac{\hat{q}_s}{\dot{q}_s^{\circ}} = \left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho}$$
(21)

In Eq. (21), all terms on the right side except  $\tilde{p}_s$  are constant for the purposes of the partial derivative. Finding the partial derivative of  $\hat{q}_s$  with respect to  $\tilde{p}_s$  amounts to applying the chain rule repeatedly. To simplify the derivation, we can define the following constants

$$f \equiv f_{\dot{G}_s}^{\circ} \,, \tag{185}$$

$$g \equiv 1 - f_{\dot{C}_a}^{\circ} \,, \tag{186}$$

$$h \equiv \frac{\dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \,, \tag{187}$$

$$m_s \equiv \rho/(1-\rho) , \qquad (188)$$

$$n \equiv -1/\rho$$
, and (189)

$$z \equiv \frac{g}{f}h = \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \frac{\dot{q}_s^{\circ}}{\dot{C}_o^{\circ}}$$

$$\tag{190}$$

and rearrange slightly to obtain

$$\hat{\dot{q}}_s = \dot{q}_s^{\circ} \left[ f + g \left( z \tilde{p}_s \right)^{m_s} \right]^n . \tag{191}$$

Taking the partial derivative of  $\hat{q}_s$  with respect to  $\tilde{p}_s$ , via repeated application of the chain rule, gives

$$\frac{\partial \hat{q}_s}{\partial \tilde{p}_s} = \dot{q}_s^{\circ} m_s n g z^{m_s} \tilde{p}_s^{m_s - 1} \left\{ \left[ f + g \left( z \tilde{p}_s \right)^{m_s} \right]^{n - 1} \right\} . \tag{192}$$

Forming the elasticity via its definition (Eq. (184)) gives

$$\hat{\varepsilon}_{\dot{q}_{s}p_{s},c} \equiv \frac{\tilde{p}_{s}}{\hat{q}_{s}} \left. \frac{\partial \hat{q}_{s}}{\partial \tilde{p}_{s}} \right|_{\dot{u}=\dot{u}^{*}=\hat{u}} = \frac{\tilde{p}_{s}}{\dot{q}_{s}^{\mathscr{E}} [f+g\left(z\tilde{p}_{s}\right)^{m_{s}}]^{n}} \, \dot{q}_{s}^{\mathscr{E}} m_{s} ng z^{m_{s}} \tilde{p}_{s}^{m_{s}-1} \left\{ [f+g\left(z\tilde{p}_{s}\right)^{m_{s}}]^{n-1} \right\} . \tag{193}$$

Cancelling terms and combining  $\tilde{p}_s$  and  $[f + g(z\tilde{p}_s)^{m_s}]$  terms with different exponents gives

$$\hat{\varepsilon}_{\dot{q}_s, p_s, c} = \frac{m_s n g(z \tilde{p}_s)^{m_s}}{f + g(z \tilde{p}_s)^{m_s}} \,. \tag{194}$$

Back-substituting the constants and simplifying where possible yields

$$\hat{\varepsilon}_{\dot{q}_{s},p_{s},c} = -\frac{\frac{1}{1-\rho} \left(1 - f_{\dot{C}_{s}}^{\circ}\right) \left[\frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}} \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}}\right]^{\rho/(1-\rho)}}{f_{\dot{C}_{s}}^{\circ} + \left(1 - f_{\dot{C}_{s}}^{\circ}\right) \left[\frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}} \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}}\right]^{\rho/(1-\rho)}}.$$
(195)

Eq. (195) shows that the compensated energy service price elasticity of energy service consumption  $(\hat{\varepsilon}_{\dot{q}_s,p_s,c})$  under the CES utility model is a function of the energy service price after the EEU  $(\tilde{p}_s)$ . It is negative, as it should be, because all terms are positive, with  $\rho$  and  $f_{\dot{C}_s}^{\circ}$  being bounded above by 1.

Of interest is how the elasticity changes as  $\tilde{p}_s$  changes. Taking the derivative of Eq. (194) and simplifying gives

$$\frac{\partial \hat{\varepsilon}_{\dot{q}_s, p_s, c}}{\partial \tilde{p}_s} = \frac{m_s^2 n g(z \tilde{p}_s)^{m_s}}{\tilde{p}_s (f + g(z \tilde{p}_s)^{m_s})^2} . \tag{196}$$

All terms taken to their power are positive with the exception of n. For  $\sigma < 1$ , n is positive; for  $\sigma > 1$ , n is negative. Since we expect  $\sigma < 1$  (otherwise we have backfire rebound conditions), the derivative is positive: the compensated own price elasticity becomes less negative as  $\tilde{p}_s$  increases. Since the share of income spent on the energy service declines for  $\sigma < 1$ , it is not immediately clear in which direction  $\hat{\varepsilon}_{q_s,p_s}$  moves according to equation 174. See Fig. C.8 in Appendix C.7 of Part II for a graph of the sensitivity of price elasticities ( $\hat{\varepsilon}$ ) to energy service price ( $\tilde{p}_s$ ) for concrete examples.

Compensated cross price elasticity ( $\hat{\varepsilon}_{\dot{q}_o,p_s,c}$ ) The compensated cross price elasticity of other goods demand ( $\hat{\varepsilon}_{\dot{q}_o,p_s,c}$ ) gives the percentage change of the consumption rate of other goods ( $\dot{q}_o$ ) across the substitution effect due to a unit percentage change in the energy service price ( $\tilde{p}_s$ ) resulting from the EEU under the constraint that utility is unchanged ( $\dot{u}^* = \hat{u}$ ). To find the compensated cross price elasticity of other goods consumption ( $\hat{\varepsilon}_{\dot{q}_o,p_s,c}$ ), we follow a similar procedure as for deriving the own price elasticity of energy service consumption ( $\hat{\varepsilon}_{\dot{q}_s,p_s,c}$ ), with two differences being (i) the elasticity definition and (ii) the equation from which the partial derivative is derived.

The first difference is the definition of the compensated cross price elasticity of other goods consumption  $(\hat{\varepsilon}_{\dot{q}_o,p_s,c})$ .

$$\hat{\varepsilon}_{\dot{q}_o,p_s,c} \equiv \frac{\tilde{p}_s}{\hat{q}_o} \left. \frac{\partial \hat{q}_o}{\partial \tilde{p}_s} \right|_{\dot{u}=\dot{u}^*=\hat{u}} \tag{197}$$

Again, we need to find the partial derivative of the rate of other goods consumption  $(\dot{q}_o)$  with respect to the energy service price  $(\tilde{p}_s)$  at constant utility  $(\dot{u}^* = \hat{u})$  across the substitution effect. The second difference is the starting point for this derivation, Eq. (22) (instead of Eq. (21)).

$$\frac{\dot{\hat{C}}_o}{\dot{C}_o^{\circ}} = \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[ \left( \frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\dot{C}_o^{\circ}} \right]^{\rho/(\rho - 1)} - 1 \right\} \right)^{-1/\rho} .$$
(22)

 $<sup>^{26}</sup>$  For  $\sigma=1,\,m_s=0$  and the derivative is zero: the Cobb-Douglas special case.

In Eq. (22), all terms on the right side except  $\tilde{p}_s$  are constant for the purposes of the partial derivative. So finding the derivative amounts to applying the chain rule repeatedly. To simplify the derivation, we can define

$$m_o \equiv \rho/(\rho - 1) , \qquad (198)$$

invoke the constancy of other prices  $(p_o^{\circ} = \hat{p}_o)$  from Appendix E, and rearrange slightly to obtain

$$\hat{q}_o = \dot{q}_o^{\circ} \left\{ 1 + f \left[ (z\tilde{p}_s)^{m_o} - 1 \right] \right\}^n , \qquad (199)$$

with f, n, and z being constants defined in the derivation of  $\hat{\varepsilon}_{\dot{q}_s,p_s,c}$  above.

Taking the partial derivative of  $\hat{q}_o$  with respect to  $\tilde{p}_s$ , via repeated application of the chain rule, gives

$$\frac{\partial \hat{q}_o}{\partial \tilde{p}_s} = \dot{q}_o^{\circ} m_o n f z^{m_o} \tilde{p}_s^{m_o - 1} \left\{ 1 + \left[ f \left( z \tilde{p}_s \right)^{m_o} - 1 \right] \right\}^{n - 1} . \tag{200}$$

Forming the elasticity via its definition (Eq. (197)) gives

1333

$$\hat{\varepsilon}_{\dot{q}_{o}p_{s},c} \equiv \frac{\tilde{p}_{s}}{\dot{q}_{o}} \frac{\partial \hat{q}_{o}}{\partial \tilde{p}_{s}} \bigg|_{\dot{u} = \dot{u}^{*} = \hat{u}} \\
= \frac{\tilde{p}_{s}}{\dot{q}_{o}^{*} \left\{ 1 + f \left[ (z\tilde{p}_{s})^{m_{o}} - 1 \right] \right\}^{n}} \dot{q}_{o}^{*} m_{o} n f z^{m_{o}} \tilde{p}_{s}^{m_{o}-1} \left\{ 1 + f \left[ (z\tilde{p}_{s})^{m_{o}} - 1 \right] \right\}^{n-1} .$$
(201)

Cancelling terms and combining  $\tilde{p}_s$  and  $\{1 + f[(z\tilde{p}_s)^{m_o} - 1]\}$  terms with different exponents gives

$$\hat{\varepsilon}_{\dot{q}_o p_s c} = \frac{m_o n f(z \tilde{p}_s)^{m_o}}{1 + f\left[ (z \tilde{p}_s)^{m_o} - 1 \right]} \,. \tag{202}$$

Back-substituting the constants and simplifying where possible yields

$$\hat{\varepsilon}_{\dot{q}_{o},p_{s},c} = -\frac{\frac{1}{\rho - 1} f_{\dot{C}_{s}}^{\circ} \left( \frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}} \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} \right)^{\rho/(\rho - 1)}}{1 + f_{\dot{C}_{s}}^{\circ} \left[ \left( \frac{1 - f_{\dot{C}_{s}}^{\circ}}{f_{\dot{C}_{s}}^{\circ}} \frac{\tilde{p}_{s} \dot{q}_{s}^{\circ}}{\dot{C}_{o}^{\circ}} \right)^{\rho/(\rho - 1)} - 1 \right]} . \tag{203}$$

Eq. (203) shows that the compensated energy service price elasticity of other goods consumption ( $\hat{\varepsilon}_{\dot{q}_o,p_s,c}$ ) under the CES utility model is a function of the energy service price after the EEU ( $\tilde{p}_s$ ). It is positive, because all terms except  $\frac{1}{\rho-1}$  are positive, with  $\rho$  and  $f_{\dot{C}_s}^{\circ}$  being bounded above by 1.

Of interest is how the elasticity changes as  $\tilde{p}_s$  changes. Taking the derivative of 202 and simplifying gives

$$\frac{\partial \hat{\varepsilon}_{\dot{q}_o p_s, c}}{\partial \tilde{p}_s} = \frac{m_o^2 n f(z \tilde{p}_s)^{m_o}}{\tilde{p}_s (1 + f[(z \tilde{p}_s)^{m_o} - 1])^2} . \tag{204}$$

All terms taken to their power are positive with the exception of n, analogous to the derivative of the own price elasticity in equation 196. Thus, with  $\sigma < 1$  and n positive, the compensated cross price elasticity becomes more positive as  $\tilde{p}_s$  increases.

See Fig. C.8 of Appendix C.7 of Part II for a graph of the sensitivity of price elasticities  $(\hat{\varepsilon})$  to energy service price  $(\tilde{p}_s)$  for concrete examples.

Uncompensated own price elasticity  $(\hat{\varepsilon}_{\dot{q}_s,p_s})$  After finding the compensated own price elasticity  $(\hat{\varepsilon}_{\dot{q}_s,p_s,c})$ , the Slutsky equation can be used directly to find the uncompensated own price elasticity  $(\hat{\varepsilon}_{\dot{q}_s,p_s})$  after the substitution effect for the CES utility model.

$$\hat{\varepsilon}_{\dot{q}_s,p_s} = \hat{\varepsilon}_{\dot{q}_s,p_s,c} - \hat{f}_{\dot{C}_s} \varepsilon_{\dot{q}_s,\dot{M}} \tag{205}$$

Uncompensated cross price elasticity ( $\hat{\varepsilon}_{\dot{q}_o,p_s}$ ) The result from Hicks & Allen (1934) can be used to calculate the uncompensated cross price elasticity ( $\hat{\varepsilon}_{\dot{q}_o,p_s}$ ) for the CES utility model.

$$\hat{\varepsilon}_{\dot{q}_{o}p_{s}} = \hat{f}_{\dot{C}_{s}}(\sigma - \varepsilon_{\dot{q}_{o}\dot{M}}) . \tag{206}$$

## 1351 C.3 Elasticities for the income effect $(arepsilon_{\dot{q}_{o}\dot{M}})$ and $arepsilon_{\dot{q}_{o}\dot{M}})$

The income effect requires two elasticities to estimate the spending of net savings: the income elasticity of energy service consumption ( $\varepsilon_{\dot{q}_s,\dot{M}}$ ) and the income elasticity of other goods consumption ( $\varepsilon_{\dot{q}_s,\dot{M}}$ ). Due to the homotheticity assumption, both income elasticities are unitary. Thus,

$$\varepsilon_{\dot{q}_{s},\dot{M}} = 1 , \qquad (207)$$

1355 and

$$\varepsilon_{\dot{q}_o,\dot{M}} = 1 \ . \tag{208}$$

# D Proof: Income preference equations satisfy the budget constraint

After the substitution effect, a rate of net savings is available  $(\hat{N})$ , all of which is spent on additional energy service  $(\Delta \bar{q}_s, \Delta \bar{C}_s = p_E \Delta \bar{E}_s)$  or additional other goods  $(\Delta \bar{q}_o, \Delta \bar{C}_o)$ . The income effect must satisfy the budget constraint such that net savings is zero afterward  $(\bar{N} = 0)$ . The budget constraint across the income effect is represented by Eq. (111):

$$\hat{N} = p_E \Delta \bar{E}_s + \Delta \bar{C}_o \ . \tag{111}$$

The additional spending due to the income effect is given by income preference equations

$$\frac{\bar{q}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s,\dot{M}}} \tag{25}$$

1363 and

1362

$$\frac{\bar{q}_o}{\hat{q}_o} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\epsilon_{\dot{q}_o,\dot{M}}},\tag{29}$$

1364 where

$$\hat{M}' \equiv \dot{M}^{\circ} - R_{\alpha}^{*} \dot{C}_{cap}^{*} - \dot{C}_{OMd}^{*} - \dot{\hat{N}} .$$
(26)

This appendix proves that the income preference equations (Eqs. (25) and (29)) satisfy the budget constraint (Eq. (111)).

The first step in the proof is to convert the income preference equations to  $\dot{C}_s^{\circ}$  and  $\dot{C}_o^{\circ}$  ratios. For the energy service income preference equation (Eq. (25)), multiply numerator and denominator of the left-hand side by  $\tilde{p}_s = p_E/\tilde{\eta}$  (Eq. (7)) to obtain  $\dot{\bar{C}}_s/\dot{\hat{C}}_s$ . For the other goods income preference equation (Eq. (29)), multiply numerator and denominator of the left-hand side by  $p_o$  to obtain  $\dot{\bar{C}}_o/\dot{\hat{C}}_o$ . Then, invoke homotheticity to set  $\varepsilon_{\dot{q}_s,\dot{M}} = 1$  and  $\varepsilon_{\dot{q}_o,\dot{M}} = 1$  to obtain

$$\frac{\dot{\bar{C}}_s}{\hat{C}_s} = 1 + \frac{\hat{N}}{\hat{M}'} \tag{209}$$

1372 and

$$\frac{\dot{\bar{C}}_o}{\dot{\hat{C}}_o} = 1 + \frac{\dot{\hat{N}}}{\dot{\hat{M}}'} \,. \tag{210}$$

The second step in the proof is to obtain expressions for  $\Delta \dot{\bar{C}}_s$  and  $\Delta \dot{\bar{C}}_o$ . Multiply the income preference equations above by  $\Delta \dot{\bar{C}}_s$  and  $\Delta \dot{\bar{C}}_o$ , respectively. Then, subtract  $\Delta \dot{\bar{C}}_s$  and  $\Delta \dot{\bar{C}}_o$ , respectively, to obtain

$$\Delta \bar{\dot{C}}_s = \frac{\hat{C}_s}{\hat{\dot{M}}'} \hat{\dot{N}} \tag{211}$$

1376 and

$$\Delta \bar{\dot{C}}_o = \frac{\hat{\dot{C}}_o}{\hat{\dot{M}}'} \hat{\dot{N}} . \tag{212}$$

The above versions of the income preference equations can be substituted into the budget constraint (Eq. (111)) to obtain

$$\hat{\hat{N}} \stackrel{?}{=} \frac{\hat{C}_s}{\hat{M}'} \hat{\hat{N}} + \frac{\hat{C}_o}{\hat{M}'} \hat{\hat{N}} . \tag{213}$$

1379 If equality is demonstrated, the income preference equations satisfy the budget constraint. The 1380 remainder of the proof shows the equality of Eq. (213).

Dividing by  $\hat{N}$  and multiplying by  $\hat{M}'$  gives

$$\hat{C}_s + \hat{C}_o \stackrel{?}{=} \hat{M}' \ . \tag{214}$$

Substituting Eq. (26) for  $\hat{\dot{M}}'$  gives

$$\hat{C}_s + \hat{C}_o \stackrel{?}{=} \dot{M}^\circ - R_o^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \dot{N} . \tag{215}$$

Substituting Eq. (96) for  $\dot{M}^{\circ}$ , because  $\dot{M}^{\circ} = \dot{\hat{M}}$ , gives

$$\hat{\dot{C}}_s + \hat{\dot{C}}_o \stackrel{?}{=} p_E \hat{\dot{E}}_s + \hat{R}_\alpha \hat{\dot{C}}_{cap} + \hat{\dot{C}}_{OMd} + \hat{\dot{C}}_o + \hat{\dot{N}} - R_\alpha^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{\dot{N}} . \tag{216}$$

Cancelling terms and recognizing that  $R_{\alpha}^* \dot{C}_{cap}^* = \hat{R}_{\alpha} \dot{\hat{C}}_{cap}$ ,  $\dot{C}_{OMd}^* = \dot{\hat{C}}_{OMd}$ , and  $\dot{\hat{C}}_s = p_E \dot{\hat{E}}_s$  gives

$$\hat{C}_{s} + \hat{C}_{o} \stackrel{?}{=} \hat{C}_{s} + \hat{B}_{\alpha} \hat{C}_{cap} + \hat{C}_{oMd} + \hat{C}_{o} - \hat{B}_{\alpha} \hat{C}_{cap} - \hat{C}_{oMd} . \tag{217}$$

1385 Cancelling terms gives

$$\hat{C}_s + \hat{C}_o \stackrel{\checkmark}{=} \hat{C}_s + \hat{C}_o , \qquad (218)$$

thereby completing the proof that the income preference equations (Eqs. (25) and (29)) satisfy the budget constraint (Eq. (111)).

### $^{_{_{_{1388}}}}$ E Other goods expenditures and constant $p_o$

This framework utilizes a partial equilibrium analysis (at the microeconomic level) in which we account for the change of the energy service price due to the EEU  $(p_s^{\circ} \neq p_s^{*})$ , but we do not track the effect of the EEU on prices of other goods. These assumptions have important implications for the relationship between the rate of consumption of other goods  $(\dot{q}_o)$  and the rate of expenditure on other goods  $(\dot{C}_o)$ .

We assume a basket of other goods (besides the energy service) purchased in the economy, each (i) with its own price  $(p_{o,i})$  and rate of consumption  $(\dot{q}_{o,i})$ , such that the average price of all other goods purchased in the economy prior to the EEU  $(p_o^\circ)$  is given by

$$p_o^{\circ} = \frac{\sum_{i} p_{o,i}^{\circ} q_{o,i}^{\circ}}{\sum_{i} q_{o,i}^{\circ}} \ . \tag{219}$$

Then, the expenditure rate of other purchases in the economy can be given as

$$\dot{C}_o^\circ = p_o^\circ \dot{q}_o^\circ \tag{220}$$

before the EEU and

$$\hat{C}_o = \hat{p}_o \hat{q}_o \tag{221}$$

after the substitution effect, for example.

We assume that any microeconomic effects (emplacement, substitution, or income) for a single device are not so large that they cause a measurable change in prices of other goods. Thus,

$$p_o^{\circ} = p_o^* = \hat{p}_o = \bar{p}_o = \tilde{p}_o$$
 (222)

In the partial equilibrium analysis, any two other goods prices can be equated across any rebound effect to obtain (for the example of the original conditions ( $\circ$ ) and the post-substitution state ( $\wedge$ ))

$$\frac{\hat{C}_o}{\dot{C}_o^\circ} = \frac{\hat{q}_o}{\dot{q}_o^\circ} \ . \tag{223}$$

Thus, a ratio of other goods expenditure rates is always equal to a ratio of other goods consumption rates.

### F Energy price rebound

Energy price rebound  $(Re_{p_E})$  is caused by a reduction in energy price  $(p_E)$  that can occur when widespread implementation of an energy efficiency upgrade (EEU) leads to an economy-wide reduction 1408 in energy demand. Reduced demand leads to the lower energy price  $(p_E)$ . Conceptually, the demand 1409 schedule for energy, which associates each level of economy-wide energy demand with a price, shifts 1410 to the left. Consumers demand less energy at any given price of energy, as consumers can meet 1411 their needs with less energy than before thanks to the EEU. Then adjustment takes place along the 1412 unchanged energy supply schedule. Hence, the price elasticity of energy supply can be used to derive 1413 the new energy price. As a result, the device owner spends less on energy purchases to operate the 1414 upgraded device and all other devices that use the same energy type. For simplicity, we assume the 1415 device owner's additional freed cash is spent on other goods and services with energy implications at 1416 the energy intensity of the economy  $(I_E)$ . 1417

This appendix derives an expression for an energy price rebound (Eq. (36)) shown in Section 3.2.

This derivation and our assessment of the magnitude of energy price rebound in Part II illustrate

the flexibility and extinsibility of the framework presented in these papers.

The derivation begins with an equation for the new economy-wide demand for energy  $(\dot{Q}_E)$  after the EEU:

$$\bar{\dot{Q}}_E = \dot{Q}_E^{\circ} - f_{EEU} N_{dev} \dot{E}_s^{\circ} \left( 1 - \frac{\bar{\dot{E}}_s}{\dot{E}_s^{\circ}} \right) , \qquad (224)$$

where  $\dot{Q}_E$  is the rate of economy-wide demand for energy in MJ/year,  $f_{EEU}$  is the fraction of devices upgraded across the economy (i.e., the penetration of the EEU),  $N_{dev}$  is the number of devices in service, and  $\dot{E}_s$  is the rate of energy consumption by a single device in MJ/device·year. The decorations "o" and "—" have the usual meanings provided in Fig. 1, namely that "o" indicates the original, pre-EEU device and "—" indicates conditions for the device owner after emplacement, substitution, and income adjustments. The ratio between new  $(\dot{Q}_E)$  and pre-EEU  $(\dot{Q}_E)$  energy demand is given by

$$\frac{\dot{\bar{Q}}_E}{\dot{Q}_E^{\circ}} = \frac{\dot{Q}_E^{\circ} - f_{EEU} N_{dev} \dot{E}_s^{\circ} \left(1 - \frac{\dot{\bar{E}}_s}{\dot{E}_s^{\circ}}\right)}{\dot{Q}_E^{\circ}} \,. \tag{225}$$

1430 Simplifying gives

$$\frac{\bar{Q}_E}{\dot{Q}_E^{\circ}} = 1 - f_{EEU} \frac{N_{dev} \dot{E}_s^{\circ}}{\dot{Q}_E^{\circ}} \left( 1 - \frac{\bar{E}_s}{\dot{E}_s^{\circ}} \right) . \tag{226}$$

Note that the group  $\frac{N_{dev}\dot{E}_s^{\circ}}{\dot{Q}_E^{\circ}}$  is the original (pre-EEU) fraction of all energy production (of the kind used by the device) consumed by all such devices throughout the economy.

The relationship between energy price  $(p_E)$  and economy-wide energy supply  $(\hat{Q}_E)$  can be given by an elasticity relationship

$$\frac{\bar{Q}_E}{\dot{Q}_E^{\circ}} = \left(\frac{\bar{p}_E}{p_E^{\circ}}\right)^{\varepsilon_{\dot{Q}_E, p_E}},\tag{227}$$

where  $\varepsilon_{\dot{Q}_E,p_E}$  is the energy price  $(p_e)$  elasticity of economy-wide energy supply  $(\dot{Q}_E)$  and is expected to be positive. To assess the effect on price  $(p_E^{\circ} > \bar{p}_E)$  of demand reduction due to widespread adoption of the EEU  $(\dot{Q}_E^{\circ} > \dot{\bar{Q}}_E)$ , we solve for  $\frac{\bar{p}_E}{p_E^{\circ}}$  to obtain

$$\frac{\bar{p}_E}{p_E^{\circ}} = \left(\frac{\bar{\dot{Q}}_E}{\dot{\dot{Q}}_E^{\circ}}\right)^{\frac{1}{\bar{c}_{\dot{Q}_E, p_E}}}.$$
(228)

Substituting Eq. (226) gives

$$\frac{\bar{p}_E}{p_E^{\circ}} = \left[1 - f_{EEU} \frac{N_{dev} \dot{E}_s^{\circ}}{\dot{Q}_E^{\circ}} \left(1 - \frac{\bar{E}_s}{\dot{E}_s^{\circ}}\right)\right]^{\frac{1}{\varepsilon_{\dot{Q}_E, p_E}}}.$$
(229)

The energy price reduction  $(p_E^{\circ} > \bar{p}_E)$  leads to additional freed cash  $(\dot{G}_{p_E})$  for the device owner 1439 at a rate of 1440

$$\dot{G}_{p_E} = \left[ \dot{E}^{\circ} - (\dot{E}_s^{\circ} - \bar{E}_s) \right] (p_E^{\circ} - \bar{p}_E) , \qquad (230)$$

where  $\dot{E}^{\circ}$  is the rate at which the device owner consumes the final energy carrier that supplies the energy service (gasoline for a car and electricity for an electric lamp) prior to the EEU in all devices 1442 (the upgraded device and others),  $(\dot{E}_s^{\circ} - \dot{\bar{E}}_s)$  reduces  $\dot{E}^{\circ}$  by the energy savings after the income 1443 adjustment such that  $\dot{E}^{\circ} - (\dot{E}_{s}^{\circ} - \bar{E}_{s})$  is the total rate of energy consumption by all of the consumer's 1444 devices after the income effect and the energy price adjustment, and  $(p_E^{\circ} - \bar{p}_E)$  is the energy price 1445 reduction caused by reduced demand for energy across the whole economy estimated by Eq. (229). 1447

Rearrangement of terms gives

$$\dot{G}_{p_E} = \left[ \dot{E}^{\circ} - (\dot{E}_s^{\circ} - \bar{E}_s) \right] \left( 1 - \frac{\bar{p}_E}{p_E^{\circ}} \right) p_E^{\circ} \,, \tag{231}$$

into which Eq. (229) can be substituted easily.

The energy implications of spending the additional freed cash  $(\dot{G}_{p_E})$  on other goods and services 1449 is  $\dot{G}_{p_E}I_E$ , another energy takeback rate. By Eq. (3), rebound associated with this energy price effect takeback can be written as

$$Re_{p_E} = \frac{\dot{G}_{p_E} I_E}{\dot{S}_{dev}} \,, \tag{36}$$

as shown in Section 3.2, thus completing the derivation.