

134.xml

Béla Bartók

♩ = 140

The musical score is written for two staves, both labeled "Piano" and "Pno". The key signature is one sharp (F#), and the time signature is 4/4. The tempo is marked as ♩ = 140. The score consists of 11 measures, with measures 1-2, 3-4, 5-6, 7-8, 9-10, and 11-12 grouped together. The notation includes various rhythmic values, including eighth and sixteenth notes, and rests. Fingerings are indicated by numbers 1-5 above the notes. Accents are marked with a wedge symbol (>) above certain notes. The score is written in a complex, modern style, characteristic of Bartók's later works.

13

Pno

Pno

Measures 13-14. Treble staff: Measure 13 has chords with fingerings 1/4, 1/2, 1/2, 1/3. Measure 14 has chords with fingerings 2/4, 2/4, 2/4, 3/5. Bass staff: Measure 13 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. Measure 14 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. A fermata is placed over the final chord of measure 14.

15

Pno

Pno

Measures 15-16. Treble staff: Measure 15 has chords with fingerings 3/4, 2/4, 2/3, 2/3. Measure 16 has chords with fingerings 2/3, 2/3, 2/3, 2/3. Bass staff: Measure 15 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. Measure 16 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. A fermata is placed over the final chord of measure 16.

17

Pno

Pno

Measures 17-18. Treble staff: Measure 17 has chords with fingerings 2/3, 2/4, 2/5, 3/5. Measure 18 has chords with fingerings 3/3, 2/4, 2/3, 2/4. Bass staff: Measure 17 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. Measure 18 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. A fermata is placed over the final chord of measure 18.

19

Pno

Pno

Measures 19-20. Treble staff: Measure 19 has chords with fingerings 2/3, 2/3, 2/3. Measure 20 has chords with fingerings 2/4, 2/4, 2/4, 3/5. Bass staff: Measure 19 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. Measure 20 has chords with fingerings -1/-2, -1/-2, -1/-2, -1/-2. A fermata is placed over the final chord of measure 20.